


HYMER MOTOR CARAVANS 2026



CONTENT

| | Important tips for choosing your motorhome | 2 |
|-------------------|--|---|
| | HYMER Exsis T / I | 4 |
| Edition | HYMER Exsis T / I 580 Edition model Pure | 10 |
| Edition | THIRD EXECUTION OF THE COMMENT OF TH | |
| | HYMER T-Class S | 16 |
| | HYMER ML-T | 23 |
| Edition | HYMER ML-T CrossOver | 31 |
| | | |
| Edition | HYMER ML-T CrossTrail | 39 |
| Edition | HYMER ML-T Xperience | |
| | HYMER B-Class ModernComfort T | |
| | | |
| | HYMER B-Class ModernComfort I | |
| | HYMER B-Class MasterLine T | 69 |
| Edition | HYMER B-Klasse Masterline T Edition model Blackline | |
| | HYMER B-Class MasterLine I | 95 |
| The second second | TITIVILIT D-Class Waster Line 1 | |
| Edition | HYMER B-Klasse Masterline I Edition model Blackline | |
| | HYMER Venture S | 101 |
| | HYMER Original Parts | |
| | | AND DESCRIPTION OF THE PERSON |

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. HYMER specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

| | ML-T 570 | ML-T 580 |
|--|--------------------------------------|---|
| Standard chassis | Mercedes-Benz Sprinter 415 CDI | Mercedes-Benz Sprinter 415 CDI |
| Drive | Rear Wheel Drive / All Wheel Drive O | Rear Wheel Drive / All Wheel Drive O |
| kW (hp) | 110 (150) | 110 (150) |
| Length / Width / Height (cm) | 674 / 222 / 290 ¹⁾ | 698 / 222 / 290 1) |
| Body width / Internal width (cm) | 212/205 | 212 / 205 |
| Standing height in living area (cm) | 198 | 198 |
| Wheelbase (mm) | 3665 | 3665 |
| Mass in running order (kg)* | 2960 (2812 - 3108)* | 2980 (2831 - 3129)* |
| Manufacturer-specified mass for optional equipment (kg)* | 182 | 160 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3500 |
| Technically permissible maximum towable mass (kg)* | 2000 2) | 2000 2) |
| Permitted number of seats (including driver)* | 4 3) | 4 3) |
| | | |

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is \pm 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, HYMER weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information"

| | ML-T 570 | ML-T 580 |
|--|---|--------------------------------------|
| Standard chassis | Mercedes-Benz Sprinter 415 CDI | Mercedes-Benz Sprinter 415 CDI |
| Drive | Rear Wheel Drive / All Wheel Drive O | Rear Wheel Drive / All Wheel Drive O |
| kW (hp) | 110 (150) | 110 (150) |
| Length / Width / Height (cm) | 674/222/290 1) | 698/222/290 ¹⁾ |
| Body width / Internal width (cm) | 212/205 | 212/205 |
| Standing height in living area (cm) | 198 | 198 |
| Wheelbase (mm) | 3665 | 3665 |
| Mass in running order (kg)* | 2960 (2812 - 3108)* | 2980 (2831 - 3129)* |
| Manufacturer-specified mass for optional equipment (kg)* | 182 | 160 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3500 |
| Technically permissible maximum towable mass (kg)* | 2000 2) | 2000 2) |
| Permitted number of seats (including driver)* | 4 3) | 4 3) |
| | | |

4. The manufacturer-specified mass for optional equipment...

... is a value set by HYMER per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

| | | Price € | ML-T 570 | ML-T 580 | Excess weight (kg)* |
|-----------------|---|---------|----------|----------|---------------------|
| Chassis | Mercedes-Benz Sprinter 3.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E | 990 | 0 | 0 | 0 |
| | Mercedes-Benz Sprinter 3.5 t - 419 CDI - 140 KW/190 hp - Euro VI-E 4) | 4.990,- | 0 | 0 | 14 |
| V201103880 | Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only) | 260,- | 0 | 0 | 0 |
| V201104100 | Weight variant 4,100 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only) | 260,- | 0 | 0 | 0 |
| Style package | | | F | rice | E |
| Chrome grill | | | | | 350,- |
| Bumper, attacl | hment parts and grill frame painted in vehicle color | | | | 790,- |
| Fog lights with | cornering light | | | | 290,- |
| Package price | | | | 1 | .430,- |
| Special price | | | | 1 | .190,- |
| You save | | | | | 240,- |
| Excess weight | t (kg)* | | | | 2 |

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.

PRICES AND TECHNICAL DATA HYMER EXSIS T / I





| | Exsis-t 474 | Exsis-i 474 |
|--|----------------------------------|------------------------------|
| Price a) £ | 89,820 | 109,460 |
| Drive | Front Wheel Drive | Front Wheel Drive |
| Length / Width / Height (cm) | $659^{1)} / 222^{2)} / 279^{3)}$ | $664^{1)}/222^{2)}/279^{3)}$ |
| Body width / Internal width (cm) | 212 / 205 | 212 / 205 |
| Standing height in living area (cm) | 198 | 198 |
| Wheelbase (mm) | 3550 | 3550 |
| Mass in running order (-/+ 5%) (kg)* | 2817 (2676 - 2958)* | 2911 (2765 - 3057)* |
| Manufacturer-specified mass for optional equipment (kg)* | 342 | 247 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3500 |
| Technically permissible maximum towable mass (kg)* | 2000 O ⁴⁾ | 2000 O ⁴⁾ |
| Permitted number of seats (including driver)* | 4 ⁵⁾ | 4 ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 99 x 108 | 99 x 108 |
| Bed dimension: Pull-down bed L x W (cm) | | 188 x 150 |
| Bed dimension: Rear bed L x W (cm) | 2x 190 x 80 | 2x 190 x 80 |
| Bed dimension: Central bed L x W (cm) | 165 x 78 O | 165 x 78 O |
| Berths | 2-30 | 4-5O |
| Bathroom W x D (cm) | 105 x 83 | 105 x 83 |
| Wardrobe W x D x H (cm) | 42 x 54 x 190 | 42 x 54 x 190 |
| Kitchen W x D x H (cm) | 92 x 60 x 93 | 92 x 60 x 93 |
| Fridge volume (freezer compartment) (I) | 142 | 142 |
| Standard heating | Gas warm air, 6 kW | Gas warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 11kg | 2 x 11kg |
| Total fresh water tank capacity (I) | 115 | 115 |
| Fresh water tank in driving filling level (I) | 20 | 20 |
| Waste water tank (I) | 105 | 105 |
| Standard habitation battery | 95 Ah (AGM) | 95 Ah (AGM) |
| Sockets: 230 V/12 V/USB | 5/2/2 | 5/2/2 |

Standard equipment
 Optional equi
 On request (no extra cost)
 Not possible

O Optional equipment A Mandatory

▲ Mandatory

☐ Available in package

 \triangle Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER EXSIS T / I

| | Exsis-t 4 Exsis-i 4 |
|--|------------------------|
| | Ë Ë |
| Chassis / Weight variants | |
| Fiat Ducato 3.5 t - 2.2 MultiJet - 103 KW/140 hp - Euro 6eBis - 8-gear automatic transmission ⁶⁾ | |
| Fiat Ducato 3.5 t - 2.2 Multijet - 132 KW/180 hp - Euro 6eBis Basis | |
| Exterior cab colour: Lanzarote grey (Pastel) | • - |
| Exterior body colour: White | • • |
| AL-KO frame | • • |
| 90 I fuel tank | • • |
| 19 I AdBlue tank | • • |
| Exterior mirror electrically adjustable / heated | • - |
| Daytime Running Light integrated in headlights | • - |
| Mud flaps, rear axle | • - |
| 16" steel wheels (Maxi chassis or automatic transmission only) | • • |
| M+S All Season tyres (225/75/R16C/6J with snowflake symbol) | • • |
| Driver and passenger airbag | • • |
| Lx Twin USB socket in cab | • • |
| Dashboard tray instead of tablet holder | • • |
| Multifunctional steering wheel | • • |
| Manual AirCon with pollen filter | |
| Start-Stop-System incl. intelligent alternator | ••• |
| Electric cab windows and central locking for cab | • - |
| ABS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) | |
| ESP incl. ASR, TRACTION PLUS and Hill Holder Post-collision brake control ⁷⁾ | |
| Crosswind Assist | |
| Fiat Cruise Control | |
| BG automatic transmission (180 hp engine) | |
| Exterior mirrors suspended, electrically heated and adjustable, incl. wide-angle mirror | - • |
| LED Daytime running light and LED indicator integrated in HYMER headlights | - 0 |
| Special spiral sprung for front axle | - • |
| Mud flaps, front and rear axle | - • |
| Cupholder driver and passenger seat | - • |
| Body | |
| Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | • • |
| 60 cm Maxi Comfort habitation door incl. window with blackout blind and waste bin | • • |
| Electric entrance step, 1-step | • • |
| Garage load up to 350 kg (optional 450 kg). Please note the axle load. | • • |
| Large garage doors, LH and RH side | • • |
| Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology | • • |
| Panoramic skylight above cab, manually hinged | • - |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) | • • |
| HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | • • |
| Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | |
| Opening windows with blackout blind and mosquito net, LH and RH side, rear ³³⁾ | |
| Cab door with electric power windows and entry lighting | - • |
| Outfitting Cab seats, upholstered in living area fabric, height- and tilt adjustable, swivelling, with 2 armrests | |
| Front seating group with 2 integrated 3-point belts | |
| Cab blinds | <u> </u> |
| Mosquito net on habitation door | |
| Cab seats, upholstered in living area fabric, swivelling, with 2 armrests | = • |
| Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts | - • |
| _uxury table: 360° rotatable, longitudinally and transversably displaceable | - • |
| Cab blinds made of high-quality pleated fabric | - • |
| Living and bedroom + lighting | |
| Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear | • • |
| Complete LED interior lighting | • • |
| ED worktop lighting | • • |
| ED awning light | • • |
| Pull-down bed, manual | - • |
| Ladder for pull-down bed | - • |
| | |

| | û | ш |
|---|---|---|
| Kitchen | | |
| Kitchen drawer with Soft close feature and cutlery insert | • | • |
| Freely arrangeable kitchen drawers, extra wide | • | • |
| 142 Smart-Tower fridge | • | • |
| Installation & Technology | | |
| 6 kW gas warm air heating with 10 I warm water boiler | • | • |
| Pedestal at seating group heated by warm air | • | |
| LCD keypad for heating | • | |
| Warm air heating in the rear bedroom, adjustable separately | • | |
| Gas bottle compartment with access via the external flap / door | • | |
| Reinforced battery, 12 V, 95 Ah AGM | • | |
| Charging booster for safe charging of the habitation battery while driving (up to 70 A) | • | |
| 115 I fresh water tank, insulated and heated (20 I in driving position) | • | |
| 105 I waste water tank, insulated and heated | • | |
| Automatic gas bottle changeover system with crash sensor and IceEx ⁸⁾ | • | |
| Cab heating concept with increased warm air heating incl. heated dashboard in the living condition | | |
| Multimedia | | |
| Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna | • | _ |
| Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear bedroom, radio and DVB-T2 | | |
| antenna | | |
| Fabrics & Furniture finishes | | |
| Furniture finish: Sauvignon Oak in combination with Tip Printed | • | • |
| Fabric combination: Bogota | • | • |
| | | |

PACKS HYMER EXSIS T / I

Driving Comfort Package

Automatic AirCon with pollen filter

Shelf for smartphones incl. wireless charging with charge level indicator

Fully digital cockpit with integrated 7" display

Multimedia SatNav System with 9" Touchscreen incl. motorhome software, DAB+, Apple Car Play, Google Android Auto, reversing-/ service camera, rear-view mirror function, HYMER Smart Control

| Package price (incl. VAT) | 3,810 |
|---------------------------|-------|
| Excess weight (kg)* | 6 |

Fiat Style package Low Profile models

SKID PLATE in glossy black

Bumper painted in vehicle colour

Fog lights with cornering light

Aluminium applications for ventilation nozzles

Leather steering wheel and gear knob lever

16" alloy wheels

| Package price (incl. VAT) | 1,440 |
|---------------------------|-------|
| Excess weight (kg)* | 4 |

| Living Comfort package Low profile models | Price £ |
|--|---------|
| Ambient lighting | 510 |
| Fitted sheets made to measure for rear beds individually adapted to mattress | 210 |
| 4 cushions | 170 |
| Shower insert floor with wooden surface | 140 |
| Additional sockets: 5 x 230 V / 3 x 12 V / 2 x Twin-USB (incl. kitchen wall panelling) | 420 |
| Sum package | 1,450 |
| Package price (incl. VAT) | 1,140 |
| You save | 310 |
| Excess weight (kg)* | 10 |

Fiat Style package A-Class models

Chrome trim strip for grill

Glossy grill

Additional graphics Exsis-I (fog light housing, window skirts, side skirts)

Aluminium applications for ventilation nozzles

Leather steering wheel and gear knob lever

16" alloy wheels

| Package price (incl. VAT) | 1,580 |
|---------------------------|-------|
| Excess weight (kg)* | 2 |

| Living Comfort package A-Class models | Price £ |
|--|---------|
| Ambient lighting | 510 |
| Fitted sheets made to measure for rear beds individually adapted to mattress | 210 |
| 4 cushions | 170 |
| Shower insert floor with wooden surface | 140 |
| Additional sockets: 5 x 230 V / 3 x 12 V / 2 x Twin-USB (incl. kitchen wall panelling) | 420 |
| Sum package | 1,450 |
| Package price (incl. VAT) | 1,140 |
| You save | 310 |
| Excess weight (kg)* | 10 |

| Standard equipment | O Optional equipment | ▲ Mandatory | △ Not known at the time of publication |
|--|----------------------------------|--------------------------------|--|
| On request (no extra cost) | Not possible | \square Available in package | |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER EXSIS T / I

| | | Price £ | Exsis-t 4 | Exsis-i 4 | Excess v |
|------------------------------|---|---------|-----------|-----------|----------|
| Chassis / Weig V201103650 | ht variants Uprating to 3.65 t (Fiat Ducato 3.5 t Light only) | 220 | _ | 0 | 0 |
| V201103650 | Fiat Ducato 3.5 t - 2.2 Multijet - 132 KW/180 hp - Euro 6eBis - 8-gear automatic transmission ⁶⁾ | 3,690 | | 0 | 60 |
| Basis | Flat Ducato 5.5 t - 2.2 Multijet - 152 KW/160 Hp - Euro Gebis - 8-gear automatic transmission | 3,090 | | | 60 |
| V2051060 | 60 I fuel tank | 40 | 0 | 0 | -25 |
| V2031000 V20250145 | Exterior cab colour: Grigio Campovolo (Pastel) | 640 | | _ | 0 |
| V20250143 | Exterior cab colour: Artense grey (Metallic) | 850 | | _ | 0 |
| V3003011 | Exterior body colour: Crystal-Silver Metallic ⁹⁾ | 2,560 | _ | | 30 |
| V20250110 | Exterior cab colour: Black (Metallic) | 850 | | _ | 0 |
| V2097011 | LED Daytime Running Light ¹⁰⁾ | 300 | | _ | 0 |
| V2077113 | LED headlights incl. LED Daytime Running Light | 1,020 | | _ | 0 |
| V2077113 | Heated windscreen ¹¹⁾ | 330 | | | 1 |
| V20855J | Seat heating for cab seats, adjustable separately | 620 | | _ | 0 |
| V3003011 | Exterior colour: Crystal-Silver Metallic | 3,420 | - | 0 | 30 |
| V2077115 | HYMER Premium Full-LED headlights | 1,450 | | 0 | 1 |
| V2062110 | Halogen fog lights ³⁴⁾ | 250 | | 0 | 1 |
| V20855J | Seat heating and lumbar support for cab seats, adjustable separately ³⁵⁾ | 620 | | | 0 |
| Body | ocat nouting and familiar support for sub-souto, adjustable soparatory | 020. | | Ğ | |
| V30522150 | Awning with adapter, white housing, 400 x 250 cm ¹²⁾ | 1,240 | 0 | _ | 32 |
| V30522150 | Awning with adapter, silver housing, 400 x 250 cm ¹²⁾ | 1,240 | | _ | 32 |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) ^{13) 14) 15)} | 1,080 | | 0 | 33 |
| V30330J | GRP roof coating ¹⁶⁾ | 590 | | _ | 14.5 |
| V30020102 | Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock ¹⁷⁾ | 340 | | | 1.5 |
| V20460J | Comfort jacks, rear (2 units) | 340 | | 0 | 9 |
| V20062J | Frame extension incl. 450 kg garage load ¹⁴⁾ | 420 | | 0 | 25 |
| V3055010 | Security lock for habitation door | 260 | | _ | 0.5 |
| V7003410 | Additional graphics on skirt panel | 250 | | _ | 0.0 |
| V3023013 | Bicycle rack for two bicycles, manually lowerable, max. load 50 kg | 930 | | 0 | 17 |
| V3023012 | Bicycle rack for 4 bicycles, max. load: 60 kg | 390 | | 0 | 14 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen ^{18) 19)} | 390 | | 0 | 5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom ¹⁸⁾ | 510 | | 0 | 12 |
| V30522160 | Awning with adapter, white housing, 450 x 250 cm ¹²⁾ | 1,360 | | 0 | 35 |
| V30522160 | Awning with adapter, silver housing, 450 x 250 cm ¹²⁾ | 1,360 | | 0 | 35 |
| V3020211 | Electric entrance step on cab door (when opening the cab door the step automatically extends) | 390 | | 0 | 8 |
| V30330J | GRP roof coating ¹⁶⁾ | 590 | _ | 0 | 19 |
| V3055012 | Security lock for cab and habitation door | 510 | _ | 0 | 1 |
| V30480J | Insulating glazing for cab side windows and cab door | 850 | _ | 0 | 5 |
| V3008010 | Skylight in the front with blackout blind and mosquito net, 40 x 40 cm ³⁶⁾ | 170 | | 0 | 2 |
| Outfitting | | | | | |
| V50100J | External shower, located in garage | 250 | 0 | 0 | 1 |
| V2087513 | Height- and tilt adjustment for pilot seats | 680 | _ | 0 | 10 |
| V40070J | Front overhead lockers instead of pull-down bed (incl. front skylight) 37) | 470 | _ | 0 | -16 |
| Living and bed | room + lighting | | | | |
| V4034011 | Sleeping system with cup-slatted bed frame for rear bed(s) | 420 | 0 | 0 | 3 |
| V60170J | Fitted sheets made to measure for rear beds individually adapted to mattress | 210 | | | 1 |
| V60280J | Additional cushion for further sleeping possibility including the cab seat | 340 | 0 | _ | 5 |
| V60260J | Additional cushion between the longitudinal single beds with ladder | 390 | 0 | 0 | 4 |
| V60030J | 4 cushions | 170 | | | 2 |
| V50290J | Ambient lighting | 510 | | | 1 |
| V60285J | Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat | 340 | _ | 0 | 5 |
| Bathroom | | | | | |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

| | | Price £ | Exsis-t | Exsis-i | Excess |
|------------------|---|---------|---------|---------|--------|
| V40210J | Shower insert floor with wooden surface | 140 | | _ | 3 |
| Installation & T | echnology | | | | |
| V5028013 | 6 kW gas warm air heating with 10 I warm water boiler and 1,800 W electric bar heater | 510 | 0 | 0 | 1 |
| V50250J | Gas filter for automatic gas bottle changeover ^{8) 20)} | 170 | 0 | 0 | 0 |
| V50230J | External gas socket with shut-off valve | 170 | 0 | 0 | 1 |
| V30325J | Gas bottle slide out | 600 | 0 | 0 | 10 |
| V5012512 | HYMER Smart Battery System (150 Ah LFP) incl. additional charger ^{21) 22)} | 2,480 | 0 | 0 | 25 |
| V5012511 | Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²³⁾ | 420 | 0 | 0 | 30 |
| V5047029 | Solar panel with solar charge controller (MPPT) and display, 2 x 95 W | 1,450 | 0 | 0 | 8 |
| V80288J | Additional sockets: 5 x 230 V / 3 x 12 V / 2 x Twin-USB (incl. kitchen wall panelling) | 420 | | | 3 |
| V5020010 | Floor heating (electric) in habitation area and central walkway ^{24) 25)} | 590 | 0 | 0 | 10 |
| V5033014 | Roof AirCon, 2,400 W ^{18) 19)} | 1,960 | 0 | 0 | 33 |
| V5005010 | Alarm system for cab-, habitation- as well as 2 garage doors / flaps | 600 | 0 | 0 | 1 |
| V3064012 | Toilet vent | 250 | 0 | 0 | 1 |
| Multimedia | | | | | |
| V50400115 | Multimedia SatNav System with 9" Touchscreen incl. motorhome software, DAB+, Apple Car Play, Google Android Auto, reversing-/ service camera, rear-view mirror function, HYMER Smart Control ^{26) 27) 28) 29)} | 2,730 | | | 6 |
| V5054610 | 22" TV bracket | 320 | 0 | 0 | 4 |
| V5054611 | 32" TV bracket | 320 | 0 | 0 | 4 |
| V5054513 | 22" Smart LED-TV with built-in speakers, remote control, HYMER Smart-Multimedia system with Bluetooth (DVB-T / C, DVB-S2) incl. receiver $^{30)}$ | 1,110 | 0 | 0 | 7 |
| V5054514 | 32" Smart LED-TV with built-in speakers, remote control, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), electric bracket as well as receiver 30) | 1,530 | 0 | 0 | 10 |
| V5055011 | Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as wall bracket ³¹⁾ | 1,230 | 0 | 0 | 13 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | 0 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 0 | 14.5 |
| Fabrics & Furn | ture finishes | | | | |
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | 0 | 0 | 4 |
| V602104011 | Carpet: Laguna ³²⁾ | 340 | 0 | 0 | 7 |
| V602104009 | Carpet: Samona ³²⁾ | 340 | 0 | 0 | 7 |
| Packages | | | | | |
| V8040024 | Driving Comfort Package | 3,810 | 0 | 0 | 6 |
| V8028925 | Fiat Style package Low Profile models | 1,440 | 0 | _ | 4 |
| V8039013 | Living Comfort package Low profile models | 1,140 | 0 | _ | 10 |
| V8028926 | Fiat Style package A-Class models | 1,580 | _ | 0 | 2 |
| V8039016 | Living Comfort package A-Class models | 1,140 | _ | 0 | 10 |

| (| Standard equipment | O Optional equipment | ▲ Mandatory | Δ Not known at the time of publication | Further information from p. 10 |
|---|----------------------------|----------------------------------|------------------------|---|--------------------------------|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package | | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

PRICES AND TECHNICAL DATA HYMER EXSIS T / I 580 EDITION MODEL PURE





| | Exsis-t 580 Pure | Exsis-i 580 Pure |
|--|---|---|
| Price a) £ | 87,080 | 99,450 |
| Standard chassis | Fiat Ducato | Fiat Ducato |
| Drive | Front Wheel Drive | Front Wheel Drive |
| kW (hp) | 103 (140) | 103 (140) |
| Length / Width / Height (cm) | 694 ¹⁾ / 222 ²⁾ / 283 ³⁾ | $699^{1)} / 222^{2)} / 283^{3)}$ |
| Body width / Internal width (cm) | 212 / 205 | 212 / 205 |
| Standing height in living area (cm) | 198 | 198 |
| Wheelbase (mm) | 3800 | 3800 |
| Mass in running order (-/+ 5%) (kg)* | 2984 (2835 - 3133)* ³⁸⁾ | 3065 (2912 - 3218)* ³⁸⁾ |
| Manufacturer-specified mass for optional equipment (kg)* | 166 | 80 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3500 |
| Technically permissible maximum towable mass (kg)* | 2000 🔿 | 2000 🔿 |
| Permitted number of seats (including driver)* | 4 5) | 4 ⁵) |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 85 x 109 / 75 x 85 | 85 x 109 / 75 x 85 |
| Bed dimension: Pull-down bed L x W (cm) | | 188 x 150 |
| Bed dimension: Rear bed L x W (cm) | 195 x 80 / 191 x 80 / 218 x 80 O / 191 x 80 O | 195 x 80 / 191 x 80 / 218 x 80 O / 191 x 80 O |
| Bed dimension: Central bed L x W (cm) | 165 x 78 | 165 x 78 |
| Berths | 2-30 | 4-50 |
| Bathroom W x D (cm) | 125 x 85 | 125 x 85 |
| Wardrobe W x D x H (cm) | 27 x 54 x 160 | 27 x 54 x 160 |
| Kitchen W x D x H (cm) | 90 x 60 x 93 | 90 x 60 x 93 |
| Fridge volume (freezer compartment) (I) | 142 | 142 |
| Standard heating | Gas warm air, 6 kW | Gas warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 11kg | 2 x 11kg |
| Total fresh water tank capacity (I) | 120 | 120 |
| Fresh water tank in driving filling level (I) | 20 | 20 |
| Waste water tank (I) | 90 | 90 |
| Standard habitation battery | 95 Ah (AGM) | 95 Ah (AGM) |
| Sockets: 230 V/12 V/USB | 4/2/4 | 4/2/4 |

Standard equipment
 Optional equipment
 On request (no extra cost)
 Not possible

O Optional equipment

Mandatory

▲ Mandatory

☐ Available in package

 \triangle Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER EXSIS T / I 580 EDITION MODEL PURE

| | Exsis-t 580 | i 580 |
|--|-------------|----------|
| | Exsis | Exsis-i |
| Chassis / Weight variants | | |
| Fiat Ducato 3.5 t - 2.2 MultiJet - 103 KW/140 hp - Euro 6eBis - 6-gear manual transmission ⁶⁾ | • | ▔ |
| Basis | | |
| Exterior cab colour: Lanzarote grey (Pastel) | • | _ |
| Exterior body colour: White | • | • |
| Fiat Ducato low-frame chassis | • | • |
| 90 I fuel tank | | |
| 19 I AdBlue tank | | • |
| Exterior mirror, wide arm version | | |
| Electrically adjustable and heated exterior mirrors | • | _ |
| Fog lights with cornering light | | _ |
| Headlights with black frame | | _ |
| Mud flaps, rear axle | | _ |
| Bumper painted in vehicle colour | | |
| SKID PLATE in glossy black 16" alloy wheels (Light chassis only) | | |
| M+S All Season tyres (225/75/R16C/6J with snowflake symbol) | | |
| Driver and passenger airbag | | |
| 1x Twin USB socket in cab | | |
| Dashboard tray instead of tablet holder | | |
| Aluminium applications for ventilation nozzles | | • |
| Electric cab windows and central locking for cab | | _ |
| Leather steering wheel and gear knob lever | | |
| Manual AirCon with pollen filter | • | • |
| Multifunctional steering wheel | | |
| Rear axle stabiliser | • | _ |
| ABS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) | | • |
| ESP incl. ASR, TRACTION PLUS and Hill Holder | • | • |
| Post-collision brake control ⁷⁾ | • | |
| Crosswind Assist | • | • |
| Start-Stop-System incl. intelligent alternator | • | • |
| Fiat Cruise Control | • | • |
| Exterior mirrors suspended, electrically heated and adjustable, incl. wide-angle mirror | _ | |
| LED Daytime running light and LED indicator integrated in HYMER headlights | _ | • |
| Mud flaps, front and rear axle | _ | • |
| Cupholder driver and passenger seat | | <u> </u> |
| Body 120 April 1 | | |
| Awning with adapter, white or silver housing, 400 x 250 cm ¹²⁾ | | _ |
| Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | | |
| 60 cm Maxi Comfort habitation door incl. window with blackout blind and waste bin | | |
| Electric entrance step, 1-step Evaluative LIVATE Multifurcational recording to the in LED. United to abroad any | | |
| Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology | | |
| External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. | | |
| Large garage door, RH side | | |
| Panoramic skylight above cab, manually hinged | | |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) | | |
| Service flap for convenient access to the board electronics on the LH side | | • |
| Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | | • |
| HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | • | • |
| Opening windows with blackout blind and mosquito net, LH and RH side, rear ³³⁾ | | |
| Awning with adapter, white or silver housing, 450 x 250 cm ¹²⁾ | _ | • |
| Cab door with electric power windows and entry lighting | _ | |
| Outfitting | | |
| Cab seats, upholstered in living area fabric, height- and tilt adjustable, swivelling, with 2 armrests | • | _ |
| Cab blinds | • | _ |
| Mosquito net on habitation door | • | • |
| Cab seats, upholstered in living area fabric, swivelling, with 2 armrests | _ | • |
| | | |

Fabric combination: Bogota

PACKS HYMER EXSIS T / I 580 EDITION MODEL PURE

Driving Comfort Package

Automatic AirCon with pollen filter

Shelf for smartphones incl. wireless charging with charge level indicator

Fully digital cockpit with integrated 7" display

Multimedia SatNav System with 9" Touchscreen incl. motorhome software, DAB+, Apple Car Play, Google Android Auto, reversing-/ service camera, rear-view mirror function, HYMER Smart Control

| Package price (incl. VAT) | 3,810 |
|---------------------------|-------|
| Excess weight (kg)* | 6 |

| Style package for integrated FIAT models | Price £ |
|---|---------|
| Chrome trim strip for grill | 230 |
| Glossy grill | 230 |
| Additional graphics Exsis-I (fog light housing, window skirts, side skirts) | 420 |
| Sum package | 880 |
| Package price (incl. VAT) | 640 |
| You save | 240 |
| Excess weight (kg)* | 0 |

| Standard equipment | O Optional equipment | ▲ Mandatory | ▲ Not known at the time of publication |
|--|----------------------------------|--------------------------------|--|
| On request (no extra cost) | Not possible | \square Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER EXSIS T / I 580 EDITION MODEL PURE

| | | Price £ | Exsis-t 580 Pure | Exsis-i 580 Pure | Excess weight (kg |
|-----------------|--|---------|------------------|------------------|-------------------|
| Chassis / Weig | ht variants | | | | |
| | Fiat Ducato 3.5 t - 2.2 MultiJet - 103 KW/140 hp - Euro 6eBis - 8-gear automatic transmission ⁶⁾ | 3,420 | 0 | 0 | 60 |
| | Fiat Ducato 3.5 t - 2.2 Multijet - 132 KW/180 hp - Euro 6eBis - 8-gear automatic transmission ⁶⁾ | 7,110 | | 0 | 60 |
| V201103650 | Uprating to 3.65 t (Fiat Ducato 3.5 t Light only) | 220 | 0 | 0 | 0 |
| Basis | | | | | |
| V2051060 | 60 I fuel tank | 40 | | 0 | -25 |
| V20250145 | Exterior cab colour: Grigio Campovolo (Pastel) | 640 | | _ | 0 |
| V20250164 | Exterior cab colour: Artense grey (Metallic) | 850 | | _ | 0 |
| V20250110 | Exterior cab colour: Black (Metallic) | 850 | 0 | _ | 0 |
| V3003011 | Exterior body colour: Crystal-Silver Metallic ⁹⁾ | 2,560 | | _ | 30 |
| V2077113 | LED headlights incl. LED Daytime Running Light | 1,020 | 0 | _ | 0 |
| V2021030 | 16" alloy wheels (Maxi chassis or automatic transmission only) | | • | • | 2 |
| V2064511 | Electric parking brake | 590 | 0 | 0 | -9 |
| V20855J | Seat heating for cab seats, adjustable separately | 620 | 0 | _ | 0 |
| V20391J | Heated windscreen ¹¹⁾ | 330 | 0 | _ | 1 |
| V209108 | Driver Assistance System: Emergency Brake, Lane Keeping & Intelligent Speed Assist, Rain & Light sensor incl. High Beam Assist, Traffic sign recognition as well as Driver Fatigue Detection | 1,070 | 0 | - | 1.5 |
| V2091024 | Active Distance Assist 30+ ^{39) 40)} | 590 | 0 | _ | 0 |
| V3003011 | Exterior colour: Crystal-Silver Metallic | 3,420 | _ | 0 | 30 |
| V2052510 | Chrome trim strip for grill | 230 | _ | | 0 |
| V2052511 | Glossy grill | 230 | _ | | 0 |
| V2062110 | Halogen fog lights ³⁴⁾ | 250 | _ | 0 | 1 |
| V2077115 | HYMER Premium Full-LED headlights | 1,450 | _ | 0 | 1 |
| V20855J | Seat heating and lumbar support for cab seats, adjustable separately ³⁵⁾ | 620 | _ | 0 | 0 |
| Body | | | | | |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) 13) 14) 41) | 1,080 | 0 | 0 | 33 |
| V30330J | GRP roof coating ¹⁶⁾ | 590 | 0 | _ | 14.5 |
| V30020102 | Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock 17) | 340 | 0 | 0 | 1.5 |
| V20460J | Comfort jacks, rear (2 units) | 340 | 0 | 0 | 9 |
| V20062J | Frame extension incl. 450 kg garage load ¹⁴⁾ | 420 | 0 | 0 | 42 |
| V3055010 | Security lock for habitation door | 260 | 0 | _ | 0.5 |
| V3023013 | Bicycle rack for two bicycles, manually lowerable, max. load 50 kg | 930 | 0 | 0 | 17 |
| V3023012 | Bicycle rack for 4 bicycles, max. load: 60 kg | 390 | 0 | 0 | 14 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen ^{19) 18)} | 390 | 0 | 0 | 5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom ¹⁸⁾ | 510 | 0 | 0 | 12 |
| V3020211 | Electric entrance step on cab door (when opening the cab door the step automatically extends) | 390 | _ | 0 | 8 |
| V30330J | GRP roof coating ¹⁶⁾ | 590 | _ | 0 | 19 |
| V3055012 | Security lock for cab and habitation door | 510 | _ | 0 | 1 |
| V3008010 | Skylight in the front with blackout blind and mosquito net, 40 x 40 cm ³⁶⁾ | 170 | _ | 0 | 2 |
| Outfitting | | | | | |
| V50100J | External shower, located in garage | 250 | 0 | 0 | 1 |
| V40070J | Front overhead lockers instead of pull-down bed (incl. front skylight) | 470 | _ | 0 | -16 |
| V2087513 | Height- and tilt adjustment for pilot seats | 680 | _ | 0 | 10 |
| Living and bedr | room + lighting | | | | |
| V4036612 | Overhead lockers above rear beds instead of open shelves | 300 | 0 | 0 | 4 |
| V4034011 | Sleeping system with cup-slatted bed frame for rear bed(s) | 420 | 0 | 0 | 3 |
| V4006110 | XXL bed, extra long mattress incl. semi-high wardrobe (instead of floor-to-ceiling wardrobe) | 300 | 0 | 0 | 2.5 |
| V60170J | Fitted sheets made to measure for rear beds individually adapted to mattress | 210 | 0 | 0 | 1 |
| V60030J | 4 cushions | 170 | 0 | 0 | 2 |
| | | | | | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

| Price £ | Exsis-t 580 P | Exsis-i 580 Pu | Excess weight |
|---------|---------------|----------------|---------------|
| | | | |
| 760 | 0 | 0 | 29 |
| | | | |
| 510 | 0 | 0 | 1 |
| 600 | 0 | 0 | 10 |
| 170 | 0 | 0 | 1 |
| 1,020 | 0 | 0 | 10 |
| 2,480 | 0 | 0 | 25 |
| 420 | 0 | 0 | 30 |
| 1.450 | 0 | 0 | 8 |

590.- O O

0

0

1,960.- 0

1,970.-

1,230.- 0

250.- O

10

33

1

6

13

| Fabrics & Furn | iture finishes | | | | |
|----------------|--|-------|---|---|---|
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | 0 | 0 | 4 |
| V602104011 | Carpet: Laguna ³²⁾ | 340 | 0 | 0 | 7 |
| V602104009 | Carpet: Samona ³²⁾ | 340 | 0 | 0 | 7 |
| Packages | | | | | |
| V8040024 | Driving Comfort Package | 3,810 | 0 | 0 | 6 |
| V8028915 | Style package for integrated FIAT models | 640 | _ | 0 | 0 |

Multimedia SatNav System with 9" Touchscreen incl. motorhome software, DAB+, Apple Car Play, Google

Android Auto, reversing-/ service camera, rear-view mirror function, HYMER Smart Control 26) 27) 29) 28) 43) Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as

6 kW gas warm air heating with 10 l warm water boiler and 1,800 W electric bar heater

HYMER Smart Battery System (50 Ah LFP) incl. additional charger 42) 22)

HYMER Smart Battery System (150 Ah LFP) incl. additional charger ^{22) 21)}

Second habitation battery (95 Ah AGM) incl. additional 18 A charger 23)

Solar panel with solar charge controller (MPPT) and display, 2 x 95 W $\,$ Floor heating (electric) in habitation area and central walkway ^{24) 25)}

O Optional equipment

Mandatory Δ Not known at the time of publication Further information from p. 107 ◆ On request (no extra cost) — Not possible \square Available in package



Kitchen V4020012

V5028013

V30325J

V502301

V5012513

V5012512

V5012511

V5047029

V5020010

V5033014

V3064012

Multimedia

V50400115

V5055011

Installation & Technology

Cooker-/oven combination

External gas socket with shut-off valve

Gas bottle slide out

Roof AirCon, 2,400 W 18)

Toilet vent

wall bracket

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that ${\sf HYMER}$ uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

PRICES AND TECHNICAL DATA HYMER T-CLASS S









| | T-Class S 585 | T-Class S 680 | T-Class S 685 | T-Class S 695 |
|---|---|-----------------------------------|-----------------------------------|-----------------------------------|
| Price a) £ | 86,610 | 86,610 | 86,610 | 86,610 |
| Standard chassis | Mercedes-Benz Sprinter 315 CDI | Mercedes-Benz Sprinter 315 CDI | Mercedes-Benz Sprinter 315 CDI | Mercedes-Benz Sprinter 315 CDI |
| Drive | Front Wheel Drive | Front Wheel Drive | Front Wheel Drive | Front Wheel Drive |
| kW (hp) | 110 (150) | 110 (150) | 110 (150) | 110 (150) |
| Emission standards | Euro VI-E | Euro VI-E | Euro VI-E | Euro VI-E |
| Length / Width / Height (cm) | 709 ¹⁾ / 229 ²⁾ / 298 ³⁾ | $739^{1)} / 229^{2)} / 298^{3)}$ | $739^{1)} / 229^{2)} / 298^{3)}$ | $739^{1)} / 229^{2)} / 298^{3)}$ |
| Body width / Internal width (cm) | 219 / 212 | 219 / 212 | 219 / 212 | 219 / 212 |
| Standing height in living area (cm) | 204 | 204 | 204 | 204 |
| Wheelbase (mm) | 3924 | 3924 | 3924 | 3924 |
| Mass in running order (-/+ 5%) (kg)* | 2991 (2841 - 3141)* | 3001 (2851 - 3151)* | 3021 (2870 - 3172)* | 3001 (2851 - 3151)* |
| Manufacturer-specified mass for optional equipment $(kg)^*$ | 153 | 140 | 205 | 225 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3500 | 3500 | 3500 |
| Technically permissible maximum towable mass (kg)* | 2000 🔾 4) | 2000 O ⁴⁾ | 2000 O ⁴⁾ | 2000 ()4) |
| Permitted number of seats (including driver)* | 4 - 5 O ⁵⁾ | 4 - 5 O ⁵⁾ | 3 - 4 O ⁵⁾ | 3 - 4 O ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 | 41/34/34 | 41/34/34 | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 80 x 116 / 75 x 85 O | 93 x 116 / 75 x 85 O | 93 x 116 / 75 x 85 O | 93 x 100 / 65 x 65 O |
| Bed dimension: Pull-down bed L x W (cm) | 188 x 130 - 105 O | 188 x 130 - 105 O | 188 x 130 - 105 O | 188 x 130 - 105 O |
| Bed dimension: Rear bed L x W (cm) | 193 x 83 / 187 x 83 / 209 x 83 O | 200 x 83 / 196 x 83 | 202 x 83 / 205 x 83 | 190 x 150 |
| Bed dimension: Central bed L x W (cm) | 195 x 125 - 40 O | 195 x 125 - 40 O | 195 x 91 O | 195 x 91 O |
| Berths | 2-50 | 2-50 | 2-50 | 2-50 |
| Bathroom W x D (cm) | 105 x 85 | 90 x 81 | 90 x 81 | 90 x 81 |
| Separate shower W x D (cm) | | 73 x 68 | 73 x 68 | 73 x 68 |
| Kitchen W x D x H (cm) | 89 x 78 x 93 | 90 x 86 x 93 | 97 x 78 x 93 | 97 x 78 x 93 |
| Fridge volume (freezer compartment) (I) | 136 (15) | 136 (15) | 136 (15) | 136 (15) |
| Standard heating | Diesel warm air, 6 kW | Diesel warm air, 6 kW | Diesel warm air, 6 kW | Diesel warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 2.75kg 2 x 11kg () | 2 x 2.75kg 2 x 11kg () | 2 x 2.75kg 2 x 11kg () | 2 x 2.75kg 2 x 11kg () |
| Total fresh water tank capacity (I) | 110 | 110 | 110 | 110 |
| Fresh water tank in driving filling level (I) | 20 | 20 | 20 | 20 |
| Waste water tank (I) | 100 | 100 | 100 | 100 |
| Standard habitation battery | 95 Ah (AGM) | 95 Ah (AGM) | 95 Ah (AGM) | 95 Ah (AGM) |
| Sockets: 230 V/12 V/ USB | 4/2/4 | 4/2/4 | 4/2/4 | 4/2/4 |
| | | | | |

 Standard equipment ◆ On request (no extra cost) — Not possible

O Optional equipment 🔺 Mandatory

 \square Available in package

△ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturerspecified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory. fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER T-CLASS S

| | T-Class S | T-Class S | T-Class S | T-Class S |
|--|-----------|-----------|-----------|-----------|
| Chassis / Weight variants Mercedes-Benz Sprinter 3.5 t - 315 CDI - 110 KW/150 hp - Euro VI-E 44) | | • | • | • |
| Basis | | | | |
| Exterior cab colour: White | • | • | • | • |
| Exterior body colour: White | • | • | • | • |
| Mercedes-Benz Original ladder-type frame | • | • | • | • |
| 6 gear manual transmission | • | • | • | |
| 92 I fuel tank | • | • | • | • |
| 22 I AdBlue tank | | | | |
| Electrically adjustable and heated exterior mirrors | • | • | • | |
| Broad gauge, rear axle | • | | • | |
| Engine compartment insulation and cab underbody panelling | • | | | |
| Daytime Running Light integrated in headlights | | | | |
| Mud flaps, rear axle | | | | |
| Reinforced front axle Trailer hitch pre-installation | | | | |
| Heat-insulating glass with tinting strip on windscreen | | | | |
| 16" steel rims (silver) with wheel hub cover and All Season tyres | • | | | |
| Mercedes-Benz acoustics package | • | • | • | • |
| ECO Start-Stop feature | • | • | • | • |
| Electric cab windows and central locking for cab | • | | | |
| Electric parking brake | • | • | • | • |
| Driver and passenger airbag ⁴⁵⁾ | • | | | |
| Cupholder driver and passenger seat | • | • | • | • |
| Semi-automatic climate control TEMPMATIC | • | | • | • |
| Keyless Start (start-stop button for comfortable engine start) | • | • | • | • |
| Hinged lid for central storage compartment on the dashboard | | | • | |
| Mercedes-Benz instrument cluster with colour display | • | • | • | • |
| Multifunctional steering wheel | • | | • | • |
| Open shelf cockpit passenger side | • | • | • | • |
| ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) | | | | |
| Active Brake Assist | | | | |
| Active Lane Keeping Assist Attention Assist | | | | |
| Automatic headlight control | | | | |
| Intelligent Speed Assistant | | | | |
| Rain sensor | • | • | • | • |
| Crosswind Assist | • | • | • | • |
| Cruise Control incl. steering wheel multifunction buttons | • | • | | |
| Body | | | | |
| Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | • | • | • | • |
| 60 cm Maxi Comfort habitation door incl. window with blackout blind and waste bin | • | • | • | • |
| Electric entrance step on habitation door, 2 steps | | | • | |
| Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology | • | • | • | • |
| Garage load up to 350 kg (optional 450 kg). Please note the axle load. | • | • | • | • |
| Large garage door, RH side | • | • | | |
| Panoramic skylight above cab, manually hinged | | | | |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | | | | |
| Skylight (frosted glass) above real bed(s) with blackout blind and mosquito net, 40 x 40 cm | | | | |
| HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | | | | |
| Opening windows with blackout blind and mosquito net, LH and RH side, rear | • | | | |
| Outfitting | | | | |
| Original Mercedes-Benz Comfort seat, upholstered in living area fabric ⁴⁶⁾ | • | • | • | • |
| Front seating group with 2 integrated 3-point belts | | | _ | _ |
| Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt | _ | _ | • | • |
| Attachable table with slide-out extension | | | _ | _ |
| Foldable and movable table | _ | _ | | |
| Cab blinds Macquita not an habitation door | • | | | |
| Mosquito net on habitation door Living and bedroom + lighting | j | | j | |
| | الكسي | | | |

| | T-Class S 585 | T-Class S 680 | T-Class S 685 | T-Class S 695 |
|--|---------------|---------------|---------------|---------------|
| Cold foam mattress incl. high-quality mattress pad (knitted fabric) for better ventilation in the rear | • | • | • | • |
| Pleated blind between living room and bedroom in textile finish | _ | _ | _ | • |
| Complete LED interior lighting | • | • | • | • |
| LED worktop lighting | • | • | • | • |
| LED awning light | • | • | • | • |
| Kitchen | | | | |
| Kitchen drawer with Soft close feature and cutlery insert | • | • | • | • |
| Freely arrangeable kitchen drawers, extra wide | • | • | • | • |
| 136 I Compressor fridge | • | • | • | • |
| Extra deep sink with tight-fitting chopping board and high water tap | • | • | • | • |
| Bathroom | | | | |
| Insertable shower base for optimal passage | _ | • | • | • |
| Installation & Technology | | | | |
| 6 kW diesel warm air heating with 10 l warm water boiler as well as atmospheric pressure sensor (altitude kit) | • | • | • | |
| LCD keypad for heating | • | • | • | • |
| Gas bottle compartment with access via the external flap / door | • | • | • | • |
| Reinforced battery, 12 V, 95 Ah AGM | • | • | • | • |
| Charging booster for safe charging of the habitation battery while driving (up to 70 A) | • | • | • | |
| 110 I fresh water tank, insulated and heated (20 I in driving position) | • | • | • | • |
| 100 I waste water tank, insulated and heated | • | • | • | |
| Multimedia | | | | |
| DAB Radio | • | • | | |
| 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | • | lacktriangle | lacktriangle | • |
| Fabrics & Furniture finishes | | | | |
| Fabric combination: Bogota | • | • | • | • |
| Furniture finish: Sauvignon Oak in combination with Tip Printed | • | • | • | • |
| Packages | | | | |
| Standard equipment | • | • | • | • |

EQUIPMENT LINES HYMER T-CLASS S

| Reinforced front axle | Standard equipment | Equipment Line Plus | Equipment Line Premium |
|--|--------------------|---------------------|------------------------|
| Heat-insulating glass with tinting strip on | ~ | • | • |
| windscreen | • | • | • |
| Electric parking brake | • | • | • |
| Semi-automatic climate control TEMPMATIC | • | • | - |
| 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | • | • | • |
| Multifunctional steering wheel | • | • | • |
| Mercedes-Benz instrument cluster with colour display | • | • | • |
| Mercedes-Benz acoustics package | • | • | • |
| Active Lane Keeping Assist | • | • | • |
| Attention Assist | • | • | • |
| Cruise Control incl. steering wheel multifunction buttons | • | • | • |
| Rain sensor | • | • | • |
| DAB Radio 9G-TRONIC automatic transmission incl. | • | • | • |
| Hold function | - | • | • |
| Leather steering wheel (automatic transmission only) | - | • | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | - | • | • |
| Traffic Sign Assist | - | • | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | - | • | • |
| LED High-Performance headlights | - | _ | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | _ | - | • |
| Fully automatic climate control THERMOTRONIC | _ | _ | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | _ | _ | • |
| Excess weight Equipment line (kg)* | 0 | 30 | 35 |
| Package price (incl. VAT) £ | | 5,490 | 8,010 |

| • | Standard equipment | O Optional equipment | ▲ Mandatory | Δ Not known at the time of publication |
|---|----------------------------|----------------------------------|------------------------|---|
| ٠ | On request (no extra cost) | Not possible | ☐ Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER T-CLASS S

| Style package | Price £ |
|--|---------|
| Chrome grill | 330 |
| Bumper, attachment parts and grill frame painted in vehicle colour | 760 |
| Fog lights with cornering light | 300 |
| Sum package | 1,390 |
| Package price (incl. VAT) | 1,190 |
| You save | 200 |
| Excess weight (kg)* | 0 |

Living Comfort package T-Class S 585, 680, 685

Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB

4 cushions

Ambient lighting

Fitted sheets made to measure for rear beds individually adapted to mattress

External storage flap, 75 x 85 cm, LH side

| Package price (incl. VAT) | 930 |
|---------------------------|-----|
| Excess weight (kg)* | 10 |

Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Warm air auxiliary heating, electric

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

| Treat modulating out | |
|---------------------------|-------|
| Package price (incl. VAT) | 1,450 |
| Excess weight (kg)* | 4 |

Living Comfort package T-Class S 695

Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB

4 cushions

Ambient lighting

Fitted sheets made to measure for rear beds individually adapted to mattress

External storage flap, 65 x 65 cm, LH side

| Package price (incl. VAT) | 930 |
|---------------------------|-----|
| Excess weight (kg)* | 10 |

Standard equipment
 O Optional equipment
 Mandatory
 Not known at the time of publication
 A Vailable in package



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER T-CLASS S

| | | Price £ | T-Class S 585 | T-Class S 680 | T-Class S 685 | T-Class S 695 | Excess weight |
|---------------------|---|------------|---------------|---------------|---------------|---------------|---------------|
| Chassis / Weig | | | | | | | |
| | Mercedes-Benz Sprinter 3.5 t - 317 CDI - 125 KW/170 hp - Euro VI-E ^{47) 44)} | 1,880 | 0 | 0 | 0 | 0 | 0 |
| | Mercedes-Benz Sprinter 4.2 t - 415 CDI - 110 KW/150 hp - Euro VI-E 48) | 1,360 | 0 | 0 | 0 | 0 | 13 |
| | Mercedes-Benz Sprinter 4.2 t - 417 CDI - 125 KW/170 hp - Euro VI-E ^{48) 47)} | 3,070 | 0 | 0 | 0 | 0 | 13 |
| V201103880 | Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) | | • | • | • | • | 0 |
| V201103500 Basis | Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 CDI only) | | * | * | * | * | 0 |
| V20250115 | Exterior cab colour: Black / Grey (Pastel) | 470 | 0 | 0 | 0 | 0 | 0 |
| V20250119 | Exterior cab colour: Obsidian black (Metallic) | 1,360 | 0 | 0 | 0 | 0 | 0 |
| V20250144 | Exterior cab colour: Tenorite grey (Metallic) | 1,360 | 0 | 0 | 0 | 0 | 0 |
| V2051065 | 65 I fuel tank | 90 | 0 | 0 | 0 | 0 | -24 |
| V2052020 | Chrome grill ⁴⁹⁾ | 330 | | | | | 0 |
| V2062111 | Fog lights with cornering light | 300 | | | | | 0 |
| V3051019 | Bumper, attachment parts and grill frame painted in vehicle colour ^{49) 50)} | 760 | | | | | 0 |
| V20391J | Heated windscreen | 390 | 0 | 0 | 0 | 0 | 0 |
| V2113010 | Wet Wiper System (windscreen wiper with integrated spray nozzles) 51) | 90 | | | | | 0 |
| V2021027 | 16" alloy wheels (black) with All Season tyres ³⁷⁾ | 1,190 | 0 | 0 | 0 | 0 | 4 |
| V2021041 | 17" alloy wheels (silver) with summer tyres ³⁷⁾ | 1,410 | 0 | 0 | 0 | 0 | -7 |
| V20410J | Cupholder instead of storage compartment | 60 | 0 | 0 | 0 | 0 | 0 |
| V2054512 | Leather steering wheel and gear knob lever (manual transmission only) | 250 | 0 | 0 | 0 | 0 | 0 |
| V20855J | Seat heating and lumbar support for Original Mercedes-Benz seats ⁵²⁾ | 620 | | | | | 2 |
| V2037810 | High Beam Assist | 330 | 0 | 0 | 0 | 0 | 0 |
| Body | | | | | | | |
| V7003213 | Design graphics: Tenorite grey ⁵³⁾ | 420 | | 0 | _ | _ | 0 |
| V30522150 | Awning with adapter, white housing, 400 x 250 cm ¹²⁾ | 1,240 | | 0 | 0 | 0 | 32 |
| V30522160 | Awning with adapter, white housing, 450 x 250 cm ¹²⁾ | 1,360 | | 0 | 0 | 0 | 35 |
| V2007111 | Trailer hitch (detachable ball head) incl. frame extension ¹⁴⁾ | 1,460 | 0 | 0 | 0 | 0 | 64 |
| V30590114 | External storage flap, 65 x 65 cm, LH side | 250 | _ | _ | _ | | 3 |
| V30590117 | External storage flap, 75 x 85 cm, LH side | 250 | | | | _ | 3 |
| V30330J | GRP roof coating ¹⁶⁾ | 590 | | 0 | 0 | 0 | 30 |
| V30020102 | Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock 17) | 340 | _ | 0 | 0 | 0 | 1.5 |
| V20460J | Comfort jacks, rear (2 units) | 340 | | 0 | 0 | 0 | 9 |
| V3055010 | Security lock for habitation door | 260 | | 0 | 0 | 0 | 0.5 |
| V3023012 | Bicycle rack for 4 bicycles, max. load: 60 kg | 390 | | 0 | 0 | 0 | 14 |
| V3023013 | Bicycle rack for two bicycles, manually lowerable, max. load 50 kg | 930 | 0 | 0 | 0 | 0 | 17 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen ^{18) 19)} | 390 | | | | 0 | 5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom | 510 | 0 | 0 | 0 | 0 | 12 |
| Outfitting | | | | | | | 45 |
| V40460J | 4th seat on the right incl. integrated folding seat with 3-point belt | 540 | _ | _ | • | • | 15 |
| V4062010 | 5th seat with lap belt on seat bench, RH side against direction of travel | 510 | | 0 | _ | _ | 38 |
| V60230J | Partitioning curtain in the rear | 170 | | 0 | 0 | _ | 0 |
| V60240J | Insulated partitioning curtain for cab, double-layered sewn | 300 | | 0 | 0 | 0 | 2 |
| V50100J | External shower, located in garage | 250 | 0 | 0 | 0 | 0 | 1 |
| Living and bed | | 4.740 | | | | | 4.0 |
| V40220E | Lowerable double bed above the seating group with cold foam mattress, electric ⁵⁴⁾ | 1,710 | | | 0 | 0 | 40 |
| V60285J | Bed conversion for L-shaped seating group incl. lowerable table | 390 | | 0 | _ | _ | 5 |
| V60280J | Bed conversion for seating group incl. additional cushion and lowerable table | 390 | - | 0 | 0 | 0 | 5 |
| V4036612 | Overhead lockers above rear beds instead of open shelves | 300 | 0 | 0 | 0 | 0 | 4 |
| V4044017 | Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | 420 | 0 | 0 | - | - | 10 |
| V4040012 | Wooden sliding doors between living room and bedroom ³⁷⁾ | 250 | _ | _ | _ | 0 | 9.5 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

ည္က ည္က ည

| | | Price £ | T-Class S 585 | T-Class S 680 | T-Class S 685 | T-Class S 695 | Excess weight (k |
|----------------------|--|---------|---------------|---------------|---------------|---------------|------------------|
| V4006110 | XXL bed with extra long lying surface (+22 cm) incl. divided wardrobe instead of floor-to-ceiling wardrobe ³⁷⁾ | 300 | 0 | _ | _ | _ | 2.5 |
| V60260J | Additional cushion between the longitudinal single beds incl. integrated comfort access | 390 | 0 | 0 | 0 | _ | 4 |
| V50290J | Ambient lighting | 510 | | | | | 1 |
| Kitchen | | | | | | | |
| V40020J | Separate oven above fridge ⁵⁵⁾ | 570 | _ | 0 | 0 | 0 | 10.5 |
| Bathroom | | | | | | | |
| V40210J | Shower insert floor with wooden surface | 140 | 0 | _ | _ | _ | 3 |
| Installation & T | | | | | | | |
| V5028021 | 6 kW Diesel warm air heating with 10 l warm water boiler, atmospheric pressure sensor (altitude kit) and 1,800 W electric bar heater | 500 | 0 | 0 | 0 | 0 | 2 |
| V5028012 | 6 kW gas warm air heating with 10 I warm water boiler and 142 I absorber refrigerator ^{56) 37)} | 250 | 0 | 0 | 0 | 0 | 16.5 |
| V5028013 | 6 kW gas warm air heating with warm water boiler, 1,800 W electric bar heater and 142 l absorber refrigerator $^{56)37)}$ | 750 | 0 | 0 | 0 | 0 | 18 |
| V5026013 | Automatic gas bottle changeover system with crash sensor and IceEx ^{8) 55)} | 320 | 0 | 0 | 0 | 0 | 3 |
| V50250J | Gas filter for automatic gas bottle changeover ^{55) 20)} | 170 | 0 | 0 | 0 | 0 | 0 |
| V50230J | External gas socket with shut-off valve ⁵⁵⁾ | 170 | 0 | 0 | 0 | 0 | 1 |
| V5012513 | HYMER Smart Battery System (50 Ah LFP) incl. additional charger ^{22) 42)} | 1,020 | 0 | 0 | 0 | 0 | 10 |
| V5012512 | HYMER Smart Battery System (150 Ah LFP) incl. additional charger ^{22) 21)} | 2,480 | 0 | 0 | 0 | 0 | 25 |
| V5012511 | Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²²⁾ | 420 | 0 | 0 | 0 | 0 | 30 |
| V5047029 | Solar panel with solar charge controller (MPPT) and display, 2 x 95 W | 1,450 | 0 | 0 | 0 | 0 | 8 |
| V5047010 | Pre-wiring kit Solar system | 170 | 0 | 0 | 0 | 0 | 0.5 |
| V80288J | Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB | 340 | | | | | 3 |
| V5033014 | Roof AirCon, 2,400 W ¹⁸⁾ | 1,960 | 0 | 0 | 0 | 0 | 33 |
| Multimedia | | | | | | | |
| V5054610 | 22" TV bracket | 320 | - | 0 | 0 | 0 | 4 |
| V5054513 | 22" Smart-LED-TV with built-in speakers, remote control ³⁰⁾ | 830 | 0 | 0 | 0 | 0 | 6 |
| V50440126 | Digital satellite dish, 65 cm | 2,220 | - | 0 | 0 | 0 | 14.5 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | | 0 | 0 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 0 | 0 | 0 | 14.5 |
| Fabrics & Furn | | | | | | | |
| V1014032 | Furniture finish: Sauvignon Oak | | • | • | • | • | 0 |
| V100704165 | Fabric combination: Porto | 300 | 0 | 0 | 0 | 0 | 0 |
| V602104011 | Carpet: Laguna ³²⁾ | 340 | | 0 | 0 | 0 | 7 |
| | Carpet: Samona ³²⁾ | 340 | 0 | 0 | 0 | 0 | 7 |
| Packages V8006414 | Equipment Line Plus | 5,490 | $\overline{}$ | 0 | 0 | 0 | 30 |
| V8006414 V8006415 | Equipment Line Prus Equipment Line Premium | 8,010 | | | 0 | | 35 |
| V8006415 V8028914 | Style package ⁵⁷⁾ | 1,190 | | 0 | 0 | 0 | 0 |
| V8028914 V8039017 | Living Comfort package T-Class S 585, 680, 685 | 930 | | | 0 | _ | 10 |
| V8033017 V8031023 | Winter package ⁵⁸⁾ | 1,450 | - | 0 | 0 | 0 | 4 |
| V8031023 V8039017 | Living Comfort package T-Class S 695 | 930 | | _ | _ | 0 | 10 |
| 13033017 | Living Control Cpackage 1 Colass 5 000 | 550 | | | | | 10 |

 $\ensuremath{\Delta}$ Not known at the time of publication $\,$ Further information from p. 107 Standard equipment O Optional equipment

Mandatory \square Available in package ◆ On request (no extra cost) — Not possible



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

(kg)*

PRICES AND TECHNICAL DATA HYMER ML-T





| Price a) E Standard chassis Mercedes-Benz Sprinter 417 CDI Mercedes-Benz Sprinter 417 CDI Rear Wheel Drive / All All Wheel Drive / All All Wheel Drive / All Wheel Drive / All Wheel Drive / All All All All All All All All All A | | ML-T 570 | ML-T 580 |
|--|--|--------------------------------------|---|
| Drive Rear Wheel Drive / All Wheel Drive O Rear Wheel Drive O R | Price a) £ | 101,660 | 102,860 |
| kW (hp) 125 (170) 125 (170) Emission standards Euro VI-E Euro VI-E Length / Width / Height (cm) 674³/ 222²/ 292³ 698³/ 222²/ 292³ Body width / Internal width (cm) 212 / 205 212 / 205 Standing height in living area (cm) 198 198 Wheelbase (mm) 3665 3665 Mass in running order (-/+ 5%) (kg)* 2913 (2767 - 3059)* 2965 (2817 - 3113)* Manufacturer-specified mass for optional equipment (kg)* 219 170 Technically permissible maximum laden mass (kg)* 2000 O⁴ 3500 Technically permissible maximum towable mass (kg)* 2000 O⁴ 2000 O⁴ Permitted number of seats (including driver)* 4⁵ 4⁵ Insulation Floor / Wall / Roof (mm) 41/ 34/ 34 41/ 34/ 34 Overall clearance storage - / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Central bed L x W (cm) 186 x 77 / 190 x 77 191 x 77 / 192 x 77 / 214 x 77 O Bed dimension: Central bed L x W (cm) 105 x 83 125 x 86 Wardrobe W x D (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 | Standard chassis | Mercedes-Benz Sprinter 417 CDI | Mercedes-Benz Sprinter 417 CDI |
| Emission standards | Drive | Rear Wheel Drive / All Wheel Drive O | Rear Wheel Drive / All Wheel Drive O |
| Length / Width / Height (cm) 674 ¹ / 222 ² / 292 ³ 698 ¹ / 222 ² / 292 ³ Body width / Internal width (cm) 212 / 205 212 / 205 Standing height in living area (cm) 198 198 Wheelbase (mm) 3665 3665 Mass in running order (-/+ 5%) (kg)* 2913 (2767 - 3059)* 2965 (2817 - 3113)* Manufacturer-specified mass for optional equipment (kg)* 219 170 Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 2000 O ⁴ 2000 O ⁴ Permitted number of seats (including driver)* 4 ⁵ 4 ⁵ Insulation Floor / Wall / Roof (mm) 41 / 34 / 34 41 / 34 / 34 Overall clearance storage - / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Rear bed L x W (cm) 186 x 77 / 190 x 77 191 x 77 / 192 x 77 / 214 x 77 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Berths 2 - 3 O 2 - 3 O Bathroom W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (l) 120 120 Fresh water tank in driving filling level (l) 20 20 Waste water tank (l) 100 100 | kW (hp) | 125 (170) | 125 (170) |
| Body width / Internal width (cm) 212/205 212/205 Standing height in living area (cm) 198 198 Wheelbase (mm) 3665 3665 Mass in running order (-/+ 5%) (kg)* 2913 (2767 - 3059)* 2965 (2817 - 3113)* Manufacturer-specified mass for optional equipment (kg)* 219 170 Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 2000 O⁴ 2000 O⁴ Permitted number of seats (including driver)* 4⁵ 4⁵ Insulation Floor / Wall / Roof (mm) 41/34/34 41/34/34 Overall clearance storage- / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Rear bed L x W (cm) 186 x 77/190 x 77 191 x 77/192 x 77/214 x 77 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Betrhs 2 - 3 O 2 - 3 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freeze | Emission standards | Euro VI-E | Euro VI-E |
| Standing height in living area (cm) 198 198 198 Wheelbase (mm) 3665 | Length / Width / Height (cm) | $674^{1)}$ / $222^{2)}$ / $292^{3)}$ | 698 ¹⁾ / 222 ²⁾ / 292 ³⁾ |
| Wheelbase (mm) 3665 3665 Mass in running order (-/+ 5%) (kg)* 2913 (2767 - 3059)* 2965 (2817 - 3113)* Manufacturer-specified mass for optional equipment (kg)* 219 170 Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 2000 Q ⁴ 2000 Q ⁴ Permitted number of seats (including driver)* 45 45 Insulation Floor / Wall / Roof (mm) 41 / 34 / 34 41 / 34 / 34 Overall clearance storage- / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Rear bed L x W (cm) 175 x 79 O 175 x 79 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg | Body width / Internal width (cm) | 212 / 205 | 212 / 205 |
| Mass in running order (-/+ 5%) (kg)* 2913 (2767 - 3059)* 2965 (2817 - 3113)* Manufacturer-specified mass for optional equipment (kg)* 219 170 Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 2000 O 4 2000 O 4 Permitted number of seats (including driver)* 45 45 Insulation Floor / Wall / Roof (mm) 41/34/34 41/34/34 Overall clearance storage- / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Rear bed L x W (cm) 186 x 77 / 190 x 77 191 x 77 / 192 x 77 / 214 x 77 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Berths 2 - 3 O 2 - 3 O Berths 2 - 3 O 2 - 3 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW | Standing height in living area (cm) | 198 | 198 |
| Manufacturer-specified mass for optional equipment (kg)* 219 170 Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 2000 Q⁴) 2000 Q⁴) Permitted number of seats (including driver)* 4⁵) 4⁵) Insulation Floor / Wall / Roof (mm) 41 / 34 / 34 41 / 34 / 34 Overall clearance storage- / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Rear bed L x W (cm) 186 x 77 / 190 x 77 191 x 77 / 192 x 77 / 214 x 77 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Beths 2 - 3 O 2 - 3 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (f) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (f) 120 120 Fresh water tank in driving filling level (f) 20 | Wheelbase (mm) | 3665 | 3665 |
| Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 2000 Q ⁴) 2000 Q ⁴) Permitted number of seats (including driver)* 4 ⁵) 4 ⁵) Insulation Floor / Wall / Roof (mm) 41 / 34 / 34 41 / 34 / 34 Overall clearance storage- / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Rear bed L x W (cm) 186 x 77 / 190 x 77 191 x 77 / 192 x 77 / 214 x 77 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Beths 2 - 3 O 2 - 3 O Beths 2 - 3 O 2 - 3 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (l) 120 120 Fresh water tank in | Mass in running order (-/+ 5%) (kg)* | 2913 (2767 - 3059)* | 2965 (2817 - 3113)* |
| Technically permissible maximum towable mass (kg)* 2000 O⁴) 2000 O⁴) Permitted number of seats (including driver)* 4⁵) 4⁵) Insulation Floor / Wall / Roof (mm) 41/34/34 41/34/34 Overall clearance storage- / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Rear bed L x W (cm) 186 x 77 / 190 x 77 191 x 77 / 192 x 77 / 214 x 77 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Berths 2 - 3 O 2 - 3 O Bethsom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (l) 120 120 Fresh water tank in driving filling level (l) 20 20 Waste water tank (l) 100 100 | Manufacturer-specified mass for optional equipment (kg)* | 219 | 170 |
| Permitted number of seats (including driver)* 45) 45) Insulation Floor / Wall / Roof (mm) 41/34/34 41/34/34 Overall clearance storage- / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Rear bed L x W (cm) 186 x 77 / 190 x 77 191 x 77 / 192 x 77 / 214 x 77 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Berths 2 - 3 O 2 - 3 O Beths 2 - 3 O 2 - 3 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (l) 120 120 Fresh water tank in driving filling level (l) 20 20 Waste water tank (l) 100 100 | Technically permissible maximum laden mass (kg)* | 3500 | 3500 |
| Insulation Floor / Wall / Roof (mm) | Technically permissible maximum towable mass (kg)* | 2000 O ⁴⁾ | 2000 🔿 |
| Overall clearance storage- / garage door W x H (cm) 75 x 121 100 x 121 Bed dimension: Rear bed L x W (cm) 186 x 77 / 190 x 77 191 x 77 / 192 x 77 / 214 x 77 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Berths 2 - 3 O 2 - 3 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (l) 120 120 Fresh water tank in driving filling level (l) 20 20 Waste water tank (l) 100 100 | Permitted number of seats (including driver)* | 4 ⁵⁾ | 4 ⁵⁾ |
| Bed dimension: Rear bed L x W (cm) 186 x 77 / 190 x 77 191 x 77 / 192 x 77 / 214 x 77 O Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Berths 2 - 3 O 2 - 3 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (l) 120 120 Fresh water tank in driving filling level (l) 20 20 Waste water tank (l) 100 100 | Insulation Floor / Wall / Roof (mm) | 41/34/34 | 41/34/34 |
| Bed dimension: Central bed L x W (cm) 175 x 79 O 175 x 79 O Berths 2 - 3 O 2 - 3 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (l) 120 120 Fresh water tank in driving filling level (l) 20 20 Waste water tank (l) 100 100 | Overall clearance storage- / garage door W x H (cm) | 75 x 121 | 100 x 121 |
| Berths 2-3 O 2-3 O Bathroom W x D (cm) 105 x 83 125 x 86 Wardrobe W x D x H (cm) 67 x 67 x 84 22 x 55 x 180 / 67 x 67 x 84 Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (l) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (l) 120 120 Fresh water tank in driving filling level (l) 20 20 Waste water tank (l) 100 100 | Bed dimension: Rear bed L x W (cm) | 186 x 77 / 190 x 77 | 191 x 77 / 192 x 77 / 214 x 77 O |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Bed dimension: Central bed L x W (cm) | 175 x 79 O | 175 x 79 O |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Berths | 2-30 | 2-30 |
| Kitchen W x D x H (cm) 97 x 50 x 93 97 x 50 x 93 Fridge volume (freezer compartment) (I) 133 (17) 133 (17) Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (I) 120 120 Fresh water tank in driving filling level (I) 20 20 Waste water tank (I) 100 100 | Bathroom W x D (cm) | 105 x 83 | 125 x 86 |
| Fridge volume (freezer compartment) (I) Standard heating Diesel warm air, 6 kW Gas bottle storage (Filling weight) Total fresh water tank capacity (I) Fresh water tank in driving filling level (I) Waste water tank (I) 133 (17) Diesel warm air, 6 kW 2 x 6kg 2 x 6kg 120 120 20 20 100 | Wardrobe W x D x H (cm) | 67 x 67 x 84 | 22 x 55 x 180 / 67 x 67 x 84 |
| Standard heating Diesel warm air, 6 kW Diesel warm air, 6 kW Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (I) 120 120 Fresh water tank in driving filling level (I) 20 20 Waste water tank (I) 100 100 | Kitchen W x D x H (cm) | 97 x 50 x 93 | 97 x 50 x 93 |
| Gas bottle storage (Filling weight) 2 x 6kg 2 x 6kg Total fresh water tank capacity (I) 120 120 Fresh water tank in driving filling level (I) 20 20 Waste water tank (I) 100 100 | Fridge volume (freezer compartment) (I) | 133 (17) | 133 (17) |
| Total fresh water tank capacity (I) 120 120 Fresh water tank in driving filling level (I) 20 20 Waste water tank (I) 100 100 | Standard heating | Diesel warm air, 6 kW | Diesel warm air, 6 kW |
| Fresh water tank in driving filling level (I) 20 20 20 Waste water tank (I) 100 100 | Gas bottle storage (Filling weight) | 2 x 6kg | 2 x 6kg |
| Waste water tank (I) 100 100 | Total fresh water tank capacity (I) | 120 | 120 |
| | Fresh water tank in driving filling level (I) | 20 | 20 |
| Sockets: 230 V/12 V/ USB 5/1/8 5/1/8 | Waste water tank (I) | 100 | 100 |
| | Sockets: 230 V/12 V/USB | 5/1/8 | 5/1/8 |

Standard equipment
 O Optional equipment
 Mandatory
 Not known at the time of publication
 A Vailable in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER ML-T

ML-1 570

| Shaccis / Weight variants | 2 2 |
|---|-----|
| Chassis / Weight variants Mercedes-Benz Sprinter 3.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E | • • |
| Basis | |
| Exterior cab colour: White | • • |
| Exterior body colour: White | • • |
| Mercedes-Benz Original ladder-type frame | • • |
| S-speed manual transmission ECO Gear | • • |
| 93 I fuel tank | • • |
| 22 I AdBlue tank | • • |
| Electrically adjustable and heated exterior mirrors | • • |
| Mud flaps, rear axle | • • |
| Daytime Running Light integrated in headlights | • • |
| Frailer hitch pre-installation | • • |
| Reinforced front axle | • • |
| Heat-insulating glass with tinting strip on windscreen | • • |
| 6" steel rims (silver) with wheel hub cover and All Season tyres ⁵⁹⁾ | • • |
| Shelf above windscreen | • • |
| Mercedes-Benz acoustics package | • • |
| ECO Start-Stop feature ⁶⁰⁾ | • • |
| Electric cab windows and central locking for cab | • • |
| Electric parking brake | • • |
| Driver and passenger airbag | • • |
| Semi-automatic climate control TEMPMATIC | • • |
| Keyless Start (start-stop button for comfortable engine start) | • • |
| linged lid for central storage compartment on the dashboard | • • |
| Mercedes-Benz instrument cluster with colour display | • • |
| Steering wheel, height and tilt adjustable | • • |
| Multifunctional steering wheel | • • |
| Open shelf cockpit passenger side | • • |
| Parameterisable special module for controlling retrofitted electronic add-on parts | • • |
| ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) | • • |
| Active Brake Assist | • • |
| Active Lane Keeping Assist | • • |
| Attention Assist | • • |
| Automatic headlight control | • • |
| fill Start Assist | • • |
| Electric parking brake | • • |
| ntelligent Speed Assistant | • • |
| Rain sensor | • • |
| Crosswind Assist | • • |
| Cruise Control incl. steering wheel multifunction buttons | • • |
| Body | |
| Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | • • |
| 60 cm Maxi Comfort habitation door incl. window with blackout blind and waste bin | • • |
| Electric entrance step, 1-step | • • |
| exclusive HYMER Multifunctional rear lights in LED-Hybrid technology | • • |
| Garage load up to 350 kg (optional 450 kg). Please note the axle load. | • • |
| arge garage doors, LH and RH side | • • |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) | • • |
| Panoramic skylight above cab with integrative panelling, manually hinged | • • |
| HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | • • |
| Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | • • |
| Dutfitting | |
| Mercedes-Benz Comfort seat in living area fabric, height- and tilt adjustable, rotating, with 2 armrests and integral look | • • |
| Front seating group with 2 integrated 3-point belts | • • |
| ntegrative cladding of the habitation door | • • |
| All overhead lockers with Soft-Close feature | • • |
| Comfort push locks with genuine leather loops on flaps and drawers | • • |
| Open shelf above cab | • • |
| Wall panel with multifunctional rail system in the entrance area and the seating group for multiple use | • • |
| Mosquito net on habitation door | • • |
| | |

| | 220 | 580 |
|--|----------|------|
| | <u> </u> | |
| | ML-T 570 | ML-T |
| Cab blinds | • | • |
| Flyscreen and blackout blinds on all windows (in the body construction) | • | • |
| Lashing rails in the garage for load securing | • | • |
| Living and bedroom + lighting | Š | Č |
| Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear | ▔ | _ |
| Multifunctional rail system on both sides in the sleeping area for versatile use | • | • |
| Open compartment in the sleeping area incl. rubber strap | | • |
| Open shelf entrance element with stylish Coming Home lighting and additional storage space | • | • |
| Partitioning curtain between bed- and living room ⁶¹⁾ | | |
| Complete LED interior lighting incl. night light | | • |
| LED gooseneck lights above cab incl. USB socket | | |
| LED awning light | | |
| Kitchen | | |
| 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover | | |
| 133 I compressor fridge incl. freezer compartment (17 I) | | |
| Extra wide kitchen drawers incl. cutlery tray and Servo Soft feature | | |
| Kitchen wall panelling | | |
| | | |
| 8 I waste bin in kitchen drawer (can also be flexibly hung on drawer) Multifunctional rail for individual use in the kitchen | | |
| | | |
| Black matt water tap on high-class wall with tile optics | | |
| Bathroom Veriable bethroom with a vive level well relieved over and block most fittings | | |
| Variable bathroom with swivel wall, roller door and black matt fittings | | |
| Comfort bathroom with black matt fittings | _ | |
| Bench toilet with level indicator and cassette on wheels To at the walk of the solution. | | |
| Toothbrush cup incl. bracket | _ | _ |
| Installation & Technology CLW discolusions in booting with 10 lung menustran boiler so well as atmospheric pressure concer (altitude kit) | | |
| 6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) | | |
| Warm air heating in the rear bedroom, adjustable separately | | |
| HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ | | |
| 7" touch display for convenient control and monitoring of smart vehicle features | | |
| Gas bottle compartment with access via the external flap / door | | |
| HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | | • |
| Charging booster for safe charging of the habitation battery while driving (up to 70 A) | | • |
| 120 I fresh water tank, insulated and heated (20 I in driving position) | • | • |
| 100 I waste water tank, insulated and heated | • | • |
| Smart Connect water level display (in 1% increments) | • | • |
| Electric waste water drainage | • | • |
| Automatic gas bottle changeover system with crash sensor and IceEx | • | |
| Multimedia | | |
| DAB Radio | | • |
| Radio / TV pre-installation incl. 12 V socket, 2 speakers in the cab, 2 speakers in the semi-integrated bonnet, radio and DVB-T2 antenna | • | • |
| 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | • | • |
| Fabrics & Furniture finishes | | |
| Furniture finish: Native Bamboo | | |
| Fabric combination: Indiana | • | _ |
| Packages | | |
| Standard equipment | • | • |

 \triangle Not known at the time of publication

EQUIPMENT LINES HYMER ML-T

| | Standard equipment | Equipment Line Plus | Equipment Line Premium |
|--|--------------------|---------------------|--|
| | | | ************************************** |
| Reinforced front axle | • | • | • |
| Heat-insulating glass with tinting strip on windscreen | • | • | • |
| Electric parking brake | • | • | • |
| Semi-automatic climate control TEMPMATIC | • | • | - |
| 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | • | • | • |
| Multifunctional steering wheel | • | • | • |
| Mercedes-Benz instrument cluster with colour display | • | • | • |
| Mercedes-Benz acoustics package | • | • | • |
| Active Lane Keeping Assist | • | • | • |
| Attention Assist | • | • | • |
| Cruise Control incl. steering wheel multifunction buttons | • | • | • |
| Rain sensor | • | • | • |
| DAB Radio 9G-TRONIC automatic transmission incl. | _ | • | |
| Hold function Leather steering wheel (automatic | | • | • |
| transmission only) | _ | • | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | _ | • | • |
| Traffic Sign Assist | _ | • | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | _ | • | • |
| Weight saving with x19 engine and automatic transmission (- 9 kg) | - | • | * |
| LED High-Performance headlights | - | _ | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | _ | _ | • |
| Fully automatic climate control THERMOTRONIC | _ | _ | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | - | - | • |
| Excess weight Equipment line (kg)* | 0 | 40 | 45 |
| Package price (incl. VAT) £ | | 5,490 | 8,010 |

| • | Standard equipment | O Optional equipment | ▲ Mandatory | Δ Not known at the time of publication |
|---|----------------------------|----------------------------------|------------------------|---|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER ML-T

| Style package | Price £ |
|--|---------|
| Chrome grill | 330 |
| Bumper, attachment parts and grill frame painted in vehicle colour | 760 |
| Fog lights with cornering light | 300 |
| Sum package | 1,390 |
| Package price (incl. VAT) | 1,190 |
| You save | 200 |
| Excess weight (kg)* | 0 |

| Living Comfort package | Price £ |
|--|---------|
| Sleeping system with cup-slatted bed frame for rear bed(s) | 420 |
| Fitted sheets made to measure for rear beds individually adapted to mattress | 210 |
| Felt trim in the rear garage | 250 |
| Shower duck board for level walking floor | 140 |
| 4 cushions | 170 |
| Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination | 590 |
| Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) | 420 |
| Additional sockets: 3 x 230 V / 1 x 12 V | 340 |
| Sum package | 2,540 |
| Package price (incl. VAT) | 2,100 |
| You save | 440 |
| Excess weight (kg)* | 15 |

Autonomy package Lithium XL

HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity)

 $HYMER\ Smart\ Battery\ System\ 2.0\ -\ extension:\ 3rd\ \&\ 4th\ habitation\ battery\ module\ -\ 2\ x\ 80\ Ah\ LFP\ (overall\ capacity\ 320\ Ah)$

Inverter 12 V to 230 V, 1,800 W with network priority circuit

| inverter 12 v to 230 v, 1,800 w with network priority circuit | |
|---|-------|
| Package price (incl. VAT) | 5,560 |
| Excess weight (kg)* | 45.5 |

Arctic package

Gas-Warm water heating incl. floor and garage floor heating

Heat exchanger for warm water heating

Heat exchanger pre-installation, Mercedes-Benz

Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock

Insulated partitioning curtain for cab, double-layered sewn

Insulating mat for cab footwell, supplied loose

Auxiliary heating (supports heating when heating up the vehicle)

Checker plate floor in the rear garage

| Package price (incl. VAT) | 5,060 |
|---------------------------|-------|
| Excess weight (kg)* | 106.5 |

Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Warm air auxiliary heating, electric

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

| Package price (incl. VAT) | 1,450 |
|---------------------------|-------|
| Excess weight (kg)* | 4 |

| Standard equipment | O Optional equipment | ▲ Mandatory | △ Not known at the time of publication |
|--|----------------------------------|--------------------------------|--|
| On request (no extra cost) | Not possible | \square Available in package | |



* INIEC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER ML-T

| | | Price £ | ML-T 570 | ML-T 580 | Excess weig |
|----------------------|---|---------|----------|----------|-------------|
| Chassis / Weig | | | | | |
| | Mercedes-Benz Sprinter 3.5 t - 419 CDI - 140 KW/190 hp - Euro VI-E 60) | 3,600 | 0 | 0 | 14 |
| V201103880 | Weight variant 3,880 kg | | ♦ | • | 0 |
| V201104100 | Weight variant 4,100 kg | 220 | 0 | 0 | 0 |
| Basis | | | | | |
| V20250115 | Exterior cab colour: Black / Grey (Pastel) | 470 | 0 | 0 | 0 |
| V20250119 | Exterior cab colour: Obsidian black (Metallic) | 1,360 | 0 | 0 | 0 |
| V20250144 | Exterior cab colour: Tenorite grey (Metallic) | 1,360 | 0 | 0 | 0 |
| V3003011 | Exterior body colour: Crystal-Silver Metallic | 2,560 | 0 | 0 | 30 |
| V2006810 | All-wheel drive (permanent) with torque-on-demand 63) 64) 60) 65) 58) 66) 67) | 6,420 | 0 | 0 | 139.5 |
| V20420A | Weight saving with x19 engine and automatic transmission (- 9 kg) | | • | • | -9 |
| V2051071 | 71 I fuel tank ⁵⁹⁾ | 90 | 0 | 0 | -24 |
| V2017810 | Illuminated driver and passenger exit | 120 | 0 | 0 | 0 |
| V2062111 | Fog lights with cornering light | 300 | | | 0 |
| V2052020 | Chrome grill ⁴⁹⁾ | 330 | | | 0 |
| V2115010 | Mercedes-Benz engine compartment insulation for noise reduction ⁶⁸⁾ | 250 | 0 | 0 | 10 |
| V3051019 | Bumper, attachment parts and grill frame painted in vehicle colour ^{49) 50)} | 760 | | | 0 |
| V2113010 | Wet Wiper System (windscreen wiper with integrated spray nozzles) 51) | 90 | | | 0 |
| V20391J | Heated windscreen | 390 | 0 | 0 | 0 |
| V3071010 | Central locking for cab, habitation as well as garage doors ⁶⁹⁾ | 420 | 0 | 0 | 5 |
| V2021025 | 16" alloy wheels (silver) with All Season tyres ⁵⁹⁾ | 1,190 | 0 | 0 | 4 |
| V2021041 | 17" alloy wheels (silver) with summer tyres ⁵⁹⁾ | 1,410 | | 0 | 8 |
| V2021025 | 16" alloy rims (silver) with summer tyres ⁷⁰⁾ | 1,190 | | 0 | 4 |
| V2021032 | 16" steel rim (black) with studded tyres (All Terrain) 70) 71) 72) 73) | 1,710 | | 0 | 18 |
| V2035116 | 16" steel spare wheel incl. bracket in the rear storage compartment ^{74) 75) 76)} | 300 | | 0 | 39 |
| V2035115 | 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall ^{74) 77) 75) 76)} | 510 | | 0 | 43.5 |
| V2035140 | 16" steel spare wheel with studded tyres (All Terrain) incl. mounting bracket on the outside of the rear wall 78) 77) 74) | 680 | 0 | 0 | 48 |
| V20410J | Cupholder instead of storage compartment | 60 | 0 | 0 | 0 |
| V2054512 | Leather steering wheel and gear knob lever (manual transmission only) | 250 | | 0 | 0 |
| V20855J | Seat heating and lumbar support for Original Mercedes-Benz seats ⁵²⁾ | 620 | | | 2 |
| V2022210 | Downhill Speed Regulation (Offroad mode) 70) | 510 | | 0 | 0 |
| V2037810 | High Beam Assist | 330 | | 0 | 0 |
| Body | Tiigh Dealth (155)St | 330. | ŏ | ŭ | Š |
| V30522150 | Awning incl. dimmable LED lights, white housing, 400 x 250 cm ^{12) 79)} | 1,410 | | 0 | 28 |
| V30522150 | Awning incl. dimmable LED lights, silver housing, 400 x 250 cm ¹²⁾⁷⁹⁾ | 1,410 | | 0 | 28 |
| V30522150 | Awning incl. dimmable LED lights, anthracite housing, 400 x 250 cm ^{12) 79)} | 1,410 | | 0 | 28 |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) ^{13) 14) 80)} | 1,080 | | 0 | 33 |
| V3014012 | Roof rack with rear ladder (black) ⁸¹⁾ | 510 | | 0 | 12 |
| V3014012 V3014014 | Roof rack with rear ladder (black) and checker plate roof panel 82) 83) 81) | 590 | | 0 | 18 |
| V3014014 | GRP roof coating ^{82) 16)} | 590 | | _ | 14 |
| | Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock ¹⁷⁾ | | | 0 | |
| V30020102 | | 340 | | | 1.5 |
| V20460J | Comfort jacks, rear (2 units) | 340 | | 0 | 9 |
| V20062J | Frame extension ¹⁴⁾ | 420 | | 0 | 31 |
| V3055010 | Security lock for habitation door | 260 | | 0 | 0.5 |
| V2100610 | Underride protection for engine and water tank ^{70) 68)} | 250 | | 0 | 20 |
| V3023013 | Bicycle rack for two bicycles, manually lowerable, max. load 50 kg ⁸⁴⁾ | 930 | | 0 | 17 |
| V3023012 | Bicycle rack for 4 bicycles, max. load: 60 kg ⁸⁴⁾ | 390 | | 0 | 14 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen 18) | 390 | | 0 | 5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom | 510 | 0 | 0 | 12 |
| Outfitting | | | | | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

| | | | | | (kg |
|------------------------|--|---------|----------|------------|-------------------|
| | | | r 570 | ML-T 580 | Excess weight (kg |
| | | Price £ | ML-T | ۱ <u>-</u> | xce |
| V2082013 | Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable, with 2 armrests as well as seat heating and lumbar support ⁸⁵⁾ | 1,290 | 0 | 0 | 10 |
| V30310J | Felt trim in the rear garage | 250 | | | 3 |
| V3031220 | Checker plate floor in the rear garage | 160 | | | 12 |
| V60240J | Insulated partitioning curtain for cab, double-layered sewn | 300 | | | 2 |
| V50100J | External shower, located in garage | 250 | 0 | 0 | 1 |
| Living and bedr | room + lighting | | | | |
| V4044017 | Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | 420 | 0 | 0 | 10 |
| V60285J | Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat | 340 | 0 | 0 | 5 |
| V4006110 | Bed extension passenger side (+ 22 cm) and half-height wardrobe (instead of floor-to-ceiling wardrobe) | 300 | _ | 0 | 0.9 |
| V4034011 | Sleeping system with cup-slatted bed frame for rear bed(s) | 420 | | | 3 |
| V60170J | Fitted sheets made to measure for rear beds individually adapted to mattress | 210 | | | 1 |
| V60260J | Additional cushion between the longitudinal single beds incl. integrated comfort access | 390 | _ | 0 | 4 |
| V60030J | 4 cushions | 170 | Ш | | 2 |
| V5029211 | Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination | 590 | | | 1 |
| V50131614 | Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) | 420 | | | 1 |
| Kitchen | | 570 | | | 10.5 |
| V40020J | Separate oven above fridge | 570 | 0 | 0 | 10.5 |
| Bathroom V40210J | Shower duck board for level walking floor | 140 | | | 2 |
| V5054010 | Second toilet cassette incl. bracket located in external storage compartment ⁸⁶⁾ | 280 | | 0 | 3.5 |
| Installation & T | | 200. | | | 0.0 |
| V5028021 | 1,800 W electric bar heater (for 6 kW Diesel warm air heating) | 500 | 0 | 0 | 1.5 |
| V5028014 | Gas-Warm water heating incl. floor and garage floor heating 87) | 3,750 | | | 77 |
| V30325J | Gas bottle slide out ⁸⁸⁾ | 600 | 0 | 0 | 10 |
| V50250J | Gas filter for automatic gas bottle changeover ^{8) 20)} | 170 | 0 | 0 | 0 |
| V50230J | External gas socket with shut-off valve | 170 | 0 | 0 | 1 |
| V5012515 | HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) | 1,530 | | | 10.5 |
| V5012515 | HYMER Smart Battery System 2.0 - extension: 3rd habitation battery module 80 Ah LFP (overall capacity 240 Ah) ⁸⁹⁾ | 1,530 | 0 | 0 | 10.5 |
| V5012516 | HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2×80 Ah LFP (overall capacity 320 Ah) $^{89)}$ | 2,990 | | | 21 |
| V5047029 | Solar panel with solar charge controller (MPPT) and display, 2 x 95 W ⁸³⁾ | 1,450 | 0 | 0 | 8 |
| V5047010 | Pre-wiring kit Solar system | 170 | 0 | 0 | 0.5 |
| V80288J | Additional sockets: 3 x 230 V / 1 x 12 V | 340 | | | 2 |
| V5069710 | Water filter for fresh water system | 210 | | 0 | 1 |
| V5033014 | Roof AirCon, 2,400 W ^{61) 18) 19)} | 1,960 | | 0 | 33 |
| V3064012 Multimedia | Toilet vent | 250 | O | 0 | 1 |
| V5071511 | 5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) | 1,710 | \cap | 0 | 2 |
| V5054611 | 32" TV bracket | 320 | | 0 | 4 |
| V5054514 | 32" Smart LED-TV with built-in speakers, remote control and receiver (DVB-T / C, DVB-S2) 30) | 1,530 | | | 10 |
| V5055011 | Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as wall bracket ³¹⁾ | 1,230 | | 0 | 13 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | 0 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | - | 0 | 14.5 |
| V50440124 | Digital satellite dish, 80 cm, Twin LNB | 2,730 | | 0 | 15.5 |
| Fabrics & Furni | ture finishes | | | | |
| V100904009 | Furniture finish: Velvet Ash | | ♦ | ♦ | 0 |
| V100704162 | Fabric combination: Bogota | | ♦ | ♦ | 0 |
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | 0 | 0 | 4 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

*(8)

| | | Price £ | ML-T 570 | ML-T580 | Excess weight (kg)* |
|------------|--|---------|----------|---------|---------------------|
| V100704126 | Leather / fabric combination: Moreno | 2,560 | | 0 | 5 |
| V100704166 | Leather-/ Fabric combination: Tenerife | 2,560 | 0 | 0 | 4 |
| V100704090 | Leather: Grigio | 2,560 | 0 | 0 | 6.5 |
| V602104011 | Carpet: Laguna ³²⁾ | 340 | 0 | 0 | 7 |
| Packages | | | | | |
| V8006414 | Equipment Line Plus ⁹⁰⁾ | 5,490 | 0 | 0 | 40 |
| V8006415 | Equipment Line Premium ⁹⁰⁾ | 8,010 | 0 | 0 | 45 |
| V8028914 | Style package ⁹¹⁾ | 1,190 | 0 | 0 | 0 |
| V8039012 | Living Comfort package | 2,100 | 0 | 0 | 15 |
| V8007117 | Autonomy package Lithium XL | 5,560 | 0 | 0 | 45.5 |
| V8005015 | Arctic package | 5,060 | 0 | 0 | 106.5 |
| V8031023 | Winter package ^{58) 92)} | 1,450 | 0 | 0 | 4 |

 $\ensuremath{\Delta}$ Not known at the time of publication $\,$ Further information from p. 107 O Optional equipment

Mandatory \square Available in package ◆ On request (no extra cost) — Not possible



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

PRICES AND TECHNICAL DATA HYMER ML-T CROSSOVER



| | ML-T 570 CrossOver |
|--|---|
| Price a) £ | 140,480 |
| Standard chassis | Mercedes-Benz Sprinter 419 CDI |
| Drive | All Wheel Drive |
| kW (hp) | 140 (190) |
| Emission standards | Euro VI-E |
| Length / Width / Height (cm) | 689 ¹⁾ / 222 ²⁾ / 305 ³⁾ |
| External body length (cm) | 674 |
| Body width / Internal width (cm) | 212 / 205 |
| Standing height in living area (cm) | 198 |
| Wheelbase (mm) | 3665 |
| Mass in running order (-/+ 5%) (kg)* | 3410 (3240 - 3581)* |
| Manufacturer-specified mass for optional equipment (kg)* | 347 |
| Technically permissible maximum laden mass (kg)* | 4100 |
| Technically permissible maximum towable mass (kg)* | 2000 O ⁴⁾ |
| Permitted number of seats (including driver)* | 4 ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 75 x 121 |
| Bed dimension: Rear bed L x W (cm) | 186 x 77 / 190 x 77 |
| Bed dimension: Central bed L x W (cm) | 175 x 79 |
| Berths | 3 |
| Bathroom W x D (cm) | 105 x 83 |
| Wardrobe W \times D \times H (cm) | 67 x 67 x 84 |
| Kitchen W x D x H (cm) | 97 x 50 x 93 |
| Fridge volume (freezer compartment) (I) | 133 (17) |
| Standard heating | Diesel warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 6kg |
| Total fresh water tank capacity (I) | 120 |
| Fresh water tank in driving filling level (I) | 20 |
| Waste water tank (I) | 100 |
| Battery capacity (Ah) | 4x80 Ah (LFP) |
| Sockets: 230 V/12 V/USB | 8/3/6 |

| Standard equipment | O Optional equipment | ▲ Mandatory | △ Not known at the time of publication |
|--|----------------------------------|------------------------|--|
| On request (no extra cost) | Not possible | ☐ Available in package | |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER ML-T CROSSOVER

ML-T 570 CrossOver

| Chassis / Weight variants | |
|---|---|
| Mercedes-Benz Sprinter 4.1 t - 419 CDI - 140 KW/190 hp - Euro VI-E | • |
| Basis | |
| All-wheel drive (permanent) with torque-on-demand | • |
| Exterior cab colour: Tenorite grey (Metallic) | • |
| Exterior body colour: Crystal-Silver Metallic | • |
| Mercedes-Benz Original ladder-type frame | • |
| 9G-TRONIC automatic transmission incl. Hold function (x19 CDI) | • |
| 93 I fuel tank | • |
| 22 I AdBlue tank | • |
| Adaptive Brake Light | • |
| Electrically adjustable and heated exterior mirrors | • |
| Chrome grill | • |
| Bumper, attachment parts and grill frame painted in vehicle colour | • |
| LED Daytime Running Light integrated in headlights | • |
| LED High-Performance headlights | • |
| Fog lights with cornering light | • |
| Mud flaps, rear axle | • |
| Reinforced front axle | • |
| Trailer hitch pre-installation | • |
| Windscreen made of laminated glass | • |
| 16" steel rim (black) with studded tyres (All Terrain) 73) | • |
| 16" steel spare wheel with studded tyres (All Terrain) incl. mounting bracket on the outside of the rear wall | • |
| 120 km/h speed limit (MD3) | • |
| Shelf above windscreen | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | • |
| Outside temperature display | • |
| Electric cab windows and central locking for cab | • |
| Electric parking brake | • |
| Driver and passenger airbag | • |
| Keyless Start (start-stop button for comfortable engine start) | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | • |
| Leather steering wheel (automatic transmission only) | • |
| Steering wheel, height and tilt adjustable | • |
| Multifunctional steering wheel | • |
| Open shelf cockpit passenger side | • |
| Breakdown kit (air compressor with additional valve) | • |
| Parameterisable special module for controlling retrofitted electronic add-on parts | • |
| Power steering . | • |
| Heated windscreen | • |
| Fully automatic climate control THERMOTRONIC | • |
| ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | • |
| Active Brake Assist | • |
| Attention Assist | • |
| Automatic headlight control | • |
| Hill Start Assist | • |
| Electric immobilizer | • |
| High Beam Assist | • |
| Headlight range adjustment | • |
| Intelligent Speed Assistant | • |
| Rain sensor | • |
| Crosswind Assist | |
| Headlight Assistant | • |
| Cruise Control incl. steering wheel multifunction buttons | |
| Traffic Sign Assist | • |
| | _ |

| Body | |
|---|---|
| Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | • |
| Exterior flap to load the L-shaped seating group from outside, LH side | • |
| 60 cm Maxi Comfort habitation door incl. window with blackout blind and waste bin | • |
| Electric entrance step, 1-step | |
| Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology | • |
| Garage load up to 350 kg (optional 450 kg). Please note the axle load. | |
| Large garage doors, LH and RH side | • |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) | |
| Panoramic skylight above cab with integrative panelling, manually hinged | • |
| HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | |
| Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | • |
| Awning incl. dimmable LED lights, anthracite housing, 400 x 250 cm | • |
| Roof rack with rear ladder without checker plate roof panel | • |
| 44" LED Light bar above cab | |
| Engine / Underride protection | • |
| Front wheel arch extensions | • |
| Design graphics: CrossOver | |
| Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock | • |
| Outfitting | |
| Mercedes-Benz Comfort seat in living area fabric, height- and tilt adjustable, rotating, with 2 armrests and integral look | |
| Front seating group with 2 integrated 3-point belts | |
| Integrative cladding of the habitation door | |
| All overhead lockers with Soft-Close feature | |
| Comfort push locks with genuine leather loops on flaps and drawers | |
| Open shelf above cab | |
| | |
| Wall panel with multifunctional rail system in the entrance area and the seating group for multiple use Mosquito net on habitation door | |
| Cab blinds | |
| | |
| Flyscreen and blackout blinds on all windows (in the body construction) | |
| Lashing rails in the garage for load securing Chapter plate floor on well on felt trim in the root garage. | |
| Checker plate floor as well as felt trim in the rear garage | |
| External shower, located in garage Tool out (folding and a gys) in reas storage compartment | |
| Tool set (folding spade, axe) in rear storage compartment | _ |
| Living and bedroom + lighting Multi-proceed form matters and high quality matters and ((without fabric) for youthlation in the room. | Ţ |
| Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear | |
| Multifunctional rail system on both sides in the sleeping area for versatile use | |
| Open compartment in the sleeping area incl. rubber strap | |
| | |
| Open shelf entrance element with stylish Coming Home lighting and additional storage space | |
| Partitioning curtain between bed- and living room | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Ambient lighting | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Ambient lighting Complete LED interior lighting | |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Ambient lighting Complete LED interior lighting Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) | • |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Ambient lighting Complete LED interior lighting Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Kitchen | |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Ambient lighting Complete LED interior lighting Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover | |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Ambient lighting Complete LED interior lighting Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 133 I compressor fridge incl. freezer compartment (17 I) | |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Ambient lighting Complete LED interior lighting Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 133 I compressor fridge incl. freezer compartment (17 I) Extra wide kitchen drawers incl. cutlery tray and Servo Soft feature | |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Ambient lighting Complete LED interior lighting Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 133 I compressor fridge incl. freezer compartment (17 I) Extra wide kitchen drawers incl. cutlery tray and Servo Soft feature Kitchen wall panelling | |
| Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Ambient lighting Complete LED interior lighting Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 133 I compressor fridge incl. freezer compartment (17 I) Extra wide kitchen drawers incl. cutlery tray and Servo Soft feature | |

| | _ |
|--|--------------------|
| | ML-T 570 CrossOver |
| |)SS(|
| | S |
| | 70 |
| | 5 |
| | ¥. |
| Multifunctional rail for individual use in the kitchen | • |
| Black matt water tap on high-class wall with tile optics | • |
| Bathroom | |
| Variable bathroom with swivel wall, roller door and black matt fittings | • |
| Bench toilet with level indicator and cassette on wheels | • |
| Second toilet cassette incl. bracket located in external storage compartment | • |
| Installation & Technology | |
| 6 kW Diesel warm air heating with 10 I warm water boiler, atmospheric pressure sensor (altitude kit) and 1,800 W electric bar heater | • |
| Gas bottle compartment with access via the external flap / door | • |
| Warm air heating in the rear bedroom, adjustable separately | • |
| LCD keypad for heating | • |
| 230 V external connection with earth leakage circuit breaker for 230 V & 12 V | • |
| Charging booster for safe charging of the habitation battery while driving (up to 70 A) | • |
| 7" touch display for convenient control and monitoring of smart vehicle features | • |
| HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ | • |
| 120 I fresh water tank, insulated and heated (20 I in driving position) | • |
| 100 I waste water tank, insulated and heated | • |
| Smart Connect water level display (in 1% increments) | • |
| Electric waste water drainage | • |
| Solar panel with solar charge controller (MPPT) and display, 2 x 95 W | • |
| Inverter 12 V to 230 V, 1,800 W with network priority circuit | • |
| HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | • |
| Water filter for fresh water system | • |
| Additional sockets: 3 x 230 V / 1 x 12 V | • |
| HYMER Smart Battery System 2.0 - additional 3 x 80 Ah LFP (overall capacity 320 Ah) | • |
| Multimedia | |
| DAB Radio | • |
| Radio / TV pre-installation incl. 12 V socket, 2 speakers in the cab, 2 speakers in the semi-integrated bonnet, radio and DVB-T2 antenna | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | • |
| Fabrics & Furniture finishes | |
| Furniture finish: Native Bamboo | |
| Fabric combination: Indiana | <u> </u> |
| Packages | بر المحادث |
| CrossOver package ML-T | • |

 $\ensuremath{\Delta}$ Not known at the time of publication

EQUIPMENT LINES HYMER ML-T CROSSOVER

CrossOver package ML-T



| Mercedes-Benz Sprinter 4.1 t - 419 CDI - 140 KW/190 hp - Euro VI-E | • |
|---|---|
| Exterior cab colour: Tenorite grey (Metallic) | • |
| Exterior body colour: Crystal-Silver Metallic | • |
| All-wheel drive (permanent) with torque-on- | |
| demand | • |
| 9G-TRONIC automatic transmission incl. Hold function (x19 CDI) | • |
| Chrome grill | • |
| LED High-Performance headlights | • |
| Fog lights with cornering light | • |
| Bumper, attachment parts and grill frame painted in vehicle colour | • |
| Heated windscreen | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | • |
| Dashboard charging pack (2 USB-C | |
| connections with 5 V as well as one additional 12 V socket) | • |
| Leather steering wheel (automatic transmission only) | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | • |
| Fully automatic climate control THERMOTRONIC | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | • |
| High Beam Assist | • |
| Traffic Sign Assist | • |
| Roof rack with rear ladder without checker plate roof panel | • |
| 44" LED Light bar above cab | • |
| Awning incl. dimmable LED lights, anthracite housing, 400 x 250 cm | • |
| Engine / Underride protection | |
| Design graphics: CrossOver | • |
| Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock | • |
| Checker plate floor as well as felt trim in the | • |
| rear garage Front wheel arch extensions | |
| | • |
| External shower, located in garage | • |
| Tool set (folding spade, axe) in rear storage compartment | • |
| Comfort L-shaped seating group with lounge | |
| cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | |
| | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

| | CrossOver package ML-T |
|--|------------------------|
| Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat | • |
| Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) | • |
| Fitted sheets made to measure for rear beds individually adapted to mattress | • |
| Additional cushion between the longitudinal single beds incl. integrated comfort access | • |
| 4 cushions | • |
| Ambient lighting | • |
| Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) | • |
| Second toilet cassette incl. bracket located in external storage compartment | • |
| 6 kW Diesel warm air heating with 10 l warm water boiler, atmospheric pressure sensor (altitude kit) and 1,800 W electric bar heater | • |
| HYMER Smart Battery System 2.0 - additional 3 x 80 Ah LFP (overall capacity 320 Ah) | • |
| Solar panel with solar charge controller (MPPT) and display, 2 x 95 W | • |
| Inverter 12 V to 230 V, 1,800 W with network priority circuit | • |
| Additional sockets: $3 \times 230 \text{ V} / 1 \times 12 \text{ V}$ | • |
| Water filter for fresh water system | • |
| Excess weight Equipment line (kg)* | 0 |
| Package price (incl. VAT) £ | |

| Standard equipment | O Optional equipment | ▲ Mandatory | △ Not known at the time of publication |
|--|----------------------------------|--------------------------------|--|
| On request (no extra cost) | Not possible | \square Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER ML-T CROSSOVER

Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Warm air auxiliary heating, electric

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

Package price (incl. VAT) 1,450.-

Excess weight (kg)*



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER ML-T CROSSOVER

Price £

| 2 | |
|-----------|--|
| Cross0ver | |
| Ö | |
| S | |
| 9 | |
| Ö | |
| 0 | |
| 570 | |
| נט | |
| i i | |
| | |
| | |

| | | | Σ | û |
|----------------------|--|--------------|---------------|------|
| Chassis / Weig | | 220 | | |
| V201103880 Basis | Weight variant 3,880 kg | 220 | | 0 |
| V3071010 | Central locking for cab, habitation as well as garage doors | 420 | $\overline{}$ | 5 |
| V2021051 | 18" alloy rims Delta Beadlock (black) with studded tyres (All-Terrain) ^{73) 93)} | 4,960 | | 21 |
| V2021051 V2035147 | 18" Delta spare wheel with studded tyres (All Terrain) incl. mounting bracket on the outside of the rear wall ⁹³⁾ | 1,370 | _ | 5 |
| V2035147 V20855J | | 1,370 620 | | 2 |
| V20855J V2113010 | Seat heating and lumbar support for Original Mercedes-Benz seats ⁹⁴⁾ | | | 0 |
| | Wet Wiper System (windscreen wiper with integrated spray nozzles) 94) | | | |
| V2022210 | Downhill Speed Regulation (Offroad mode) | 510 | _ | 0 |
| V20410J | Cupholder instead of storage compartment | 60 | | 0 |
| V2017810 | Illuminated driver and passenger exit | 120 | 0 | 0 |
| Body | Turillan bitaba data ababa balla a di (204) 13) 14) 80) | 1.000 | _ | 22 |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) ^{13) 14) 80)} | 1,080 | _ | 33 |
| V30330J | GRP roof coating ¹⁶⁾ Frame extension ¹⁴⁾ | 590 | | 14 |
| V20062J | | 420 | _ | 31 |
| V3055010 | Security lock for habitation door | 260 | | 0.5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom | 510 | _ | 12 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen ¹⁸⁾ | 390 | | 5 |
| Outfitting | | | | |
| V4016210 | SKOTTI gas barbecue incl. gas bottle connection set | 210 | <u> </u> | 4.5 |
| Installation & T | | | | |
| V50230J | External gas socket with shut-off valve | 170 | | 1 |
| V3064012 | Toilet vent | 250 | _ | 1 |
| V5033014 | Roof AirCon, 2,400 W ^{18) 61) 19)} | 1,960 | <u> </u> | 33 |
| Multimedia | | | | |
| V5071511 | 5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) | 1,710 | | 2 |
| V5054611 | 32" TV bracket | 320 | _ | 4 |
| V5054514 | 32" Smart LED-TV with built-in speakers, remote control and receiver (DVB-T / C, DVB-S2) 30) | 1,530 | | 10 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 14.5 |
| Fabrics & Furn | | | | |
| V100704146 | Leather combination: Lund | 2,560 | 0 | 6.5 |
| Packages | | | | |
| V8031023 | Winter package | 1,450 | 0 | 4 |
| | | | | |

● Standard equipment O Optional equipment ▲ Mandatory △ Not known at the time of publication Further information from p.107 ◆ On request (no extra cost) — Not possible □ Available in package



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

PRICES AND TECHNICAL DATA HYMER ML-T CROSSTRAIL



| | ML-T 580 CrossTrail |
|--|---|
| Price a) £ | 145,630 |
| Standard chassis | Mercedes-Benz Sprinter 419 CDI |
| Drive | All Wheel Drive |
| kW (hp) | 140 (190) |
| Emission standards | Euro VI-E |
| Length / Width / Height (cm) | 713 ¹⁾ / 222 ²⁾ / 305 ³⁾ |
| External body length (cm) | 698 |
| Body width / Internal width (cm) | 212 / 205 |
| Standing height in living area (cm) | 198 |
| Wheelbase (mm) | 3665 |
| Mass in running order (-/+ 5%) (kg)* | 3470 (3297 - 3644)* |
| Manufacturer-specified mass for optional equipment (kg)* | 281 |
| Technically permissible maximum laden mass (kg)* | 4100 |
| Technically permissible maximum towable mass (kg)* | 2000 🔿 |
| Permitted number of seats (including driver)* | 4 ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 100 x 121 |
| Bed dimension: Rear bed L x W (cm) | 191 x 77 / 192 x 77 / 214 x 77 O |
| Bed dimension: Central bed L x W (cm) | 175×79 O |
| Berths | 3 |
| Bathroom W x D (cm) | 125 x 86 |
| Wardrobe W x D x H (cm) | 22 x 55 x 180 / 67 x 67 x 84 |
| Kitchen W x D x H (cm) | 97 x 50 x 93 |
| Fridge volume (freezer compartment) (I) | 133 (17) |
| Standard heating | Diesel warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 6kg |
| Total fresh water tank capacity (I) | 120 |
| Fresh water tank in driving filling level (I) | 20 |
| Waste water tank (I) | 100 |
| Battery capacity (Ah) | 4x80 Ah (LFP) |
| Sockets: 230 V/12 V/USB | 8/3/6 |

| Standard equipment | O Optional equipment | ▲ Mandatory | △ Not known at the time of publication |
|--|----------------------------------|------------------------|--|
| On request (no extra cost) | Not possible | ☐ Available in package | |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER ML-T CROSSTRAIL

ML-T 580 CrossTrail

| Chassis / Weight variants | 2 |
|---|---|
| Mercedes-Benz Sprinter 3.5 t - 419 CDI - 140 KW/190 hp - Euro VI-E | _ |
| Weight variant 4,100 kg | |
| Basis | |
| All-wheel drive (permanent) with torque-on-demand | • |
| Pastel: Stone grey | • |
| Bumper in Raptor paint finish | • |
| Mercedes-Benz Original ladder-type frame | • |
| 9G-TRONIC automatic transmission incl. Hold function (x19 CDI) | • |
| 93 I fuel tank | • |
| 22 I AdBlue tank | • |
| Mercedes-Benz acoustics package | • |
| Electrically adjustable and heated exterior mirrors | • |
| LED Daytime Running Light integrated in headlights | • |
| LED High-Performance headlights | • |
| Fog lights with cornering light | • |
| Mud flaps, rear axle | • |
| Reinforced front axle | • |
| Trailer hitch pre-installation | • |
| Heat-insulating glass with tinting strip on windscreen | • |
| L8" alloy rims Delta Hanma (black) with studded tyres (All-Terrain) ⁷³⁾ | • |
| L8" Delta spare wheel with studded tyres (All Terrain) incl. mounting bracket on the outside of the rear wall | • |
| I20 km/h speed limit (MD3) | • |
| Shelf above windscreen | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | • |
| Electric cab windows and central locking for cab | • |
| Electric parking brake | • |
| Driver and passenger airbag | • |
| Keyless Start (start-stop button for comfortable engine start) | • |
| Hinged lid for central storage compartment on the dashboard | • |
| Mercedes-Benz instrument cluster with colour display | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | • |
| Leather steering wheel (automatic transmission only) | • |
| Steering wheel, height and tilt adjustable | • |
| Multifunctional steering wheel | • |
| Open shelf cockpit passenger side | • |
| Parameterisable special module for controlling retrofitted electronic add-on parts | • |
| Heated windscreen | • |
| Fully automatic climate control THERMOTRONIC | • |
| ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | • |
| Active Brake Assist | • |
| Active Lane Keeping Assist | • |
| Attention Assist | • |
| Automatic headlight control | • |
| Hill Start Assist | • |
| High Beam Assist | • |
| Rain sensor | • |
| Crosswind Assist | • |
| Cruise Control incl. steering wheel multifunction buttons | • |
| Traffic Sign Assist | • |
| Downhill Speed Regulation (Offroad mode) | • |
| Body | |
| Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | • |
| Exterior flap to load the L-shaped seating group from outside, LH side | • |
| Exterior hap to load the E shaped seating group from outside, Errolds | |

| | <u>=</u> |
|--|---------------------|
| | SST |
| | S |
| | 089 |
| | ML-T 580 CrossTrail |
| | ⊌ |
| Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology | • |
| Garage load up to 350 kg (optional 450 kg). Please note the axle load. | • |
| Large garage doors, LH and RH side | • |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) Panoramic skylight above cab with integrative panelling, manually hinged | |
| HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | • |
| Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | • |
| Roof rack with rear ladder without checker plate roof panel | • |
| 44" LED Light bar above cab | • |
| Front wheel arch extensions | • |
| Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Underride protection for engine and water tank | |
| Awning incl. dimmable LED lights, anthracite housing, 400 x 250 cm | |
| Design graphics: CrossTrail | • |
| Outfitting | |
| Mercedes-Benz Comfort seat in living area fabric, height- and tilt adjustable, rotating, with 2 armrests and integral look | • |
| Front seating group with 2 integrated 3-point belts | • |
| Integrative cladding of the habitation door | • |
| All overhead lockers with Soft-Close feature Comfort push locks with genuine leather loops on flaps and drawers | |
| Open shelf above cab | • |
| Wall panel with multifunctional rail system in the entrance area and the seating group for multiple use | • |
| Mosquito net on habitation door | • |
| Cab blinds | • |
| Flyscreen and blackout blinds on all windows (in the body construction) | • |
| | |
| Lashing rails in the garage for load securing Chapter plate floor so well as felt trim in the rear garage. | • |
| Checker plate floor as well as felt trim in the rear garage | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination Kitchen | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 1331 compressor fridge incl. freezer compartment (17 I) Extra wide kitchen drawers incl. cutlery tray and Servo Soft feature Kitchen wall panelling | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 133 I compressor fridge incl. freezer compartment (17 I) Extra wide kitchen drawers incl. cutlery tray and Servo Soft feature Kitchen wall panelling 8 I waste bin in kitchen drawer (can also be flexibly hung on drawer) | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination Kitchen S-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 133 I compressor fridge incl. freezer compartment (17 I) Extra wide kitchen drawers incl. cutlery tray and Servo Soft feature Kitchen wall panelling 8 I waste bin in kitchen drawer (can also be flexibly hung on drawer) Multifunctional rail for individual use in the kitchen | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 1331 compressor fridge incl. freezer compartment (17 l) Extra wide kitchen drawer incl. cutlery tray and Servo Soft feature Kitchen wall panelling 8 I waste bin in kitchen drawer (can also be flexibly hung on drawer) Multifunctional rail for individual use in the kitchen Black matt water tap on high-class wall with tile optics | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed- and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination Kitchen S-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 133 I compressor fridge incl. freezer compartment (17 I) Extra wide kitchen drawers incl. cutlery tray and Servo Soft feature Kitchen wall panelling 8 I waste bin in kitchen drawer (can also be flexibly hung on drawer) Multifunctional rail for individual use in the kitchen | |
| Checker plate floor as well as felt trim in the rear garage External shower, located in garage Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Multifunctional rail system on both sides in the sleeping area for versatile use Open compartment in the sleeping area incl. rubber strap Open shelf entrance element with stylish Coming Home lighting and additional storage space Partitioning curtain between bed. and living room Complete LED interior lighting incl. night light LED gooseneck lights above cab incl. USB socket LED awning light Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Additional cushion between the longitudinal single beds incl. integrated comfort access Fitted sheets made to measure for rear beds individually adapted to mattress 4 cushions Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) Sleeping system with cup-slatted bed frame for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination Kitchen 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover 133 I compressor fridge incl. freezer compartment (17 I) Extra wide kitchen drawer (can also be flexibly hung on drawer) Multifunctional rail for individual use in the kitchen Black matt water tap on high-class wall with tile optics Bathroom | |

Standard equipment

O Optional equipment

Mandatory

△ Not known at the time of publication

◆ On request (no extra cost) — Not possible

☐ Available in package

EQUIPMENT LINES HYMER ML-T CROSSTRAIL

CrossTrail package ML-T

| Mercedes-Benz Sprinter 3.5 t - 419 CDI - 140 KW/190 hp - Euro VI-E | • |
|--|---|
| Weight variant 4,100 kg | • |
| Pastel: Stone grey | • |
| Design graphics: CrossTrail | • |
| All-wheel drive (permanent) with torque-on- | • |
| demand Downhill Speed Regulation (Offroad mode) | |
| 9G-TRONIC automatic transmission incl. | |
| Hold function (x19 CDI) | • |
| LED High-Performance headlights | • |
| Shelf for smartphones incl. wireless charging | • |
| with charge level indicator Leather steering wheel (automatic | |
| transmission only) | • |
| Fully automatic climate control | |
| THERMOTRONIC | |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | • |
| Traffic Sign Assist | • |
| SatNav & Smartpone integration for | • |
| Mercedes-Benz MBUX | • |
| Dashboard charging pack (2 USB-C | |
| connections with 5 V as well as one additional 12 V socket) | ▼ · · · · · · · · · · · · · · · · · · · |
| Heated windscreen | • |
| High Beam Assist | • |
| 18" alloy rims Delta Hanma (black) with | • |
| studded tyres (All-Terrain) | • |
| 18" Delta spare wheel with studded tyres (All Terrain) incl. mounting bracket on the outside | |
| of the rear wall | · |
| Underride protection for engine and water | |
| tank | |
| Bumper in Raptor paint finish | • |
| Fog lights with cornering light | • |
| 44" LED Light bar above cab | |
| Tool set (folding spade, axe) in rear storage compartment | • |
| Front wheel arch extensions | • |
| External shower, located in garage | • |
| Sleeping system with cup-slatted bed frame for rear bed(s) | • |
| Fitted sheets made to measure for rear beds individually adapted to mattress | • |
| Checker plate floor as well as felt trim in the | _ |
| rear garage | |
| Shower duck board for level walking floor | • |
| 4 cushions | • |
| | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

| | CrossTrail package ML-T |
|---|-------------------------|
| Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination | • |
| Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) | • |
| Additional sockets: 3 x 230 V / 1 x 12 V | • |
| Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | • |
| Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat | • |
| Additional cushion between the longitudinal single beds incl. integrated comfort access | • |
| Awning incl. dimmable LED lights, anthracite housing, 400 x 250 cm | • |
| Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock | • |
| Roof rack with rear ladder without checker plate roof panel | • |
| 5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) | • |
| Water filter for fresh water system | • |
| Solar panel with solar charge controller (MPPT) and display, 2 x 95 W | • |
| HYMER Smart Battery System 2.0 - additional 3 \times 80 Ah LFP (overall capacity 320 Ah) | • |
| Inverter 12 V to 230 V, 1,800 W with network priority circuit | • |
| Excess weight Equipment line (kg)* | 0 |
| Package price (incl. VAT) £ | |
| | |

| Standard equipment | O Optional equipment | ▲ Mandatory | △ Not known at the time of publication |
|--|----------------------------------|--------------------------------|--|
| On request (no extra cost) | Not possible | \square Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER ML-T CROSSTRAIL

Arctic package Price £

Gas-Warm water heating incl. floor and garage floor heating

Automatic gas bottle changeover system with crash sensor and IceEx

Gas filter for automatic gas bottle changeover

Heat exchanger for warm water heating

Heat exchanger pre-installation, Mercedes-Benz

Insulated partitioning curtain for cab, double-layered sewn

Insulating mat for cab footwell, supplied loose

Auxiliary heating (supports heating when heating up the vehicle)

5,310.-Package price (incl. VAT)

Excess weight (kg)*

Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Warm air auxiliary heating, electric

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

Package price (incl. VAT) 1,450.-

Excess weight (kg)*

 Standard equipment O Optional equipment ▲ Mandatory △ Not known at the time of publication ◆ On request (no extra cost) — Not possible ☐ Available in package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER ML-T CROSSTRAIL

Price £

| rail | |
|----------|--|
| | |
| Cross | |
| Cro | |
| | |
| 580 | |
| <u>–</u> | |
| ٺ | |

| | | 3, | Σ | ŭ |
|------------------|--|-------|---|------|
| Chassis / Weig | | | | |
| V201103880 | Weight variant 3,880 kg | 220 | | C |
| Basis | | | | |
| V3071010 | Central locking for cab, habitation as well as garage doors | 420 | | 5 |
| V20855J | Seat heating and lumbar support for Original Mercedes-Benz seats ⁹⁴⁾ | 620 | | 2 |
| V2113010 | Wet Wiper System (windscreen wiper with integrated spray nozzles) 94) | 90 | | C |
| V20410J | Cupholder instead of storage compartment | 60 | _ | C |
| V2017810 | Illuminated driver and passenger exit | 120 | 0 | |
| Body | 12)14(10) | | | |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) 13) 14) 80) | 1,080 | | 33 |
| V30330J | GRP roof coating ¹⁶⁾ | 590 | | 14 |
| V20062J | Frame extension ¹⁴⁾ | 420 | _ | 3: |
| V3055010 | Security lock for habitation door | 260 | _ | 0.5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom | 510 | | 12 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen ¹⁸⁾ | 390 | 0 | í |
| Outfitting | | | | |
| V4016210 | SKOTTI gas barbecue incl. gas bottle connection set | 210 | 0 | 4.5 |
| | room + lighting | | | |
| V4006110 | Bed extension passenger side (+ 22 cm) and half-height wardrobe (instead of floor-to-ceiling wardrobe) | 300 | 0 | 0.9 |
| Kitchen | | | | |
| V40020J | Separate oven above fridge | 570 | 0 | 10.5 |
| Installation & T | <i></i> | | | |
| V50230J | External gas socket with shut-off valve | 170 | _ | |
| V3064012 | Toilet vent | 250 | | |
| V5033014 | Roof AirCon, 2,400 W ^{18) 19)} | 1,960 | 0 | 33 |
| Multimedia | | | | |
| V5054611 | 32" TV bracket | 320 | _ | 4 |
| V5054514 | 32" Smart LED-TV with built-in speakers, remote control and receiver (DVB-T / C, DVB-S2) 30) | 1,530 | | 10 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 14.5 |
| Fabrics & Furn | iture finishes | | | |
| V100704174 | Leather: Tallinn | 2,560 | | 6.5 |
| V602104011 | Carpet: Laguna | 340 | 0 | - 7 |
| Packages | | | | |
| V8005024 | Arctic package | 5,310 | 0 | 96 |
| V8031023 | Winter package | 1,450 | 0 | 4 |
| | | | | |

● Standard equipment O Optional equipment ▲ Mandatory △ Not known at the time of publication Further information from p. 107
◆ On request (no extra cost) — Not possible □ Available in package



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

PRICES AND TECHNICAL DATA HYMER ML-T XPERIENCE





| | ML-T 570 Xperience | ML-T 580 Xperience |
|--|------------------------------------|---|
| Price a) £ | 109,370 | 110,570 |
| Standard chassis | Mercedes-Benz Sprinter 417 CDI | Mercedes-Benz Sprinter 417 CDI |
| Drive | Rear Wheel Drive | Rear Wheel Drive |
| kW (hp) | 125 (170) | 125 (170) |
| Emission standards | Euro VI-E | Euro VI-E |
| Length / Width / Height (cm) | $674^{1)} / 222^{2)} / 292^{3)}$ | 698 ¹⁾ / 222 ²⁾ / 292 ³⁾ |
| Body width / Internal width (cm) | 212 / 205 | 212 / 205 |
| Standing height in living area (cm) | 198 | 198 |
| Wheelbase (mm) | 3665 | 3665 |
| Mass in running order (-/+ 5%) (kg)* | 3023 (2872 - 3174)* ³⁸⁾ | 3076 (2922 - 3230)* ³⁸⁾ |
| Manufacturer-specified mass for optional equipment (kg)* | 109 | 59 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3500 |
| Technically permissible maximum towable mass (kg)* | 2000 ○⁴) | 2000 O ⁴⁾ |
| Permitted number of seats (including driver)* | 4 ⁵⁾ | 4 ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 75 x 121 | 100 x 121 |
| Bed dimension: Rear bed L x W (cm) | 186 x 77 / 190 x 77 | 191 x 77 / 192 x 77 / 214 x 77 O |
| Bed dimension: Central bed L x W (cm) | 175 x 79 | 175 x 79 |
| Berths | 3 | 2-30 |
| Bathroom W x D (cm) | 105 x 83 | 125 x 86 |
| Wardrobe W x D x H (cm) | 67 x 67 x 84 | 22 x 55 x 180 / 67 x 67 x 84 |
| Kitchen W x D x H (cm) | 97 x 50 x 93 | 97 x 50 x 93 |
| Fridge volume (freezer compartment) (I) | 133 (17) | 133 (17) |
| Standard heating | Diesel warm air, 6 kW | Diesel warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 6kg | 2 x 6kg |
| Total fresh water tank capacity (I) | 120 | 120 |
| Fresh water tank in driving filling level (I) | 20 | 20 |
| Waste water tank (I) | 100 | 100 |
| Sockets: 230 V/12 V/USB | 5/1/8 | 5/1/8 |

Standard equipment
 Optional equ
 On request (no extra cost)
 Not possible

O Optional equipment A Mandatory

▲ Mandatory

☐ Available in package

 \triangle Not known at the time of publication



* INFC

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER ML-T XPERIENCE

ML-T 570 Xperience ML-T 580 Xperience Chassis / Weight variants Mercedes-Benz Sprinter 3.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E Basis Exterior body colour: White Exterior cab colour: Tenorite grey (Metallic) Mercedes-Benz Original ladder-type frame 9G-TRONIC automatic transmission incl. Hold function 93 I fuel tank 22 I AdBlue tank Electrically adjustable and heated exterior mirrors Electric cab windows and central locking for cab Fog lights with cornering light Daytime Running Light integrated in headlights Mud flaps, rear axle Reinforced front axle Trailer hitch pre-installation Heat-insulating glass with tinting strip on windscreen 16" Alloy rims (black) with All Season tyres Shelf above windscreen Mercedes-Benz acoustics package Driver and passenger airbag ECO Start-Stop feature 60) Electric parking brake Semi-automatic climate control TEMPMATIC Hinged lid for central storage compartment on the dashboard Keyless Start (start-stop button for comfortable engine start) Mercedes-Benz instrument cluster with colour display Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Multifunctional steering wheel Open shelf cockpit passenger side Parameterisable special module for controlling retrofitted electronic add-on parts ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Brake Assist Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Traffic Sign Assist Body Design graphics Xperience Awning incl. dimmable LED lights, anthracite housing, 400 x 250 cm Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Panoramic skylight above cab with integrative panelling, manually hinged GRP lightweight floor with XPS insulation (41 mm floor thickness) HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Mercedes-Benz Comfort seat in living area fabric, height- and tilt adjustable, rotating, with 2 armrests and integral look 46)

| | ML-T 570 Xperience | ML-T 580 Xperience |
|--|--------------------|--------------------|
| | IL-T 570 | IL-T 580 |
| Integrative cladding of the habitation door | ≥ | ≥ |
| All overhead lockers with Soft-Close feature | • | |
| Comfort push locks with genuine leather loops on flaps and drawers | • | • |
| Open shelf above cab | • | • |
| Wall panel with multifunctional rail system in the entrance area and the seating group for multiple use Mosquito net on habitation door | | |
| Cab blinds | • | • |
| Flyscreen and blackout blinds on all windows (in the body construction) | • | • |
| Lashing rails in the garage for load securing | • | • |
| Living and bedroom + lighting | | |
| Multifunctional rail system on both sides in the sleeping area for versatile use | • | • |
| Open shelf entrance element with stylish Coming Home lighting and additional storage space Open compartment in the sleeping area incl. rubber strap | | |
| Partitioning curtain between bed- and living room ⁶¹⁾ | • | • |
| Complete LED interior lighting incl. night light | • | • |
| LED gooseneck lights above cab incl. USB socket | • | • |
| LED awning light | • | • |
| Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | • | • |
| Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat Sleeping system with cup-slatted bed frame for rear bed(s) | | |
| Additional cushion between the longitudinal single beds incl. integrated comfort access | | • |
| 4 cushions | • | • |
| Kitchen | | |
| Extra wide kitchen drawers incl. cutlery tray and Servo Soft feature | • | • |
| Kitchen wall panelling | • | • |
| Multifunctional rail for individual use in the kitchen 133 I compressor fridge incl. freezer compartment (17 I) | | |
| 3-burner gas cooker with ignition fuse, electric ignition, flame guard and glass cover | | |
| 8 I waste bin in kitchen drawer (can also be flexibly hung on drawer) | • | • |
| Black matt water tap on high-class wall with tile optics | • | • |
| Bathroom | | |
| Comfort bathroom with black matt fittings | _ | • |
| Variable bathroom with swivel wall, roller door and black matt fittings Bench toilet with level indicator and cassette on wheels | • | _ |
| Toothbrush cup incl. bracket | _ | |
| Installation & Technology | | Ě |
| 6 kW diesel warm air heating with 10 l warm water boiler as well as atmospheric pressure sensor (altitude kit) | • | → |
| Warm air heating in the rear bedroom, adjustable separately | • | • |
| Gas bottle compartment with access via the external flap / door | • | • |
| HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) | • | • |
| 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | | |
| Charging booster for safe charging of the habitation battery while driving (up to 70 A) | • | • |
| 120 I fresh water tank, insulated and heated (20 I in driving position) | • | • |
| 100 I waste water tank, insulated and heated | • | • |
| Smart Connect water level display (in 1% increments) | • | • |
| Electric waste water drainage | • | • |
| Automatic gas bottle changeover system with crash sensor and IceEx | | |
| HYMER Connect sensor package incl. 1x gas level sensor, 1x temperature sensor and 2x contact sensor Multimedia | Š | Š |
| Radio / TV pre-installation incl. 12 V socket, 2 speakers in the cab, 2 speakers in the semi-integrated bonnet, radio and DVB-T2 antenna | $\overline{}$ | ▔ |
| DAB Radio | • | • |
| 32" TV bracket | • | • |
| 32" Smart LED-TV with built-in speakers, remote control and receiver (DVB-T / C, DVB-S2) | • | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | _ | ÷ |
| Fabrics & Furniture finish: Furniture finish: Native Bamboo | - | — |
| Furniture finish: Native Bamboo Fabric combination: Indiana | | |
| Packages | | |
| Xperience package ML-T | • | • |
| Standard equipment O Optional equipment | | |

EQUIPMENT LINES HYMER ML-T XPERIENCE

Xperience package ML-T



| Exterior cab colour: Tenorite grey (Metallic) | • |
|---|---|
| Design graphics Xperience | • |
| 9G-TRONIC automatic transmission incl. Hold function | • |
| Fog lights with cornering light | • |
| 16" Alloy rims (black) with All Season tyres | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | • |
| Leather steering wheel (automatic transmission only) | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | • |
| Traffic Sign Assist | • |
| Awning incl. dimmable LED lights, anthracite housing, 400 x 250 cm | • |
| Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock | • |
| Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | • |
| Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat | • |
| Sleeping system with cup-slatted bed frame for rear bed(s) | • |
| Additional cushion between the longitudinal single beds incl. integrated comfort access | • |
| 4 cushions | • |
| DAB Radio | • |
| 32" TV bracket | • |
| 32" Smart LED-TV with built-in speakers, remote control and receiver (DVB-T / C, DVB-S2) | |
| HYMER Connect sensor package incl. 1x gas level sensor, 1x temperature sensor and 2x contact sensor | • |
| Excess weight Equipment line (kg)* | 0 |
| Package price (incl. VAT) £ | |
| | |

| • | Standard equipment | O Optional equipment | ▲ Mandatory | Δ Not known at the time of publication |
|---|----------------------------|----------------------------------|------------------------|---|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER ML-T XPERIENCE

Equipment Line Premium

LED High-Performance headlights

Shelf for smartphones incl. wireless charging with charge level indicator

Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)

Fully automatic climate control THERMOTRONIC

Package price (incl. VAT)

Excess weight (kg)*

2,530.5

Autonomy package Lithium XL

HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2 x 80 Ah LFP (overall capacity 320 Ah)

Inverter 12 V to 230 V, 1,800 W with network priority circuit

 Package price (incl. VAT)
 5,560.

 Excess weight (kg)*
 45.5

Arctic package

Gas-Warm water heating incl. floor and garage floor heating

Heat exchanger for warm water heating

Heat exchanger pre-installation, Mercedes-Benz

Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock

Insulated partitioning curtain for cab, double-layered sewn

Insulating mat for cab footwell, supplied loose

Auxiliary heating (supports heating when heating up the vehicle)

Checker plate floor in the rear garage

Package price (incl. VAT) 5,060.Excess weight (kg)* 106.5

Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Warm air auxiliary heating, electric

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

Package price (incl. VAT)

Excess weight (kg)*

4

| • | Standard equipment | O Optional equipment | ▲ Mandatory |
|---|----------------------------|----------------------------------|------------------------|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package |

△ Not known at the time of publication

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER ML-T XPERIENCE

| | | Price£ | ML-T 570 Xperi | ML-T 580 Xperi | Excess weight (k |
|------------------|--|--------|----------------|----------------|------------------|
| Chassis / Weig | ht variants | | | | |
| | Mercedes-Benz Sprinter 3.5 t - 419 CDI - 140 KW/190 hp - Euro VI-E | 3,600 | 0 | 0 | 5 |
| V201103880 | Weight variant 3,880 kg | 220 | - | 0 | 0 |
| V201104100 | Weight variant 4,100 kg | 220 | 0 | 0 | 0 |
| Basis | | | | | |
| V2051071 | 71 I fuel tank ⁵⁹⁾ | 90 | 0 | 0 | -24 |
| V2017810 | Illuminated driver and passenger exit | 120 | 0 | 0 | 0 |
| V2115010 | Mercedes-Benz engine compartment insulation for noise reduction ⁶⁸⁾ | 250 | 0 | 0 | 10 |
| V2113010 | Wet Wiper System (windscreen wiper with integrated spray nozzles) 95) 51) | 90 | | | 0 |
| V20391J | Heated windscreen | 390 | 0 | 0 | 0 |
| V3071010 | Central locking for cab, habitation as well as garage doors ⁶⁹⁾ | 420 | 0 | 0 | 5 |
| V20410J | Cupholder instead of storage compartment | 60 | 0 | 0 | 0 |
| V20855J | Seat heating and lumbar support for Original Mercedes-Benz seats ⁵²⁾ | 620 | | | 2 |
| V2037810 | High Beam Assist | 330 | 0 | 0 | 0 |
| Body | | | | | |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) 13) 14) 80) | 1,080 | 0 | 0 | 33 |
| V3014012 | Roof rack with rear ladder (black) 81) | 510 | 0 | 0 | 12 |
| V3014014 | Roof rack with rear ladder (black) and checker plate roof panel ^{82) 83) 81)} | 590 | 0 | 0 | 18 |
| V30330J | GRP roof coating ^{82) 16)} | 590 | 0 | 0 | 14 |
| V20460J | Comfort jacks, rear (2 units) | 340 | 0 | 0 | 9 |
| V20062J | Frame extension ¹⁴⁾ | 420 | 0 | 0 | 31 |
| V3055010 | Security lock for habitation door | 260 | 0 | 0 | 0.5 |
| V3023013 | Bicycle rack for two bicycles, manually lowerable, max. load 50 kg ⁸⁴⁾ | 930 | 0 | 0 | 17 |
| V3023012 | Bicycle rack for 4 bicycles, max. load: 60 kg ⁸⁴⁾ | 390 | 0 | 0 | 14 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen 18) 19) | 390 | 0 | 0 | 5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom | 510 | 0 | 0 | 12 |
| Outfitting | | | | | |
| V30310J | Felt trim in the rear garage | 250 | 0 | 0 | 3 |
| V3031220 | Checker plate floor in the rear garage | 160 | | | 12 |
| V60240J | Insulated partitioning curtain for cab, double-layered sewn | 300 | | | 2 |
| V50100J | External shower, located in garage | 250 | 0 | 0 | 1 |
| Living and bed | room + lighting | | | | |
| V60170J | Fitted sheets made to measure for rear beds individually adapted to mattress | 210 | 0 | 0 | 1 |
| V4006110 | Bed extension passenger side (+ 22 cm) and half-height wardrobe (instead of floor-to-ceiling wardrobe) | 300 | _ | 0 | 0.9 |
| VE020211 | Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. | E00 | _ | | 1 |
| V5029211 | light temperature) as well as atmospheric base illumination | 590 | O | 0 | 1 |
| V50131614 | Light package (Multifunctional pendant light as well as 1 ambient reading light for multifunctional walls) | 420 | 0 | 0 | 1 |
| Kitchen | | | | | |
| V40020J | Separate oven above fridge | 570 | 0 | 0 | 10.5 |
| Bathroom | | | | | |
| V40210J | Shower duck board for level walking floor | 140 | 0 | 0 | 2 |
| V5054010 | Second toilet cassette incl. bracket located in external storage compartment ⁸⁶⁾ | 280 | 0 | 0 | 3.5 |
| Installation & T | echnology | | | | |
| V5028021 | 1,800 W electric bar heater (for 6 kW Diesel warm air heating) | 500 | 0 | 0 | 1.5 |
| V5028014 | Gas-Warm water heating incl. floor and garage floor heating ⁸⁷⁾ | 3,750 | | | 77 |
| V30325J | Gas bottle slide out ⁸⁸⁾ | 600 | 0 | 0 | 10 |
| V50250J | Gas filter for automatic gas bottle changeover ^{8) 20)} | 170 | 0 | 0 | 0 |
| V50230J | External gas socket with shut-off valve | 170 | | 0 | 1 |
| V5012515 | HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) | 1,530 | | | 10.5 |



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

| | | Price £ | ML-T 570 Xperien | ML-T 580 Xperien | Excess weight (kg) |
|----------------|---|---------|------------------|------------------|--------------------|
| V5012515 | HYMER Smart Battery System 2.0 - extension: 3rd habitation battery module 80 Ah LFP (overall capacity 240 Ah) ⁸⁹⁾ | 1,530 | 0 | 0 | 10.5 |
| V5012516 | HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2×80 Ah LFP (overall capacity 320 Ah) $^{89)}$ | 2,990 | | | 21 |
| V5047029 | Solar panel with solar charge controller (MPPT) and display, 2 x 95 W ⁸³⁾ | 1,450 | 0 | 0 | 8 |
| V5047010 | Pre-wiring kit Solar system | 170 | 0 | 0 | 0.5 |
| V80288J | Additional sockets: 3 x 230 V / 1 x 12 V | 340 | 0 | 0 | 2 |
| V5069710 | Water filter for fresh water system | 210 | 0 | 0 | 1 |
| V5033014 | Roof AirCon, 2,400 W ^{61) 18) 19)} | 1,960 | 0 | 0 | 33 |
| V3064012 | Toilet vent | 250 | 0 | 0 | 1 |
| Multimedia | | | | | |
| V5071511 | 5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) | 1,710 | 0 | 0 | 2 |
| V5055011 | Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as wall bracket ³¹⁾ | 1,230 | 0 | 0 | 13 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | 0 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 0 | 14.5 |
| V50440124 | Digital satellite dish, 80 cm, Twin LNB | 2,730 | 0 | 0 | 15.5 |
| Fabrics & Furn | ture finishes | | | | |
| V100704162 | Fabric combination: Bogota | | ♦ | ♦ | 0 |
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | 0 | 0 | 4 |
| V100704126 | Leather / fabric combination: Moreno | 2,560 | 0 | 0 | 5 |
| V100704166 | Leather-/ Fabric combination: Tenerife | 2,560 | 0 | 0 | 4 |
| V100704090 | Leather: Grigio | 2,560 | 0 | 0 | 6.5 |
| V602104011 | Carpet: Laguna ³²⁾ | 340 | 0 | 0 | 7 |
| Packages | | | | | |
| V8011715 | Equipment Line Premium | 2,530 | 0 | 0 | 5 |
| V8007117 | Autonomy package Lithium XL | 5,560 | 0 | 0 | 45.5 |
| V8005015 | Arctic package Arctic package | 5,060 | 0 | 0 | 106.5 |
| V8031023 | Winter package ^{58) 92)} | 1,450 | 0 | 0 | 4 |

| (| Standard equipment | O Optional equipment | ▲ Mandatory | \triangle Not known at the time of publication | Further information from p. 10 |
|---|----------------------------|----------------------------------|------------------------|--|--------------------------------|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package | | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

PRICES AND TECHNICAL DATA HYMER B-CLASS MODERNCOMFORT T





| | B-MC T 600 | B-MC T 680 |
|--|----------------------------------|----------------------------------|
| Price a) £ | 108,670 | 111,070 |
| Standard chassis | Mercedes-Benz Sprinter 315 CDI | Mercedes-Benz Sprinter 315 CDI |
| Drive | Front Wheel Drive | Front Wheel Drive |
| kW (hp) | 110 (150) | 110 (150) |
| Emission standards | Euro VI-E | Euro VI-E |
| Length / Width / Height (cm) | $719^{1)} / 229^{2)} / 298^{3)}$ | $739^{1)} / 229^{2)} / 298^{3)}$ |
| Body width / Internal width (cm) | 219 / 212 | 219 / 212 |
| Standing height in living area (cm) | 198 | 198 |
| Wheelbase (mm) | 4000 | 4200 |
| Mass in running order (-/+ 5%) (kg)* | 3042 (2890 - 3194)* | 3088 (2934 - 3242)* |
| Manufacturer-specified mass for optional equipment (kg)* | 81 | 33 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3500 |
| Technically permissible maximum towable mass (kg)* | 2000 🔿 | 2000 🔿 |
| Permitted number of seats (including driver)* | 4 - 5 () ⁵⁾ | 4 - 5 O ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 99 x 123 | 99 x 123 |
| Bed dimension: Pull-down bed L x W (cm) | 188 x 130 - 105 O | 188 x 130 - 105 O |
| Bed dimension: Rear bed L x W (cm) | 195 x 84 / 187 x 84 | 200 x 84 / 188 x 84 |
| Bed dimension: Central bed L x W (cm) | 200 x 110 - 40 O | 200 x 110 - 40 O |
| Berths | 2-50 | 2-50 |
| Bathroom W x D (cm) | 125 x 85 | 90 x 80 |
| Separate shower W x D (cm) | | 73 x 77 |
| Wardrobe W x D x H (cm) | 56 x 80 x 83 / 51 x 74 x 67 | 71 x 70 x 83 / 51 x 74 x 67 |
| Kitchen W x D x H (cm) | 93 x 98 x 93 | 93 x 98 x 93 |
| Fridge volume (freezer compartment) (I) | 150 (17) | 150 (17) |
| Standard heating | Gas warm air, 6 kW | Gas warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 11kg | 2 x 11kg |
| Total fresh water tank capacity (I) | 180 | 180 |
| Fresh water tank in driving filling level (I) | 20 | 20 |
| Waste water tank (I) | 150 | 150 |
| Sockets: 230 V/12 V/USB | 4/2/4 | 4/2/4 |
| | | |

Standard equipment
 Optional equi
 On request (no extra cost)
 Not possible

O Optional equipment A Mandatory

▲ Mandatory

☐ Available in package

 \triangle Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-CLASS MODERNCOMFORT T

| MODERNIOOMI ORT I | | |
|---|------------------------|--------------|
| | 009 | , |
| | 99 1 | <u>}</u> |
| | B-MCT 600 B-MCT 680 | , |
| | B-MC | : 1 |
| Chassis / Weight variants | | Ē |
| Mercedes-Benz Sprinter 3.5 t - 315 CDI - 110 KW/150 hp - Euro VI-E 44) | • • | , |
| Basis | | |
| Exterior cab colour: White | • • | , |
| Exterior body colour: White | • • |) |
| Super lightweight chassis (SLC) | • • | , |
| 9G-TRONIC automatic transmission incl. Hold function | • • |) |
| 92 I fuel tank | • | , |
| 22 I AdBlue tank | • • | • |
| Electrically adjustable and heated exterior mirrors | • • |) |
| Engine compartment insulation and cab underbody panelling | • • |) |
| Comfort suspension chassis | • • |) |
| Mud flaps, rear axle | • • |) |
| Daytime Running Light integrated in headlights | • • |) |
| Reinforced front axle | • |) |
| Trailer hitch pre-installation | • • |) |
| Heat-insulating glass with tinting strip on windscreen | • |) |
| 16" steel rims with full wheel cover and all season tyres | • • |) |
| Mercedes-Benz acoustics package | • • |) |
| Electric cab windows and central locking for cab | • • |) |
| Electric parking brake | • • |) |
| Driver and passenger airbag ⁴⁵⁾ | • • |) |
| Cupholder driver and passenger seat | • • |) |
| Semi-automatic climate control TEMPMATIC | • • |) |
| Hinged lid for central storage compartment on the dashboard | • • |) |
| Keyless Start (start-stop button for comfortable engine start) | • • |) |
| Mercedes-Benz instrument cluster with colour display | • • |) |
| Multifunctional steering wheel | • • |) |
| Open shelf cockpit passenger side | • • |) |
| Warm air auxiliary heating, electric | |) |
| ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) | • • | , |
| Active Brake Assist | | , |
| Active Lane Keeping Assist | | |
| Attention Assist | | |
| Automatic headlight control | | |
| Hill Start Assist | | , |
| ECO Start-Stop feature | | |
| Intelligent Speed Assistant | | , |
| Rain sensor | | |
| Crosswind Assist | | , |
| Cruise Control incl. steering wheel multifunction buttons | | |
| Body Optional BUAL Conductation allow (allow (2.4 man well and modifyling) | | |
| Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | | |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) | | |
| 60 cm Maxi Comfort habitation door incl. window with blackout blind and waste bin | | |
| Electric entrance step, 1-step Evaluative HVMER Multifunctional year lights in LED. Hybrid technology | | , |
| Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Carage lead up to 350 kg (aptional 450 kg). Places note the cyle lead | | |
| Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side | | |
| Large loading compartment with external access incl. extra deep cellar compartment and access from the inside | | |
| Heated double floor incl. cellar compartments | | |
| Panoramic skylight above cab with integrative panelling, manually hinged | • | |
| HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹⁶⁾ | | |
| Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | • | |
| Opening windows with blackout blind and mosquito net, LH and RH side, rear | | |
| Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm | _ 4 | |
| Outfitting | | |
| Original Mercedes-Benz Comfort seat, upholstered in living area fabric ⁴⁶⁾ | • | - |
| Front seating group with 2 integrated 3-point belts | • • | |
| | _ | |

| | 0 0 |
|--|------------------------|
| | 089 |
| | CT |
| | B-MCT 600 B-MCT 680 |
| All according to the control of the Class factors | |
| All overhead lockers with Soft-Close feature | |
| Cab blinds | |
| Mosquito net on habitation door | • • |
| Lashing rails in the garage for load securing | • • |
| Living and bedroom + lighting | |
| Multi-functional ergonomic furniture elements | • • |
| Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear | • • |
| Complete LED interior lighting | • • |
| LED worktop lighting | • • |
| Night lighting | • • |
| LED lighting, dimmable | • • |
| LED gooseneck lights above cab incl. USB socket | • • |
| Kitchen | |
| 150 I compressor fridge (12 V or 230 V) incl. freezer compartment with excellent cooling performance and silent night mode | • • |
| Large cooker with glass cover and front panel operation | • • |
| Kitchen drawer with Soft close feature, cutlery insert and electric central locking | • • |
| Freely arrangeable kitchen drawers, extra wide | • • |
| Extra deep sink with high water tap | • • |
| 8 I waste bin in kitchen drawer (can also be flexibly hung on drawer) | • • |
| Bathroom | |
| Swivelling clothes rail over the shower | - • |
| | |
| Installation & Technology | |
| 6 kW gas warm air heating with 10 I warm water boiler | • • |
| | • • |
| 6 kW gas warm air heating with 10 I warm water boiler | • • |
| 6 kW gas warm air heating with 10 l warm water boiler LCD keypad for heating | |
| 6 kW gas warm air heating with 10 l warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately | |
| 6 kW gas warm air heating with 10 l warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) 7" touch display for convenient control and monitoring of smart vehicle features | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio Fabrics & Furniture finishes | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio Fabrics & Furniture finishes Furniture finish: Rochefort Nut | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio Fabrics & Furniture finishes Furniture finish: Rochefort Nut Fabric combination: Bogota | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately Extra low gas bottle compartment for easy gas bottle change with comfy access via external door HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) 7" touch display for convenient control and monitoring of smart vehicle features HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio Fabrics & Furniture finishes Furniture finish: Rochefort Nut | |

 $\ensuremath{\Delta}$ Not known at the time of publication

EQUIPMENT LINES HYMER B-CLASS MODERNCOMFORT T

| | Standard equipment | Equipment Line Plus | Equipment Line Premium |
|--|--------------------|---------------------|--|
| | | | ************************************** |
| 9G-TRONIC automatic transmission incl. Hold function | • | • | • |
| Reinforced front axle | • | • | • |
| Heat-insulating glass with tinting strip on windscreen | • | • | • |
| Electric parking brake | • | • | • |
| Semi-automatic climate control TEMPMATIC | • | • | _ |
| 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | • | • | • |
| Multifunctional steering wheel | • | • | • |
| Mercedes-Benz instrument cluster with colour display | • | • | • |
| Mercedes-Benz acoustics package | • | • | • |
| Active Lane Keeping Assist | • | • | • |
| Attention Assist | • | • | • |
| Cruise Control incl. steering wheel multifunction buttons | • | • | • |
| Rain sensor | • | • | • |
| DAB Radio | • | • | • |
| Leather steering wheel (automatic transmission only) | - | • | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | _ | • | • |
| Traffic Sign Assist | - | • | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | _ | • | • |
| LED High-Performance headlights | _ | - | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | - | - | • |
| Fully automatic climate control THERMOTRONIC | _ | - | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | - | - | • |
| Excess weight Equipment line (kg)* | 0 | 0 | 5 |
| Package price (incl. VAT) £ | | 3,000 | 5,530 |

| • | Standard equipment | O Optional equipment | ▲ Mandatory | Δ Not known at the time of publication |
|---|----------------------------|----------------------------------|------------------------|---|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER B-CLASS MODERNCOMFORT T

| Package | Autonomy package Smart | Autonomy package XL |
|--|------------------------|---------------------|
| HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) | • | • |
| HYMER Smart Battery System 2.0 - extension: 3rd habitation battery module 80 Ah LFP (overall capacity 240 Ah) | | • |
| Inverter 12 V to 230 V, 1,600 VA, 2,800 Watt peak power incl. 70 A additional charger | • | - |
| HYMER Smart Battery System 2.0 - extension: 4th habitation battery module 80 Ah LFP (overall capacity 320 Ah) | - | • |
| Inverter 12 V to 230 V, 2,000 VA, 3,500 W peak power incl. additional 80 A charger | - | • |
| Package price (incl. VAT) £ | 4,110 | 5,560 |
| Excess weight (kg)* | 36.5 | 52 |

Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

| Package price (incl. VAT) | 1,190 |
|---------------------------|-------|
| Excess weight (kg)* | 3 |

| Style package | Price £ |
|--|---------|
| Chrome grill | 330 |
| Bumper, attachment parts and grill frame painted in vehicle colour | 760 |
| Fog lights with cornering light | 300 |
| Sum package | 1,390 |
| Package price (incl. VAT) | 1,190 |
| You save | 200 |
| Excess weight (kg)* | 0 |

Living Comfort package

Felt trim in the rear garage

Fitted sheets made to measure for rear beds individually adapted to mattress

2 cushions with cushion cases

Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination

Additional sockets: 4 x 230 V / 2 x Twin-USB

| Additional Societies TX 250 V / 2 X TWIN 50B | |
|--|-------|
| Package price (incl. VAT) | 1,410 |
| Excess weight (kg)* | 9 |

Arctic package

Gas warm water heating incl. garage floor heating

Heat exchanger for warm water heating

 $Heat\ exchanger\ pre\mbox{-}installation, Mercedes\mbox{-}Benz$

Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock

Checker plate floor in the rear garage

Insulated partitioning curtain for cab, double-layered sewn

Insulating mat for cab footwell, supplied loose

Auxiliary heating (supports heating when heating up the vehicle)

| Package price (incl. VAT) | 4,180 |
|---------------------------|-------|
| Excess weight (kg)* | 79.5 |

| • | Standard equipment | O Optional equipment | ▲ Mandatory | Δ Not known at the time of publication |
|---|----------------------------|----------------------------------|------------------------|---|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package | |



* INIEC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MODERNCOMFORT T

| | | Price £ | B-MCT600 | B-MCT 680 | Excess weight |
|----------------|--|---------|----------|-----------|---------------|
| Chassis / Weig | | 1.000 | | | |
| | Mercedes-Benz Sprinter 3.5 t - 317 CDI - 125 KW/170 hp - Euro VI-E 44) | 1,880 | | 0 | 12 |
| | Mercedes-Benz Sprinter 4.43 t - 415 CDI - 110 KW/150 hp - Euro VI-E ⁹⁷⁾ | 1,360 | | 0 | 13 |
| 1/004400000 | Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E ⁹⁷⁾ | 3,070 | 0 | 0 | 13 |
| V201103880 | Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) | | | • | 0 |
| V201104500 | Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 98) | | • | • | 0 |
| V201103500 | Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 CDI only) | • | _ | • | 0 |
| Basis | Futurian ask aslam Disab (Onc. (Dastal) | 470 | _ | | |
| V20250115 | Exterior cab colour: Black / Grey (Pastel) | 470 | - | 0 | 0 |
| V20250119 | Exterior cab colour: Obsidian black (Metallic) | 1,360 | | 0 | 0 |
| V20250144 | Exterior cab colour: Tenorite grey (Metallic) | 1,360 | | 0 | 0 |
| V3003011 | Exterior body colour: Crystal-Silver Metallic | 2,560 | | 0 | 30 |
| V2051065 | 65 I fuel tank | 90 | _ | 0 | -24 |
| V2052020 | Chrome grill ⁴⁹⁾ | 330 | | | 0 |
| V2062111 | Fog lights with cornering light | 300 | | | 0 |
| V3051019 | Bumper, attachment parts and grill frame painted in vehicle colour ^{91) 49)} | 760 | | | 0 |
| V20391J | Heated windscreen | 390 | | 0 | 0 |
| V3071010 | Central locking for cab, habitation as well as garage doors ⁶⁹⁾ | 420 | | 0 | 5 |
| V2021027 | 16" alloy wheels (black) with All Season tyres ^{97) 37)} | 1,190 | | 0 | 4 |
| V2021027 | 16" alloy wheels (silver) with All Season tyres ^{97) 37)} | 1,190 | | 0 | 4 |
| V2021041 | 17" alloy wheels (silver) with summer tyres ³⁷⁾ | 1,410 | _ | 0 | -7 |
| V2074010 | Tyre pressure sensors | 420 | | 0 | 0.5 |
| V2017810 | Illuminated driver and passenger exit | 120 | _ | 0 | 0 |
| V20410J | Cupholder instead of storage compartment | 60 | | 0 | 0 |
| V20855J | Seat heating and lumbar support for Original Mercedes-Benz seats ⁵²⁾ | 620 | | | 2 |
| V2113010 | Wet Wiper System (windscreen wiper with integrated spray nozzles) 51) 92) | 90 | | | 0 |
| V2037810 | High Beam Assist | 330 | 0 | 0 | 0 |
| Body | 12(00)100) | | | | |
| V30522150 | Awning incl. dimmable LED lights, white housing, 400 x 250 cm ^{12) 99) 100)} | 1,330 | _ | 0 | 32 |
| V30522150 | Awning incl. dimmable LED lights, silver housing, 400 x 250 cm ^{12) 99) 100)} | 1,330 | | 0 | 32 |
| V30522150 | Awning incl. dimmable LED lights, anthracite housing, 400 x 250 cm ^{12) 99) 100)} | 1,330 | | 0 | 32 |
| V30522160 | Awning incl. dimmable LED lights, white housing, 450 x 250 cm ^{12) 99)} | 1,450 | | 0 | 35 |
| V30522160 | Awning incl. dimmable LED lights, silver housing, 450 x 250 cm ^{12) 99)} | 1,450 | | 0 | 35 |
| V30522160 | Awning incl. dimmable LED lights, anthracite housing, 450 x 250 cm ^{12) 99)} | 1,450 | _ | 0 | 35 |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) ¹³⁾¹⁴⁾¹⁰¹⁾ | 1,080 | | 0 | 33 |
| V2045012 | Hydraulic lift system with automatic front and rear levelling ^{102) 103)} | 6,850 | | 0 | 83 |
| V30330J | GRP roof coating (vehicles without pull-down bed only) 16) | 590 | | 0 | 16 |
| V30330J | GRP roof coating (vehicles with pull-down bed only) 82)16) | 590 | | 0 | 10.5 |
| V30020102 | Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock ¹⁷⁾ | 340 | | | 1.5 |
| V20460J | Comfort jacks, rear (2 units) 102) | 340 | | 0 | 9 |
| V20062J | Frame extension incl. 450 kg garage load ¹⁴⁾ | 420 | | 0 | 26 |
| V3055010 | Security lock for habitation door | 260 | | 0 | 0.5 |
| V3023012 | Bicycle rack for 4 bicycles, max. load: 60 kg | 390 | | 0 | 14 |
| V3023013 | Bicycle rack for two bicycles, manually lowerable, max. load 50 kg | 930 | | 0 | 17 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen 18) 19) 104) | 390 | | 0 | 5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom | 510 | | 0 | 12 |
| V2101010 | Underfloor storage box incl. pull-out on the RH side | 510 | | _ | 16 |
| V2101010 | Underfloor storage box incl. pull-out on the RH side | 510 | _ | 0 | 18 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

| | | Price £ | B-MCT 600 | B-MCT 680 | Excess weight (k |
|------------------|---|---------|-----------|-----------|------------------|
| V2082013 | Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable, with 2 armrests as well as seat heating and lumbar support ⁸⁵⁾ | 1,290 | 0 | 0 | 10 |
| V4062010 | 5th seat with lap belt on seat bench, RH side against direction of travel ¹⁰⁵⁾ | 510 | 0 | 0 | 38 |
| V3037510 | ISOFIX (child seat fixation for seat bench) 106) 107) | 220 | 0 | 0 | 3.5 |
| V4052016 | Extendable table with length, cross and height adjustment ¹⁰⁸⁾ | 510 | 0 | 0 | 18 |
| V4040510 | Drawer and insert tray storage space in seating group | 250 | 0 | 0 | 3 |
| V4036611 | Open shelves in the rear instead of overhead lockers to create a better sense of space | | • | ♦ | -4 |
| V3031220 | Checker plate floor in the rear garage | 160 | | | 7 |
| V50100J | External shower, located in garage | 250 | 0 | 0 | 1 |
| Living and bedi | oom + lighting | | | | |
| V60280J | Bed conversion for seating group incl. additional cushion and lowerable table ¹⁰⁹⁾ | 390 | 0 | 0 | 5 |
| V4044017 | Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | 420 | 0 | 0 | 10 |
| V60285J | Bed conversion for L-shaped seating group incl. lowerable table ¹¹⁰⁾ | 390 | 0 | 0 | 5 |
| V4034011 | Sleeping system with cup-slatted bed frame for rear bed(s) | 420 | 0 | 0 | 3 |
| V40220E | Lowerable double bed above the seating group with cold foam mattress, electric incl. roof integration ¹¹¹⁾ ⁹⁹⁾ | 2,390 | 0 | 0 | 55 |
| V60260J | Additional cushion between the longitudinal single beds incl. integrated comfort access | 390 | 0 | 0 | 4 |
| V5029211 | Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination 112 | 590 | | | 1 |
| Kitchen | | | | | |
| V4020012 | Cooker- / oven combination | 760 | 0 | 0 | 29 |
| Installation & T | echnology | | | | |
| V5028013 | 6 kW gas warm air heating with 10 I warm water boiler and 1,800 W electric bar heater | 510 | 0 | 0 | 1 |
| V5028021 | 6 kW Diesel warm air heating with 10 I warm water boiler and 1,800 W electric bar heater | 1,020 | 0 | 0 | -6.5 |
| V5028014 | Gas warm water heating incl. garage floor heating 87) 69) | 2,900 | | | 55 |
| V50250J | Gas filter for automatic gas bottle changeover ^{8) 20)} | 170 | 0 | 0 | 0 |
| V50230J | External gas socket with shut-off valve | 170 | 0 | 0 | 1 |
| V5012515 | HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) | 1,530 | | | 10.5 |
| V5047029 | Solar panel with solar charge controller (MPPT) and display, 2 x 95 W ¹⁰⁴⁾ | 1,450 | 0 | 0 | 8 |
| V5047010 | Pre-wiring kit Solar system | 170 | | 0 | 0.5 |
| V5069710 | Water filter for fresh water system | 210 | 0 | 0 | 1 |
| V5033014 | Roof AirCon, 2,400 W ¹⁸⁾ | 1,960 | - | 0 | 33 |
| V3064012 | Toilet vent ¹¹³⁾ | 250 | | 0 | 1 |
| Multimedia | | | | | |
| V5071511 | 5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) | 1,710 | 0 | 0 | 2 |
| V5054611 | 32" TV bracket | 320 | | 0 | 4 |
| V5054514 | 32" Smart LED-TV with built-in speakers, remote control and receiver (DVB-T / C, DVB-S2) 30) | 1,530 | 0 | 0 | 10 |
| V5055011 | Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as wall bracket ³¹⁾ | 1,230 | 0 | 0 | 13 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | 0 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 0 | 14.5 |
| V50440124 | Digital satellite dish, 80 cm, Twin LNB | 2,730 | 0 | 0 | 15.5 |
| Fabrics & Furn | ture finishes | | | _ | |
| | Furniture finish: Matara Teak | | ♦ | ♦ | 0 |
| V100704163 | Fabric combination: Luxor | | • | • | 0 |
| V100704164 | Fabric combination: Lagos | | • | • | 0 |
| V100704165 | Fabric combination: Porto | | • | • | 0 |
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | 0 | O | 4 |
| V100704166 | Leather-/ Fabric combination: Tenerife | 2,560 | - | 0 | 4 |
| | Leather: Grigio | 2,560 | | 0 | 6.5 |
| V100704167 | Leather: Isola | 2,560 | | 0 | 6.5 |
| V602104011 | Carpet: Laguna | 340 | | | 7 |
| Packages | | | | | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

 $(kg)^*$

| | | | 009 | 089 | Excess weight (kg)* |
|----------|-----------------------------------|---------|-------|-------|---------------------|
| | | Price £ | B-MCT | B-MCT | Excess w |
| V8006414 | Equipment Line Plus | 3,000 | 0 | 0 | 0 |
| V8006415 | Equipment Line Premium | 5,530 | 0 | 0 | 5 |
| V8031023 | Winter package ^{58) 92)} | 1,190 | 0 | 0 | 3 |
| V8028914 | Style package ⁹¹⁾ | 1,190 | 0 | 0 | 0 |
| V8007113 | Autonomy package Smart | 4,110 | 0 | 0 | 36.5 |
| V8007112 | Autonomy package XL | 5,560 | 0 | 0 | 52 |
| V8039011 | Living Comfort package | 1,410 | 0 | 0 | 9 |
| V8005014 | Arctic package | 4,180 | 0 | 0 | 79.5 |

 Δ Not known at the time of publication $\,$ Further information from p. 107 $\,$ O Optional equipment

Mandatory \square Available in package ◆ On request (no extra cost) — Not possible



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

PRICES AND TECHNICAL DATA HYMER B-CLASS MODERNCOMFORT I





| | B-MC I 600 | B-MC I 680 |
|--|----------------------------------|---|
| Price a) £ | 124,820 | 127,220 |
| Standard chassis | Mercedes-Benz Sprinter 315 CDI | Mercedes-Benz Sprinter 315 CDI |
| Drive | Front Wheel Drive | Front Wheel Drive |
| kW (hp) | 110 (150) | 110 (150) |
| Emission standards | Euro VI-E | Euro VI-E |
| Length / Width / Height (cm) | $719^{1)} / 229^{2)} / 298^{3)}$ | 739 ¹⁾ / 229 ²⁾ / 298 ³⁾ |
| Body width / Internal width (cm) | 219 / 212 | 219 / 212 |
| Standing height in living area (cm) | 198 | 198 |
| Wheelbase (mm) | 4000 | 4200 |
| Mass in running order (-/+ 5%) (kg)* | 3144 (2987 - 3301)* | 3198 (3038 - 3358)* |
| Manufacturer-specified mass for optional equipment (kg)* | 64 | 8 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3500 |
| Technically permissible maximum towable mass (kg)* | 2000 🔾 4) | 2000 🔿 |
| Permitted number of seats (including driver)* | 3 - 5 O ⁵⁾ | 3 - 5 O ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 99 x 123 | 99 x 123 |
| Bed dimension: Pull-down bed L x W (cm) | 194 x 145 / 2x 194 x 65 O | 194 x 145 / 2x 194 x 65 O |
| Bed dimension: Rear bed L x W (cm) | 195 x 84 / 187 x 84 | 200 x 84 / 188 x 84 |
| Bed dimension: Central bed L x W (cm) | 200 x 110 - 50 O | 200 x 110 - 50 O |
| Berths | 4-50 | 4-50 |
| Bathroom W x D (cm) | 125 x 85 | 90 x 80 |
| Separate shower W x D (cm) | | 70 x 65 |
| Wardrobe W x D x H (cm) | 56 x 70 x 83 / 51 x 74 x 67 | 71 x 70 x 83 / 51 x 74 x 67 |
| Kitchen W x D x H (cm) | 93 x 98 x 93 | 93 x 98 x 93 |
| Fridge volume (freezer compartment) (I) | 150 (17) | 150 (17) |
| Standard heating | Gas warm air, 6 kW | Gas warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 11kg | 2 x 11kg |
| Total fresh water tank capacity (I) | 180 | 180 |
| Fresh water tank in driving filling level (I) | 20 | 20 |
| Waste water tank (I) | 150 | 150 |
| Sockets: 230 V/12 V/USB | 4/2/4 | 4/2/4 |

Standard equipment
 Optional equi
 On request (no extra cost)
 Not possible

O Optional equipment

Mandatory

▲ Mandatory

☐ Available in package

 \triangle Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-CLASS MODERNCOMFORT I

| | B-MC16 | B-MCI |
|--|----------|----------|
| | <u>-</u> | <u>~</u> |
| Chassis / Weight variants Mercedes-Benz Sprinter 3.5 t - 315 CDI - 110 KW/150 hp - Euro VI-E 44) | | |
| Basis | | |
| Smooth aluminium skin, Colour: Carrara white | • | • |
| Super lightweight chassis (SLC) | • | • |
| 9G-TRONIC automatic transmission incl. Hold function | • | • |
| 92 I fuel tank | • | • |
| 22 I AdBlue tank | • | • |
| Exterior mirrors suspended, electrically heated and adjustable, incl. wide-angle mirror | • | • |
| Comfort suspension chassis | • | • |
| LED Daytime running light and LED indicator integrated in HYMER headlights | • | • |
| Engine compartment insulation and cab underbody panelling | • | • |
| Mud flaps, front and rear axle | • | • |
| Reinforced front axle | • | • |
| Trailer hitch pre-installation | • | • |
| 16" steel rims with full wheel cover and all season tyres | • | • |
| Mercedes-Benz acoustics package | | • |
| Cupholder instead of storage compartment | • | • |
| ECO Start-Stop feature | | • |
| Electric parking brake | | • |
| Driver and passenger airbag ⁴⁵⁾ | | • |
| Cupholder driver and passenger seat | • | • |
| Semi-automatic climate control TEMPMATIC | | • |
| Keyless Start (start-stop button for comfortable engine start) | | • |
| Mercedes-Benz instrument cluster with colour display | | • |
| Hinged lid for central storage compartment on the dashboard | | |
| Multifunctional steering wheel Open shelf cockpit passenger side | | |
| Warm air auxiliary heating, electric | | |
| waith all auxiliary fleating, electric | | |
| ARS (Anti-lock Brake System) / ASR (Anti-Slin Control) / FRV (Flectric Brake Force Distribution) and FSP (Flectric Stability Program) | | |
| ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) | • | • |
| Active Brake Assist | | • |
| Active Brake Assist Active Lane Keeping Assist | | • |
| Active Brake Assist Active Lane Keeping Assist Attention Assist | | • |
| Active Brake Assist Active Lane Keeping Assist | | • |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist | | • |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control | | • |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant | | • |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor | | • |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons | | • |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body | | • |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg), Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Opening windows with blackout blind and mosquito net, LH and RH side, rear | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Opening windows with blackout blind and mosquito net, LH and RH side, rear Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Opening windows with blackout blind and mosquito net, LH and RH side, rear Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Opening windows with blackout blind and mosquito net, LH and RH side, rear Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm Outflitting | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Opening windows with blackout blind and mosquito net, LH and RH side, rear Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm Outfitting Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Opening windows with blackout blind and mosquito net, LH and RH side, rear Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm Outfitting Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Integrated sun visor for driver and front passenger | | |
| Active Brake Assist Active Lane Keeping Assist Attention Assist Automatic headlight control Hill Start Assist Intelligent Speed Assistant Rain sensor Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) GRP lightweight floor with XPS insulation (41 mm floor thickness) Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Cab door with electric power windows and entry lighting Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Heated double floor incl. cellar compartments Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Opening windows with blackout blind and mosquito net, LH and RH side, rear Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm Outfitting Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests | | |

| | B-MC1680 |
|--|------------|
| | 9 9 |
| | B-MC1680 |
| | <u>ф</u> ф |
| Cab blinds made of high-quality pleated fabric | • • |
| All overhead lockers with Soft-Close feature | • • |
| Mosquito net on habitation door | • • |
| Lashing rails in the garage for load securing | • • |
| Living and bedroom + lighting | |
| Pull-down bed, manual | • |
| Multi-functional ergonomic furniture elements | • • |
| Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear | • |
| Complete LED interior lighting | • • |
| LED worktop lighting | • |
| Night lighting | • • |
| LED lighting, dimmable | • • |
| Kitchen | |
| 150 I compressor fridge (12 V or 230 V) incl. freezer compartment with excellent cooling performance and silent night mode | • |
| Large cooker with glass cover and front panel operation | • • |
| Kitchen drawer with Soft close feature, cutlery insert and electric central locking | • • |
| Freely arrangeable kitchen drawers, extra wide | • • |
| Extra deep sink with high water tap | • • |
| 8 I waste bin in kitchen drawer (can also be flexibly hung on drawer) | • • |
| Bathroom | |
| Swivelling clothes rail over the shower | - • |
| Installation & Technology | |
| installation & rediniology | |
| 6 kW gas warm air heating with 10 I warm water boiler | • |
| | • • |
| 6 kW gas warm air heating with 10 l warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ | • • |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating | • • |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately | • • |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated Smart Connect water level display (in 1% increments) | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia | |
| 6 kW gas warm air heating with 10 l warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio Fabrics & Furniture finishes | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately T' touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio Fabrics & Furniture finishes Furniture finish: Rochefort Nut | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / Tv pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio Fabrics & Furniture finishes Furniture finishes Furniture finishes Rochefort Nut Fabric combination: Bogota | |
| 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) Cab heating concept with increased warm air heating incl. heated dashboard in the living condition Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of smart vehicle features Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Charging booster for safe charging of the habitation battery while driving (up to 70 A) HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Twin USB at seating group (USB A/C) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Smart Connect water level display (in 1% increments) Pressurised water system incl. electronic control Electric waste water drainage with dashboard switch Automatic gas bottle changeover system with crash sensor and IceEx Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen DAB Radio Fabrics & Furniture finishes Furniture finish: Rochefort Nut | |

| Standard equipment | O Optional equi |
|--|----------------------------------|
| On request (no extra cost) | Not possible |

O Optional equipment ▲ Mandatory

Not possible □ Available in package

 $\ensuremath{\Delta}$ Not known at the time of publication

EQUIPMENT LINES HYMER B-CLASS MODERNCOMFORT I

| | Standard equipment | Equipment Line Plus | Equipment Line Premium |
|--|--------------------|---------------------|------------------------|
| | | | 100 A00 AC \$1 A 0 0 W |
| 9G-TRONIC automatic transmission incl. Hold function | • | • | • |
| Reinforced front axle | • | • | • |
| Mercedes-Benz acoustics package | • | • | • |
| Electric parking brake | • | • | • |
| Semi-automatic climate control TEMPMATIC | • | • | _ |
| | | | |
| Mercedes-Benz instrument cluster with colour display | • | • | • |
| Multifunctional steering wheel | • | • | • |
| Cruise Control incl. steering wheel multifunction buttons | • | • | • |
| Active Lane Keeping Assist | • | • | |
| Attention Assist | • | • | • |
| Rain sensor | • | • | • |
| DAB Radio | • | • | • |
| 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | • | • | • |
| Leather steering wheel (automatic | | | |
| transmission only) | | | |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | - | • | • |
| Traffic Sign Assist | _ | • | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | - | • | • |
| HYMER Premium Full-LED headlights | _ | <u> </u> | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | - | - | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | - | - | • |
| Fully automatic climate control THERMOTRONIC | - | - | • |
| Excess weight Equipment line (kg)* | 0 | 0 | 4 |
| Package price (incl. VAT) £ | | 3,000 | 5,360 |
| 301, 11, 11, 11, 11, 11, 11, 11, 11, 11, | | , | , |

| • | Standard equipment | O Optional equipment | ▲ Mandatory | Δ Not known at the time of publication |
|---|----------------------------|----------------------------------|------------------------|---|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER B-CLASS MODERNCOMFORT I

| Package | Autonomy package Smart | Autonomy package XL |
|--|------------------------|---------------------|
| HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) | • | • |
| HYMER Smart Battery System 2.0 - extension: 3rd habitation battery module 80 Ah LFP (overall capacity 240 Ah) | • | • |
| Inverter 12 V to 230 V, 1,600 VA, 2,800 Watt peak power incl. 70 A additional charger | • | - |
| HYMER Smart Battery System 2.0 - extension: 4th habitation battery module 80 Ah LFP (overall capacity 320 Ah) | _ | • |
| Inverter 12 V to 230 V, 2,000 VA, 3,500 W peak power incl. additional 80 A charger | _ | • |
| Package price (incl. VAT) £ | 4,110 | 5,560 |
| Excess weight (kg)* | 36.5 | 52 |

Living Comfort package

Felt trim in the rear garage

Fitted sheets made to measure for rear beds individually adapted to mattress

2 cushions with cushion cases

Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination

Additional sockets: 4 x 230 V / 2 x Twin-USB

| Package price (incl. VAT) | 1,190 |
|---------------------------|-------|
| Excess weight (kg)* | 9 |

Arctic package

Gas warm water heating incl. garage floor heating

Heat exchanger for warm water heating

Heat exchanger pre-installation, Mercedes-Benz

Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock

Checker plate floor in the rear garage

Insulating glazing for cab side windows and cab door

External insulation windscreen mat

Insulating mat for cab footwell, supplied loose

Auxiliary heating (supports heating when heating up the vehicle)

| Package price (incl. VAT) | 4,840 |
|---------------------------|-------|
| Excess weight (kg)* | 85.5 |

| (| Standard equipment | O Optional equipment | ▲ Mandatory | ▲ Not known at the time of publication |
|---|----------------------------|----------------------------------|--------------------------------|--|
| 4 | On request (no extra cost) | Not possible | \square Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MODERNCOMFORT I

| Chassis / Weig | ht variante | Price £ | B-MC1600 | B-MC1680 | Excess weight |
|--------------------------|---|------------|----------------------|----------------|---------------|
| Chassis/ Weig | Mercedes-Benz Sprinter 3.5 t - 317 CDI - 125 KW/170 hp - Euro VI-E 44) | 1,880 | $\overline{}$ | 0 | 0 |
| | Mercedes-Benz Sprinter 4.43 t - 415 CDI - 110 KW/150 hp - Euro VI-E ⁹⁷⁾ | 1,360 | _ | 0 | 13 |
| | Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E ⁹⁷⁾ | 3,070 | _ | 0 | 13 |
| V201103880 | Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) | 3,070 | | | 0 |
| V201103500 V201104500 | Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 98) | | • | • | 0 |
| V201104500 | Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 CDI only) | | Ă | • | 0 |
| Basis | Downplating to 3.5 t (increded Beliz Sprinter 4157 417 Obi only) | | Ě | Ě | |
| V3003011 | Exterior colour: Crystal-Silver Metallic | 3,420 | 0 | 0 | 30 |
| V2051065 | 65 I fuel tank | 90 | - | 0 | -24 |
| V2062110 | Halogen fog lights ³⁴⁾ | 250 | | 0 | 1 |
| V2062112 | LED fog lights incl. static cornering light ⁹⁵⁾ | 680 | _ | 0 | 1.5 |
| V3071010 | Central locking for cab and habitation as well as garage doors ⁶⁹⁾ | 600 | | 0 | 7 |
| V2021027 | 16" alloy wheels (black) with All Season tyres ^{37) 97)} | 1,190 | | 0 | 4 |
| V2021027 | 16" alloy wheels (silver) with All Season tyres ^{37) 97)} | 1,190 | _ | 0 | 4 |
| V2021041 | 17" alloy wheels (silver) with summer tyres ³⁷⁾ | 1,410 | 0 | 0 | -7 |
| V2074010 | Tyre pressure sensors | 420 | 0 | 0 | 0.5 |
| V2090512 | Track widening front axle (60 mm in total) | 290 | | 0 | 9.5 |
| V2054515 | Steering wheel heating ⁵⁸⁾ | 320 | 0 | 0 | 1 |
| Body | | | | | |
| V30522160 | Awning incl. dimmable LED lights, white housing, 450 x 250 cm ^{12) 79)} | 1,450 | 0 | _ | 35 |
| V30522160 | Awning incl. dimmable LED lights, silver housing, 450 x 250 cm ^{12) 79)} | 1,450 | 0 | _ | 35 |
| V30522160 | Awning incl. dimmable LED lights, anthracite housing, 450 x 250 cm ^{12) 79)} | 1,450 | 0 | _ | 35 |
| V30522170 | Awning incl. dimmable LED lights, white housing, 500 x 250 cm ^{12) 79)} | 1,530 | _ | 0 | 38 |
| V30522170 | Awning incl. dimmable LED lights, silver housing, 500 x 250 cm ^{12) 79)} | 1,530 | _ | 0 | 38 |
| V30522170 | Awning incl. dimmable LED lights, anthracite housing, $500 \times 250 \text{ cm}^{12)(79)}$ | 1,530 | _ | 0 | 38 |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) 13) 14) 101) | 1,080 | 0 | 0 | 33 |
| V20062J | Frame extension incl. 450 kg garage load ¹⁴⁾ | 420 | 0 | 0 | 26 |
| V3020211 | Electric entrance step on cab door (when opening the cab door the step automatically extends) | 390 | 0 | 0 | 8 |
| V30330J | GRP roof coating ¹⁶⁾ | 590 | 0 | 0 | 19.5 |
| V2045012 | Hydraulic lift system with automatic front and rear levelling ^{103) 102)} | 6,850 | 0 | 0 | 83 |
| V20460J | Comfort jacks, rear (2 units) 102) | 340 | | 0 | 9 |
| V3055012 | Security lock for cab and habitation door | 510 | | 0 | 1 |
| V3023013 | Bicycle rack for two bicycles, manually lowerable, max. load 50 kg | 930 | | 0 | 17 |
| V3023012 | Bicycle rack for 4 bicycles, max. load: 60 kg | 390 | _ | 0 | 14 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom | 510 | | 0 | 12 |
| V3008010 | Skylight in the front with blackout blind and mosquito net, 40 x 40 cm ³⁶⁾ | 170 | | 0 | 2 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen 18) 19) | 390 | | 0 | 5 |
| V2101010 | Underfloor storage box incl. pull-out on the RH side | 510 | | _ | 16 |
| V2101010 | Underfloor storage box incl. pull-out on the RH side | 510 | _ | 0 | 18 |
| Outfitting | Ladada agrando esta Dilaida | 170 | $\stackrel{\sim}{-}$ | $\widetilde{}$ | _ |
| V3072010 | Lockable compartment, RH side | 170 | | 0 | 3 |
| V4062010 V20855J | 5th seat with lap belt on seat bench, RH side against direction of travel ¹⁰⁵⁾ Seat heating and lumbar support for pilot seats | 510 620 | _ | 0 | 38 |
| V208553 V3037510 | ISOFIX (child seat fixation for seat bench) 106) 107) | | | | |
| V6001014 | Roller blind for windscreen (can be pulled from bottom to top), manual ³⁷⁾ | 220 420 | | 0 | 3.5 |
| V40070J | Front overhead lockers instead of pull-down bed (incl. kitchen skylight) | 420 470 | | 0 | -10 |
| V400703 | Extendable table with length, cross and height adjustment 108) | 510 | | 0 | 18 |
| V4032016 V4036611 | Open shelves in the rear instead of overhead lockers to create a better sense of space | 310 | | | -4 |
| V3031220 | Checker plate floor in the rear garage | 160 | | | 7 |
| *3031220 | encone, place noor in the real galage | 100 | _ | | , |



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

| | | | | | Š |
|------------------|---|---------|-----------|----------|------------------|
| | | Price £ | B-MC1 600 | B-MC1680 | Excess weight (k |
| V4040510 | Drawer and insert tray storage space in seating group | 250 | | 0 | З |
| V50100J | External shower, located in garage | 250 | | 0 | 1 |
| Living and bed | | | Š | Š | |
| V4034010 | Sleeping system with cup-slatted bed frame for front bed | 390 | 0 | 0 | 3 |
| V4034011 | Sleeping system with cup-slatted bed frame for rear bed(s) | 420 | | 0 | 3 |
| V40350J | Ladder for pull-down bed | 60 | | 0 | 5 |
| V60285J | Bed conversion for L-shaped seating group incl. lowerable table | 390 | | 0 | 5 |
| V60260J | Additional cushion between the longitudinal single beds incl. integrated comfort access | 390 | | 0 | 4 |
| V5029211 | Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination ¹¹² | 590 | _ | | 1 |
| Kitchen | | | | | |
| V4020012 | Cooker- / oven combination | 760 | 0 | 0 | 29 |
| Installation & T | echnology | | | | |
| V5028013 | 6 kW gas warm air heating with 10 l warm water boiler and 1,800 W electric bar heater | 510 | 0 | 0 | 1 |
| V5028021 | 6 kW Diesel warm air heating with 10 l warm water boiler and 1,800 W electric bar heater | 1,020 | | 0 | -6.5 |
| V5028014 | Gas warm water heating incl. garage floor heating ¹¹⁴⁾ 87) | 2,900 | | | 55 |
| V50250J | Gas filter for automatic gas bottle changeover 8) 20) | 170 | 0 | 0 | 0 |
| V50230J | External gas socket with shut-off valve | 170 | 0 | 0 | 1 |
| V5012515 | HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) | 1,530 | | | 10.5 |
| V5047029 | Solar panel with solar charge controller (MPPT) and display, 2 x 95 W | 1,450 | 0 | 0 | 8 |
| V5047010 | Pre-wiring kit Solar system | 170 | | 0 | 0.5 |
| V5069710 | Water filter for fresh water system | 210 | 0 | 0 | 1 |
| V5033014 | Roof AirCon, 2,400 W ¹⁸⁾ | 1,960 | | 0 | 33 |
| V3064012 | Toilet vent | 250 | _ | 0 | 1 |
| Multimedia | | | | | |
| V5071511 | 5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) | 1,710 | 0 | 0 | 2 |
| V5054611 | 32" TV bracket | 320 | 0 | 0 | 4 |
| V5054514 | 32" Smart LED-TV with built-in speakers, remote control and receiver (DVB-T / C, DVB-S2) 30) | 1,530 | 0 | 0 | 10 |
| V5055011 | Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as wall bracket ³¹⁾ | 1,230 | 0 | 0 | 13 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | 0 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 0 | 14.5 |
| V50440124 | Digital satellite dish, 80 cm, Twin LNB | 2,730 | 0 | 0 | 15.5 |
| Fabrics & Furni | ture finishes | | | | |
| V100904032 | Furniture finish: Matara Teak | | • | • | 0 |
| V100704163 | Fabric combination: Luxor | | • | • | 0 |
| V100704164 | Fabric combination: Lagos | | • | • | 0 |
| V100704165 | Fabric combination: Porto | | • | • | 0 |
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | _ | 0 | 4 |
| V100704166 | Leather-/ Fabric combination: Tenerife | 2,560 | | 0 | 4 |
| V100704090 | | 2,560 | | 0 | 6.5 |
| V100704167 | Leather: Isola | 2,560 | | 0 | 6.5 |
| V602104011 | Carpet: Laguna | 340 | 0 | 0 | 7 |
| Packages | | | | | |
| V8006420 | Equipment Line Plus | 3,000 | | 0 | 0 |
| V8006421 | Equipment Line Premium | 5,360 | | 0 | 4 |
| V8039011 | Living Comfort package | 1,190 | | 0 | 9 |
| V8007113 | Autonomy package Smart | 4,110 | | 0 | 36.5 |
| V8007112 | Autonomy package XL | 5,560 | | 0 | 52 |
| V8005013 | Arctic package | 4,840 | 0 | 0 | 85.5 |

 $\ensuremath{\Delta}$ Not known at the time of publication $\,$ Further information from p. 107 O Optional equipment

Mandatory \square Available in package ◆ On request (no extra cost) — Not possible



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

kg)*

PRICES AND TECHNICAL DATA HYMER B-CLASS MASTERLINE T



| | B-ML T 780 |
|--|---|
| Price a) £ | 118,920 |
| Standard chassis | Mercedes-Benz Sprinter 415 CDI |
| Drive | Front Wheel Drive |
| kW (hp) | 110 (150) |
| Emission standards | Euro VI-E |
| Length / Width / Height (cm) | 789 ¹⁾ / 235 ²⁾ / 298 ³⁾ |
| Body width / Internal width (cm) | 225 / 218 |
| Standing height in living area (cm) | 198 |
| Wheelbase (mm) | 4500 |
| Mass in running order (-/+ 5%) (kg)* | 3270 (3107 - 3434)* |
| Manufacturer-specified mass for optional equipment (kg)* | 791 |
| Technically permissible maximum laden mass (kg)* | 4430 |
| Technically permissible maximum towable mass (kg)* | 1450 O ⁴⁾ |
| Permitted number of seats (including driver)* | 4 - 5 O ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 110 x 123 |
| Bed dimension: Rear bed L x W (cm) | 207 - 202 x 90 |
| Bed dimension: Central bed L x W (cm) | 205 x 110 - 50 O |
| Berths | 2-30 |
| Bathroom W x D (cm) | 90 x 80 |
| Separate shower W x D (cm) | 73×77 |
| Wardrobe W x D x H (cm) | 30 x 57 x 190 |
| Kitchen W x D x H (cm) | 107 x 58-96 x 93 |
| Fridge volume (freezer compartment) (I) | 153 |
| Standard heating | Gas warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 11kg |
| Total fresh water tank capacity (I) | 180 |
| Fresh water tank in driving filling level (I) | 20 |
| Waste water tank (I) | 150 |
| Sockets: 230 V/12 V/USB | 4/2/6 |

Standard equipment
 O Optional equipment
 Mandatory
 Not known at the time of publication
 A Vailable in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-CLASS MASTERLINE T

B-MLT780 Chassis / Weight variants Mercedes-Benz Sprinter 4.43 t - 415 CDI - 110 KW/150 hp - Euro VI-E Exterior cab colour: White Exterior body colour: White Super lightweight chassis (SLC) Low-frame chassis with through-loading feature 9G-TRONIC automatic transmission incl. Hold function 22 I AdBlue tank 92 I fuel tank Electrically adjustable and heated exterior mirrors Comfort suspension chassis Engine compartment insulation and cab underbody panelling Mud flaps, rear axle Daytime Running Light integrated in headlights Reinforced front axle Trailer hitch pre-installation 16" steel rims with full wheel cover and all season tyres Electric cab windows and central locking for cab Electric parking brake Driver and passenger airbag Cupholder driver and passenger seat Semi-automatic climate control TEMPMATIC Keyless Start (start-stop button for comfortable engine start) Multifunctional steering wheel Open shelf cockpit passenger side **ECO Start-Stop feature** Warm air auxiliary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Brake Assist Automatic headlight control Intelligent Speed Assistant Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body Modern 3D rear design, insulated, with integrated lights Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) 65 cm Maxi Comfort habitation door with inner shell, 2-way lock, window with blackout blind and waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large through-loading compartment with external access from both sides incl. extra deep basement compartment and access from the inside Panoramic skylight above cab, manually hinged Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation (41 mm floor thickness) Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Original Mercedes-Benz Comfort seat, upholstered in living area fabric 46) Front seating group with 2 integrated 3-point belts Cab blinds Mosquito net on habitation door Living and bedroom + lighting Multi-functional ergonomic furniture elements Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination 112) Lighting dimmable (via push button) Complete LED interior lighting LED worktop lighting

70

| LED awning light | ш |
|---|---|
| Kitchen | |
| Pantry | |
| Kitchen drawer with Soft close feature and cutlery insert | • |
| Freely arrangeable kitchen drawers, extra wide | • |
| Structure wall panelling also serving as splash guard | • |
| 153 l Jumbo fridge | |
| Extra deep sink with tight-fitting chopping board and high water tap | • |
| Large cooker with glass cover and front panel operation | |
| Bathroom | |
| Skylight (frosted glass) above shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm | • |
| Installation & Technology | |
| 6 kW gas warm air heating with 10 I warm water boiler | • |
| Warm air heating in the rear bedroom, adjustable separately | • |
| LCD keypad for heating | • |
| HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 62) | • |
| 7" touch display for convenient control and monitoring of smart vehicle features | • |
| Extra low gas bottle compartment for easy gas bottle change with comfy access via external door | • |
| HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | • |
| Charging booster for safe charging of the habitation battery while driving (up to 70 A) | • |
| Twin USB at seating group (USB A/C) | • |
| 180 I fresh water tank, insulated and heated (20 I in driving position) | • |
| 150 I waste water tank, insulated and heated | • |
| Electric waste water drainage with dashboard switch | • |
| Smart Connect water level display (in 1% increments) | • |
| Automatic gas bottle changeover system with crash sensor and IceEx ⁸⁾ | • |
| Multimedia | |
| Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna | • |
| Fabrics & Furniture finishes | |
| Furniture finish: Grand Oak | • |
| Fabric combination: Bogota | • |
| Packages | |
| Standard equipment | |
| | |

EQUIPMENT LINES HYMER B-CLASS MASTERLINE T

| | Standard equipment | Equipment Line Plus | Equipment Line Premium |
|--|--------------------|---------------------|------------------------|
| 9G-TRONIC automatic transmission incl. | | | 100 kg 3/ A 60 60 60 W |
| Hold function Reinforced front axle | • | • | • |
| Heat-insulating glass with tinting strip on | • | • | • |
| windscreen | | | • |
| Electric parking brake | • | • | • |
| Semi-automatic climate control TEMPMATIC | • | • | - |
| 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | • | • | • |
| Multifunctional steering wheel | • | • | • |
| Mercedes-Benz instrument cluster with | • | • | • |
| colour display | | - | - |
| Mercedes-Benz acoustics package | • | • | • |
| Active Lane Keeping Assist Attention Assist | | | |
| Cruise Control incl. steering wheel multifunction buttons | • | • | • |
| Rain sensor | • | • | • |
| DAB Radio | • | • | • |
| Leather steering wheel (automatic transmission only) | - | • | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | _ | • | • |
| Traffic Sign Assist | _ | • | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | _ | • | • |
| LED High-Performance headlights | - | _ | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | _ | _ | • |
| Fully automatic climate control THERMOTRONIC | _ | - | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | - | _ | • |
| Excess weight Equipment line (kg)* | 0 | 0 | 5 |
| Package price (incl. VAT) £ | | 3,000 | 5,530 |

| • | Standard equipment | O Optional equipment | ▲ Mandatory | Δ Not known at the time of publication |
|---|----------------------------|----------------------------------|------------------------|---|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER B-CLASS MASTERLINE T

| Style package | Price £ |
|--|---------|
| Chrome grill | 330 |
| Bumper, attachment parts and grill frame painted in vehicle colour | 760 |
| Fog lights with cornering light | 300 |
| Sum package | 1,390 |
| Package price (incl. VAT) | 1,190 |
| You save | 200 |
| Excess weight (kg)* | 0 |

Living Comfort package

Shower insert floor with wooden surface

Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB as well as comfort lights

Fitted sheets made to measure for rear beds individually adapted to mattress

4 cushions

| Package price (incl. VAT) | 770 |
|---------------------------|-----|
| Excess weight (kg)* | 7 |

Autonomy package Lithium XL

HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity)

HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2 x 80 Ah LFP (overall capacity 320 Ah)

Inverter 12 V to 230 V, 1,800 W with network priority circuit

| mrerter 12 r to 200 r, 1,000 rr mannether priority on our | |
|---|-------|
| Package price (incl. VAT) | 5,560 |
| Excess weight (kg)* | 45.5 |

Heat exchanger for warm water heating

Heat exchanger pre-installation, Mercedes-Benz

Gas-Warm water garage floor heating

Insulated partitioning curtain for cab, double-layered sewn

Insulating mat for cab footwell, supplied loose

Auxiliary heating (supports heating when heating up the vehicle)

Gas-Warm water heating

Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage

| Package price (incl. VAT) | 4,180 |
|---------------------------|-------|
| Excess weight (kg)* | 93 |

Seat heating and lumbar support for Original Mercedes-Benz seats

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

| Package price (incl. VAT) | 1,190 |
|---------------------------|-------|
| Excess weight (kg)* | 3 |

Standard equipment

O Optional equipment

▲ Mandatory

△ Not known at the time of publication

◆ On request (no extra cost) — Not possible

 \square Available in package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MASTERLINE T

Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E 47)

Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 98)

Bumper, attachment parts and grill frame painted in vehicle colour 91) 49)

Wet Wiper System (windscreen wiper with integrated spray nozzles) 51) 92)

Seat heating and lumbar support for Original Mercedes-Benz seats 52)

Hydraulic lift system with automatic front and rear levelling $^{102)\,103)}$

Electric roof vent with function supply and exhaust air above kitchen 19)

HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom

Premium round and extendable table with real wood frame ¹¹⁷⁾ 108)

5th seat with lap belt on seat bench, RH side against direction of travel 109)

Roof awning incl. dimmable LED lighting, white housing, 450 x 300 cm 12) 116)

Roof awning incl. dimmable LED lighting, silver housing, $450 \times 300 \text{ cm}^{12)116}$

Comfort-Plus habitation door incl. closing aid, RFID (keyless) access as well as central locking

Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests 85)

Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only)

Exterior cab colour: Black / Grey (Pastel)

Exterior cab colour: Obsidian black (Metallic)

Exterior cab colour: Tenorite grey (Metallic)

Exterior body colour: Crystal-Silver Metallic

Four-circuit air suspension (2 axles) 115)

16" alloy wheels (black) with All Season tyres 37) 97)

16" alloy wheels (silver) with All Season tyres 97) 37)

Trailer hitch, detachable ball head (max. 2.0 t) 13) 14) 101)

17" alloy wheels (silver) with summer tyres 37)

Cupholder instead of storage compartment

Frame extension incl. 450 kg garage load 14)

Seat heating and lumbar support for pilot seats

Insulating mat for cab footwell, supplied loose

Fog lights with cornering light

Chrome grill 49)

Heated windscreen

High Beam Assist

GRP roof coating 16)

Comfort jacks, rear (2 units) 102)

Security lock for habitation door

Excess weight (kg) **B-MLT780** Price £ 1,880.-0 O 0 0 470.-0 1,360.- 0 0 1,360.- O 0 2,560.- 0 30 300.- □ 0 330.- □ 0 760.-0 10,280.- 0 52 90.-0 390.- O 0 1,190.-4 1,190.- 0 4 1,410.--7 0 60.-0 620.-2 330.-0 0 1,880.- 0 53 1.880.- 0 53 1,080.- 0 33 590.-0 18 6,850.- O 83 340.-0 9 2 850.- O

420.- O

260.- O

390.-

510.-

680.- O

620.- O

510.- 0

510.- 0

140.- □

0

 \circ

25

0.5

5

12

10

O

20

38

| V60240J | Insulated partitioning curtain for cab, double-layered sewn | 300 | | 2 |
|----------------|---|-----|---|----|
| V30310J | Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage | 420 | | 22 |
| V4040510 | Drawer and insert tray storage space in seating group | 250 | 0 | 3 |
| V50100J | External shower, located in garage | 250 | 0 | 1 |
| Living and bed | droom + lighting | | | |
| V4044017 | Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | 420 | 0 | 10 |
| V60285J | Bed conversion for L-shaped seating group incl. lowerable table ^{110) 109)} | 390 | 0 | 5 |
| V60280J | Bed conversion for seating group incl. additional cushion and lowerable table ¹⁰⁹⁾ | 390 | 0 | 5 |
| V60260J | Additional cushion between the longitudinal single beds incl. integrated comfort access | 390 | 0 | 4 |
| Kitchen | | | | |
| V40310129 | TEC-Tower (153 fridge/freezer unit, oven) 118) 37) | 590 | 0 | 10 |
| V4020012 | Cooker- / oven combination ¹¹⁹⁾ | 760 | 0 | 29 |
| | | | | |



* INFC

Chassis / Weight variants

V100601508

V201103880

V201104500

V20250119

V20250144

V3003011

V2062111

V2052020

V3051019

V2058011

V2113010

V20391J

V2021027

V2021027

V2021041

V20410J

V20855J

Body V30522160

V2037810

V3052410

V2007111

V30330J

V2045012

V20460J

V20062J

V3055010

V3009011

V3011016

Outfitting V2082013

V208551

V4052015

V4062010

V30410J

V30020113

Basis V20250115

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

| | | Price £ | B-ML T 780 | Excess weight (k |
|------------------|---|---------|------------|------------------|
| V4028014 | Hybrid cooker (gas- and induction cooker) ¹²⁰⁾ | 600 | 0 | 2.5 |
| V4001511 | Kitchen worktop made of solid surface | 1,360 | 0 | 10 |
| Bathroom | | | | |
| V5053010 | Ceramic toilet | 420 | 0 | 10 |
| Installation & T | echnology | | | |
| V5028013 | 6 kW gas warm air heating with 10 l warm water boiler and 1,800 W electric bar heater | 510 | 0 | 1 |
| V5028014 | Gas warm water heating incl. garage floor heating | 2,900 | 0 | 55 |
| V50250J | Gas filter for automatic gas bottle changeover 8) 20) | 170 | 0 | 0 |
| V50230J | External gas socket with shut-off valve | 170 | 0 | 1 |
| V5012515 | HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) | 1,530 | | 10.5 |
| V5012516 | HYMER Smart Battery System 2.0 - extension: 3rd $\&$ 4th habitation battery module - 2 x 80 Ah LFP (overall capacity 320 Ah) $^{89)}$ | 2,990 | | 21 |
| V5047029 | Solar panel with solar charge controller (MPPT) and display, 2 x 95 W | 1,450 | 0 | 8 |
| V5047010 | Pre-wiring kit Solar system | 170 | 0 | 0.5 |
| V5069710 | Water filter for fresh water system | 210 | 0 | 1 |
| V5033014 | Roof AirCon, 2,400 W | 1,960 | 0 | 33 |
| V3064012 | Toilet vent | 250 | 0 | 1 |
| Multimedia | | | | |
| V5054514 | 32" Smart LED-TV with built-in speakers, remote control, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), electric bracket as well as receiver ³⁰⁾ | 1,620 | 0 | 10 |
| V5055011 | Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as wall bracket ³¹⁾ | 1,230 | 0 | 13 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 14.5 |
| V50440124 | Digital satellite dish, 80 cm, Twin LNB | 2,730 | 0 | 15.5 |
| Fabrics & Furn | ture finishes | | | |
| V100904009 | Furniture finish: Velvet Ash | | • | 0 |
| V100704165 | Fabric combination: Porto | | • | 0 |
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | 0 | 4 |
| V100704166 | Leather-/ Fabric combination: Tenerife | 2,560 | 0 | 4 |
| V100704090 | Leather: Grigio | 2,560 | 0 | 6.5 |
| V100704167 | Leather: Isola | 2,560 | 0 | 6.5 |
| V602104011 | Carpet: Laguna ³²⁾ | 340 | 0 | 7 |
| V602104009 | Carpet: Samona ³²⁾ | 340 | 0 | 7 |
| Packages | | | | |
| V8006414 | Equipment Line Plus ⁹⁰⁾ | 3,000 | 0 | 0 |
| V8006415 | Equipment Line Premium ⁹⁰⁾ | 5,530 | 0 | 5 |
| V8028914 | Style package ⁹¹⁾ | 1,190 | 0 | 0 |
| V8039019 | Living Comfort package | 770 | 0 | 7 |
| V8007117 | Autonomy package Lithium XL | 5,560 | 0 | 45.5 |
| V8005023 | Arctic package ⁴⁷⁾ | 4,180 | | 93 |
| V8031023 | Winter package ^{58) 92)} | 1,190 | | 3 |

O Optional equipment

Mandatory Δ Not known at the time of publication Further information from p. 107 \square Available in package ◆ On request (no extra cost) — Not possible



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

(kg)*

PRICES AND TECHNICAL DATA HYMER B-KLASSE MASTERLINE T EDITION MODEL BLACKLINE



| | B-ML T 780 BlackLine |
|--|---|
| Price a) £ | 136,050 |
| Standard chassis | Mercedes-Benz Sprinter 417 CDI |
| Drive | Front Wheel Drive |
| kW (hp) | 125 (170) |
| Emission standards | Euro VI-E |
| Length / Width / Height (cm) | 789 ¹⁾ / 235 ²⁾ / 298 ³⁾ |
| Body width / Internal width (cm) | 225 / 218 |
| Standing height in living area (cm) | 198 |
| Wheelbase (mm) | 4500 |
| Mass in running order (-/+ 5%) (kg)* | 3406 (3236 - 3576)* ³⁸⁾ |
| Manufacturer-specified mass for optional equipment (kg)* | 655 |
| Technically permissible maximum laden mass (kg)* | 4430 |
| Technically permissible maximum towable mass (kg)* | 1450 O ⁴⁾ |
| Permitted number of seats (including driver)* | 4 - 5 Q ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 110 x 123 |
| Bed dimension: Rear bed L x W (cm) | 207 - 202 x 90 |
| Bed dimension: Central bed L x W (cm) | 205 x 110 - 50 O |
| Berths | 2-30 |
| Bathroom W x D (cm) | 90 x 80 |
| Separate shower W x D (cm) | 73×77 |
| Wardrobe W x D x H (cm) | 30 x 57 x 190 |
| Kitchen W x D x H (cm) | 107 x 58-96 x 93 |
| Fridge volume (freezer compartment) (I) | 153 |
| Standard heating | Gas warm air, 6 kW |
| Gas bottle storage (Filling weight) | 2 x 11kg |
| Total fresh water tank capacity (I) | 180 |
| Fresh water tank in driving filling level (I) | 20 |
| Waste water tank (I) | 150 |
| Sockets: 230 V/12 V/USB | 4/2/6 |

 Standard equipment O Optional equipment A Mandatory ◆ On request (no extra cost) — Not possible

△ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturerspecified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory. fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

 \square Available in package

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-KLASSE MASTERLINE T EDITION MODEL BLACKLINE

B-ML T 780 BlackLine Chassis / Weight variants Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E $^{47)}$ Exterior cab colour: Obsidian black (Metallic) Exterior body colour: Crystal-Silver Metallic Super lightweight chassis (SLC) Low-frame chassis with through-loading feature 9G-TRONIC automatic transmission incl. Hold function 22 I AdBlue tank 92 I fuel tank Electrically adjustable and heated exterior mirrors Comfort suspension chassis Chrome grill LED High-Performance headlights Fog lights with cornering light Engine compartment insulation and cab underbody panelling Mud flaps, rear axle Bumper, attachment parts and grill frame painted in vehicle colour Daytime Running Light integrated in headlights Reinforced front axle Trailer hitch pre-installation 16" alloy wheels (black) with All Season tyres 37) 97) Shelf for smartphones incl. wireless charging with charge level indicator Electric cab windows and central locking for cab Electric parking brake Driver and passenger airbag Cupholder driver and passenger seat Keyless Start (start-stop button for comfortable engine start) Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) Leather steering wheel (automatic transmission only) Multifunctional steering wheel Open shelf cockpit passenger side **ECO Start-Stop feature** Fully automatic climate control THERMOTRONIC Warm air auxiliary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons Active Brake Assist Automatic headlight control Intelligent Speed Assistant **Crosswind Assist** Traffic Sign Assist Cruise Control incl. steering wheel multifunction buttons Body Design graphics: BlackLine Modern 3D rear design, insulated, with integrated lights Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) 65 cm Maxi Comfort habitation door with inner shell, 2-way lock, window with blackout blind and waste bin Flectric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large through-loading compartment with external access from both sides incl. extra deep basement compartment and access from the inside Panoramic skylight above cab, manually hinged Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation (41 mm floor thickness)

| rlight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | |
|--|---------------|
| MER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | |
| ctric roof awning incl. dimmable LED lighting, anthracite housing, 450 x 300 cm | |
| rfitting or in concrete look | |
| ginal Mercedes-Benz Comfort seat, upholstered in living area fabric ⁴⁶⁾ | |
| wer and insert tray storage space in seating group | |
| blinds | |
| squito net on habitation door | |
| ng and bedroom + lighting | |
| lti-functional ergonomic furniture elements mfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | |
| eping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) | |
| bient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as no spheric base illumination (incl. light temperature) as well as | .s |
| hting dimmable (via push button) | |
| nplete LED interior lighting | |
| O worktop lighting | |
| D awning light led sheets made to measure for rear beds individually adapted to mattress | |
| ushions | |
| chen | |
| ntry | |
| chen drawer with Soft close feature and cutlery insert | |
| ely arrangeable kitchen drawers, extra wide | |
| ucture wall panelling also serving as splash guard I Jumbo fridge | |
| ra deep sink with tight-fitting chopping board and high water tap | |
| ge cooker with glass cover and front panel operation | |
| hroom | |
| light (frosted glass) above shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm | |
| ower insert floor with wooden surface | |
| tallation & Technology W gas warm air heating with 10 I warm water boiler | |
| comatic gas bottle changeover system with crash sensor and IceEx ⁸⁾ | |
| s filter for automatic gas bottle changeover ^{8) 20)} | |
| rm air heating in the rear bedroom, adjustable separately | |
| D keypad for heating | |
| MER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ | |
| MER Connect sensor package incl. 1x gas level sensor, 1x temperature sensor and 2x contact sensor out of the control and monitoring of smart vehicle features | |
| ra low gas bottle compartment for easy gas bottle change with comfy access via external door | |
| MER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | |
| art Connect water level display (in 1% increments) | |
| arging booster for safe charging of the habitation battery while driving (up to 70 A) | |
| in USB at seating group (USB A/C) | |
| Of fresh water tank, insulated and heated (20 l in driving position) | |
| I waste water tank, insulated and heated ter filter for fresh water system | |
| ctric waste water drainage with dashboard switch | |
| -wiring kit Solar system | |
| ar panel with solar charge controller (MPPT) and display, 3 x 95 W | |
| ditional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB as well as comfort lights | |
| Itimedia | |
| | |
| lio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna Smart LED-TV with built-in speakers, remote control. HYMER Smart-Multimedia system with Bluetooth® (DVR-T / C. DVR-S2), elect | i ic bi acket |
| tio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna Smart LED-TV with built-in speakers, remote control, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), electwell as receiver | |
| Smart LED-TV with built-in speakers, remote control, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), elect | |

| | Ω |
|------------------------------|---|
| Fabrics & Furniture finishes | |
| Furniture finish: Grand Oak | • |
| Fabric combination: Bogota | • |
| Packages | |
| BlackLine package B-ML T | • |

EQUIPMENT LINES HYMER B-KLASSE MASTERLINE T EDITION MODEL BLACKLINE

| | BlackLine package B-ML T |
|---|--------------------------|
| Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E | • |
| Exterior cab colour: Obsidian black (Metallic) | • |
| Exterior body colour: Crystal-Silver Metallic | • |
| LED High-Performance headlights | |
| Chrome grill | |
| Fog lights with cornering light | |
| Bumper, attachment parts and grill frame painted in vehicle colour | |
| 16" alloy wheels (black) with All Season tyres | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | • |
| Leather steering wheel (automatic transmission only) | |
| Fully automatic climate control THERMOTRONIC | |
| Active Distance Assist DISTRONIC+ incl. | |
| steering wheel multifunction buttons Traffic Sign Assist | |
| SatNav & Smartpone integration for | |
| Mercedes-Benz MBUX | • |
| Electric roof awning incl. dimmable LED lighting, anthracite housing, 450 x 300 cm | • |
| Design graphics: BlackLine | |
| Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts | • |
| Drawer and insert tray storage space in seating group | |
| Automatic gas bottle changeover system with crash sensor and IceEx | |
| Gas filter for automatic gas bottle changeover | |
| Solar panel with solar charge controller (MPPT) and display, 3 x 95 W | |
| Shower insert floor with wooden surface | |
| Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB as well as comfort lights | |
| HYMER Connect sensor package incl. 1x gas level sensor, 1x temperature sensor and 2x contact sensor | • |
| Fitted sheets made to measure for rear beds individually adapted to mattress | |
| 4 cushions | |
| Floor in concrete look | |
| Water filter for fresh water system | |
| Smart Connect water level display (in 1% | |
| increments) | • |
| 32" Smart LED-TV with built-in speakers, remote control, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), electric bracket as well as receiver | • |
| 5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) | • |
| c ca. a c.c. (o.iii cai a iiot iiiciaaca) | |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

Package price (incl. VAT) £

| Standard equipment | O Optional equipment | ▲ Mandatory | \triangle Not known at the time of publication |
|--|----------------------------------|------------------------|--|
| On request (no extra cost) | Not possible | ☐ Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER B-KLASSE MASTERLINE T EDITION MODEL **BI ACKI INF**

Autonomy package Lithium XL

HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity)

HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2 x 80 Ah LFP (overall capacity 320 Ah)

Inverter 12 V to 230 V, 1,800 W with network priority circuit

Package price (incl. VAT) 5,560. Excess weight (kg)* 45.5

Heat exchanger for warm water heating

Heat exchanger pre-installation, Mercedes-Benz

Gas-Warm water garage floor heating

Insulated partitioning curtain for cab, double-layered sewn

Insulating mat for cab footwell, supplied loose

Auxiliary heating (supports heating when heating up the vehicle)

Gas-Warm water heating

Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage

| Package price (incl. VAT) | 4,180 |
|---------------------------|-------|
| Excess weight (kg)* | 93 |

Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

| Package price (incl. VAT) | 1,190 |
|---------------------------|-------|
| Excess weight (kg)* | 3 |

 Standard equipment ◆ On request (no extra cost) — Not possible

O Optional equipment

▲ Mandatory ☐ Available in package △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-KLASSE MASTERLINE T EDITION MODEL BLACKLINE

B-ML T 780 BlackLine Price £ Chassis / Weight variants V201103880 Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 0 Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 98) V201104500 0 Four-circuit air suspension (2 axles) 115) V2058011 10,280.-0 V2113010 Wet Wiper System (windscreen wiper with integrated spray nozzles) 51) 92) 90.-0 V20391J 390.-0 0 V20410J Cupholder instead of storage compartment 0 0 V20855J Seat heating and lumbar support for Original Mercedes-Benz seats 52) 620.-2 V2037810 **High Beam Assist** 330.-0 Trailer hitch, detachable ball head (max. 2.0 t) 13) 14) 101) V2007111 1,080.-0 33 V30330J GRP roof coating 16) 590.-0 18 Hydraulic lift system with automatic front and rear levelling $^{102)\,103)}$ V2045012 6.850.- \circ 83 V20460J Comfort jacks, rear (2 units) 102) 340.-0 9 V30020113 Comfort-Plus habitation door incl. closing aid, RFID (keyless) access as well as central locking 850.-0 2 V20062J Frame extension incl. 450 kg garage load 14) 420.-0 25 V3055010 Security lock for habitation door 260.-0 0.5 V3009011 Electric roof vent with function supply and exhaust air above kitchen 19) 390.-0 5 V3011016 HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom 510.-12 Outfitting V2082013 Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests 85) 680.-0 10 V20855J Seat heating and lumbar support for pilot seats 620.-0 0 Premium round and extendable table with real wood frame 117) 108) V4052015 510.-0 20 5th seat with lap belt on seat bench, RH side against direction of travel $^{109)}$ V4062010 510.-0 38 V30410J Insulating mat for cab footwell, supplied loose 140.-3 V60240J Insulated partitioning curtain for cab, double-layered sewn 300.-2 V303101 Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage 420.-22 V50100J External shower, located in garage 250.-0 Living and bedroom + lighting V60285J Bed conversion for L-shaped seating group incl. lowerable table 110) 109) 390.- O 5 V60260J Additional cushion between the longitudinal single beds incl. integrated comfort access 390.-4 0 Kitchen TEC-Tower (153 | fridge/freezer unit, oven) 118) 37) V40310129 590.-0 10 Cooker- / oven combination 119) V4020012 760.- O 29 V4028014 Hybrid cooker (gas- and induction cooker) 120) 600.-0 2.5 V4001511 Kitchen worktop made of solid surface 1,360.-0 10 Bathroom V5053010 Ceramic toilet 420.- 0 10 Installation & Technology V5028013 6 kW gas warm air heating with 10 I warm water boiler and 1,800 W electric bar heater 510.- O 1 V5028014 Gas warm water heating incl. garage floor heating 2,900.-0 55 V50230J External gas socket with shut-off valve 170.- 0 HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger V5012515 1,530.-10.5 (160 Ah overall capacity) HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2 x 80 Ah LFP (overall V5012516 2.990.-21 capacity 320 Ah) 89)



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

| | | Price £ | B-MLT 780 BlackLine | Excess weight (kg)* |
|-----------------|--|---------|---------------------|---------------------|
| V5033014 | Roof AirCon, 2,400 W | 1,960 | 0 | 33 |
| V3064012 | Toilet vent | 250 | 0 | 1 |
| Multimedia | | | | |
| V5055011 | Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as wall bracket 31) | 1,230 | 0 | 13 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 14.5 |
| V50440124 | Digital satellite dish, 80 cm, Twin LNB | 2,730 | 0 | 15.5 |
| Fabrics & Furni | ture finishes | | | |
| V100704165 | Fabric combination: Porto | | ♦ | 0 |
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | 0 | 4 |
| V100704166 | Leather-/ Fabric combination: Tenerife | 2,560 | 0 | 4 |
| V100704090 | Leather: Grigio | 2,560 | 0 | 6.5 |
| V100704167 | Leather: Isola | 2,560 | 0 | 6.5 |
| V602104011 | Carpet: Laguna | 340 | 0 | 7 |
| V602104009 | Carpet: Samona | 340 | 0 | 7 |
| Packages | | | | |
| V8007117 | Autonomy package Lithium XL | 5,560 | 0 | 45.5 |
| V8005023 | Arctic package ⁴⁷⁾ | 4,180 | 0 | 93 |
| V8031023 | Winter package ^{58) 92)} | 1,190 | 0 | 3 |

O Optional equipment

Mandatory Δ Not known at the time of publication Further information from p. 107 \square Available in package ◆ On request (no extra cost) — Not possible



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

PRICES AND TECHNICAL DATA HYMER B-CLASS **MASTERLINE I**









| | B-ML1780 | B-ML1790 | B-ML I 880 | B-ML I 890 |
|--|-----------------------------------|-----------------------------------|-----------------------------------|--|
| Price a) £ | 142,770 | 142,770 | 153,120 | 153,120 |
| Standard chassis | Mercedes-Benz Sprinter 415 CDI | Mercedes-Benz Sprinter 415 CDI | Mercedes-Benz Sprinter 415 CDI | Mercedes-Benz Sprinter 415 CDI |
| Drive | Front Wheel Drive | Front Wheel Drive | Front Wheel Drive | Front Wheel Drive |
| kW (hp) | 110 (150) | 110 (150) | 110 (150) | 110 (150) |
| Emission standards | Euro VI-E | Euro VI-E | Euro VI-E | Euro VI-E |
| Length / Width / Height (cm) | $789^{1)} / 235^{2)} / 298^{3)}$ | $789^{1)} / 235^{2)} / 298^{3)}$ | $899^{1)} / 235^{2)} / 298^{3)}$ | $899^{1)} / 235^{2)} / 298^{3)}$ |
| Body width / Internal width (cm) | 225 / 218 | 225 / 218 | 225 / 218 | 225 / 218 |
| Standing height in living area (cm) | 198 | 198 | 198 | 198 |
| Wheelbase (mm) | 4500 | 4500 | 4800 | 4800 |
| Mass in running order (-/+ 5%) (kg)* | 3500 (3325 - 3675)* | 3510 (3335 - 3686)* | 3995 (3795 - 4195)* | 4030 (3829 - 4232)* ** |
| Manufacturer-specified mass for optional equipment (kg)* | 561 | 551 | 1125 | 1090 |
| Technically permissible maximum laden mass (kg)* | 4430 | 4430 | 5500 | 5500 |
| Technically permissible maximum towable mass (kg)* | 1450 O ⁴⁾ | 1450 O ⁴⁾ | 1100 O ⁴⁾ | 1100 ()4) |
| Permitted number of seats (including driver)* | 4 - 5 O ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 | 41/34/34 | 41/34/34 | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 110 x 123 | 90 x 114 / 90 x 94 | 110 x 123 | 90 x 114 / 90 x 94 |
| Bed dimension: Pull-down bed L x W (cm) | 197 x 145 / 2x 199 x 65 O | 197 x 145 / 2x 199 x 65 O | 197 x 145 / 2x 199 x 65 O | 197 x 145 / 2x 199 x 65 O |
| Bed dimension: Rear bed L x W (cm) | 207 x 90 / 202 x 90 | 200 x 156 | 2x 205 x 90 | 200 x 156 |
| Bed dimension: Central bed L x W (cm) | 205 x 110 - 50 O | 205 x 110 - 50 O | 205 x 110 - 75 O | 205 x 110 - 75 O |
| Berths | 4-50 | 4-50 | 4-50 | 4-50 |
| Bathroom W x D (cm) | 90 x 80 | 90 x 80 | 90 x 80 | 90 x 80 |
| Separate shower W x D (cm) | 73 x 77 | 73 x 77 | 73 x 77 | 73 x 77 |
| Wardrobe W x D x H (cm) | 30 x 57 x 190 | 30 x 56 x 107 / 30 x 56 x 107 | 30 x 57 x 190 / 65 x 57 x 190 | 30 x 56 x 107 / 30 x 56 x 107 / 65 x 57 x 190 |
| Fridge volume (freezer compartment) (I) | 153 | 153 | 153 | 153 |
| Standard heating | Warm water heating | Warm water heating | Warm water heating | Warm water heating |
| Gas bottle storage (Filling weight) | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg |
| Total fresh water tank capacity (I) | 180 | 180 | 180 | 180 |
| Fresh water tank in driving filling level (I) | 20 | 20 | 20 | 20 |
| Waste water tank (I) | 150 | 150 | 150 | 150 |
| Sockets: 230 V/12 V/USB | 4/2/6 | 4/2/6 | 4/2/6 | 4/2/6 |

 Standard equipment ◆ On request (no extra cost) — Not possible

O Optional equipment ▲ Mandatory

— Not possible □ Available in package

 \triangle Not known at the time of publication ** Estimated values



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturerspecified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory. fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-CLASS MASTERLINE I

| | B-ML I | B-ML I | B-ML I | B-ML I |
|---|----------|--------|--------|----------|
| Chassis / Waisht variants | <u> </u> | m | m | <u> </u> |
| Chassis / Weight variants Mercedes-Benz Sprinter 4.43 t - 415 CDI - 110 KW/150 hp - Euro VI-E | ₹ | _ | | |
| Mercedes-Benz Sprinter 5.5 t - 415 CDI - 110 KW/150 hp - Euro VI-E | | | | |
| Basis | | | | |
| Smooth aluminium skin, Colour: Carrara white | | • | • | — |
| Super lightweight chassis (SLC) | • | • | • | • |
| Low-frame chassis with through-loading feature | | | • | |
| 9G-TRONIC automatic transmission incl. Hold function | • | • | • | • |
| 92 I fuel tank | | | | |
| 22 I AdBlue tank | • | • | • | • |
| Exterior mirrors suspended, electrically heated and adjustable, incl. wide-angle mirror | • | • | • | |
| Chrome version front (grill / fog light cover) | • | • | • | • |
| LED Daytime running light and LED indicator integrated in HYMER headlights | • | • | • | • |
| Comfort suspension chassis | • | • | • | • |
| Engine compartment insulation and cab underbody panelling | • | • | • | • |
| Mud flaps, front and rear axle | • | • | • | • |
| Reinforced front axle | | • | • | |
| Trailer hitch pre-installation | • | • | • | • |
| Tandem axle | _ | _ | • | • |
| Rain sensor | • | • | • | • |
| 16" steel rims with full wheel cover and all season tyres | • | • | _ | _ |
| Mercedes-Benz acoustics package | | | • | |
| Cupholder instead of storage compartment | | | | |
| ECO Start-Stop feature | | | | |
| Electric parking brake Driver and passanger girbag 45) | | | | |
| Driver and passenger airbag ⁴⁵⁾ Cupholder driver and passenger seat | | | | |
| Semi-automatic climate control TEMPMATIC | | | | |
| Keyless Start (start-stop button for comfortable engine start) | | | | |
| Mercedes-Benz instrument cluster with colour display | | | | |
| Multifunctional steering wheel | • | • | • | • |
| Open shelf cockpit passenger side | • | • | • | • |
| Warm air auxiliary heating, electric | | | | |
| ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) | • | • | • | • |
| Active Brake Assist | • | • | • | |
| Active Lane Keeping Assist | • | • | • | • |
| Attention Assist | • | • | • | • |
| Automatic headlight control | • | • | • | • |
| Intelligent Speed Assistant | • | • | • | • |
| Crosswind Assist | • | • | _ | _ |
| Cruise Control incl. steering wheel multifunction buttons | • | • | • | • |
| Body | | | | |
| Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | | | | |
| Real glass side windows, superimposed | | | | |
| Electric entrance step, 1-step Cab door with electric power windows and entry lighting | | | | |
| 65 cm Maxi Comfort habitation door with inner shell, 2-way lock, window with blackout blind and waste bin | | | | |
| Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology | | | | |
| Garage load up to 350 kg (optional 450 kg). Please note the axle load. | | | • | |
| Large garage doors, LH and RH side | • | • | • | |
| Glossy grille with chrome trim | | • | • | |
| Modern 3D rear design, insulated, with integrated lights | • | • | • | • |
| Heated double floor incl. cellar compartments | | | | |
| GRP roof coating ¹⁶⁾ | • | • | • | • |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) | | | • | |
| Large through-loading compartment with external access from both sides incl. extra deep basement compartment and access from | | _ | | |
| the inside | | | _ | _ |
| Skylight above pull-down bed with blackout blind and mosquito net, 40 x 40 cm | | | • | |
| HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | • | • | • | • |
| Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | • | | | • |
| Opening windows with blackout blind and mosquito net, LH and RH side, rear | • | • | • | • |

| | B-ML17 | B-ML17 | B-ML I | B-MLI |
|--|---------------|---------------|----------------------|----------|
| Outfitting | <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests | $\overline{}$ | $\overline{}$ | ┰ | - |
| Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts | • | • | • | • |
| Luxury table: 360° rotatable, longitudinally and transversably displaceable | • | • | • | • |
| Mosquito net on habitation door | | | • | • |
| Cab blinds made of high-quality pleated fabric | • | • | • | • |
| Living and bedroom + lighting | | | | |
| Multi-functional ergonomic furniture elements | $\overline{}$ | ┰ | ┰ | <u> </u> |
| Pull-down bed, manual | • | | | • |
| Queensbed in the rear, electrically height adjustable | _ | • | _ | • |
| Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear | _ | | _ | • |
| Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for pull-down bed | • | • | $\overline{\bullet}$ | • |
| Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) | • | _ | | _ |
| Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as | _ | | | |
| well as atmospheric base illumination ¹¹²⁾ | | • | • | • |
| Lighting dimmable (via push button) | • | • | • | • |
| Complete LED interior lighting | • | • | • | • |
| LED worktop lighting | • | • | • | • |
| Night lighting | • | • | • | • |
| Kitchen | | | | |
| Pantry | • | • | • | • |
| Kitchen drawer with Soft close feature and cutlery insert | • | • | • | • |
| Freely arrangeable kitchen drawers, extra wide | • | • | • | • |
| 153 I Jumbo fridge | • | • | • | • |
| Extra deep sink with tight-fitting chopping board and high water tap | • | • | • | • |
| Large cooker with glass cover and front panel operation | • | • | • | • |
| Structure wall panelling also serving as splash guard | • | • | • | • |
| Bathroom | | | | |
| Skylight (frosted glass) above shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm | • | • | lacktriangle | • |
| Saloon bathroom with separate shower, wash area, toilet and wardrobe | _ | _ | • | • |
| Installation & Technology | | | | |
| Gas-Warm water heating (incl. booster in the cab) incl. dashboard convectors | • | • | • | • |
| LCD keypad for heating | • | • | lacktriangle | • |
| HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ | • | • | • | • |
| 7" touch display for convenient control and monitoring of smart vehicle features | • | • | • | • |
| Extra low gas bottle compartment for easy gas bottle change with comfy access via external door | • | • | • | • |
| HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | • | • | • | • |
| Charging booster for safe charging of the habitation battery while driving (up to 70 A) | • | • | • | • |
| Twin USB on seating group and in small cab cupboard | • | • | • | • |
| 180 I fresh water tank, insulated and heated (20 I in driving position) | • | • | • | • |
| 150 I waste water tank, insulated and heated | • | • | • | • |
| Electric waste water drainage with dashboard switch | • | • | • | • |
| Smart Connect water level display (in 1% increments) | • | • | • | • |
| Automatic gas bottle changeover system with crash sensor and IceEx | • | • | • | • |
| Multimedia | | | | |
| Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear bedroom, radio and | | | | |
| DVB-T2 antenna | | | | |
| DAB Radio | • | • | • | • |
| 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | • | • | • | • |
| Fabrics & Furniture finishes | | | | |
| Furniture finish: Grand Oak | • | • | | |
| Fabric combination: Bogota | • | • | • | • |
| Packages | | | | |
| Standard equipment | • | • | • | • |
| | | | | |

| Standard equipment | |
|--|--|
|--|--|

EQUIPMENT LINES HYMER B-CLASS MASTERLINE I

| | Standard equipment | Equipment Line Plus | Equipment Line Premium |
|--|--------------------|---------------------|--------------------------|
| | | | 1000 AK 30 AB 00 00 00 M |
| 9G-TRONIC automatic transmission incl. Hold function | • | • | • |
| Reinforced front axle | • | _ | |
| Mercedes-Benz acoustics package | | _ | • |
| Electric parking brake | • | • | • |
| Semi-automatic climate control | • | - | _ |
| TEMPMATIC | • | • | _ |
| Mercedes-Benz instrument cluster with | | | |
| colour display | • | | <u> </u> |
| Multifunctional steering wheel | • | • | • |
| Cruise Control incl. steering wheel | • | • | • |
| multifunction buttons | _ | | - |
| Active Lane Keeping Assist | • | • | • |
| Attention Assist | • | • | • |
| Rain sensor DAB Radio | • | _ | • |
| 10.25" MBUX Multimedia system with | | _ | |
| reversing camera, Voice recognition and Touchscreen | • | • | • |
| Leather steering wheel (automatic transmission only) | - | • | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | _ | • | • |
| Traffic Sign Assist | | • | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | - | • | • |
| HYMER Premium Full-LED headlights | | - | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | _ | - | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | - | _ | • |
| Fully automatic climate control THERMOTRONIC | _ | - | • |
| Excess weight Equipment line (kg)* | 0 | 0 | 4 |
| Package price (incl. VAT) £ | | 3,000 | 5,360 |

| • | Standard equipment | O Optional equipment | ▲ Mandatory | Δ Not known at the time of publication |
|---|----------------------------|----------------------------------|------------------------|---|
| 4 | On request (no extra cost) | Not possible | ☐ Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER B-CLASS MASTERLINE I

Living Comfort package

Shower insert floor with wooden surface

Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB as well as comfort lights

Fitted sheets made to measure for rear beds individually adapted to mattress

4 cushions

Package price (incl. VAT) 770.Excess weight (kg)* 7

Autonomy package Lithium XL

HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2 x 80 Ah LFP (overall capacity 320 Ah)

Inverter 12 V to 230 V, 1,800 W with network priority circuit

| Package price (incl. VAT) | 5,560 |
|---------------------------|-------|
| Excess weight (kg)* | 45.5 |

Arctic package SMART

Heat exchanger for warm water heating

Heat exchanger pre-installation, Mercedes-Benz

Gas-Warm water garage floor heating

External insulation windscreen mat

Insulating mat for cab footwell, supplied loose

Auxiliary heating (supports heating when heating up the vehicle)

Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage

Package price (incl. VAT)

Excess weight /kg)*

Excess weight (kg)*

39

Standard equipment
 Optional equ
 On request (no extra cost)
 Not possible

O Optional equipment ▲ Mandatory

— Not possible □ Available in package

△ Not known at the time of publication



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MASTERLINE I

| | | | B-ML I 780 | B-ML I 790 | B-ML 880 | B-ML 890 | Excess wei |
|--------------------------|--|---------|------------|------------|------------|------------|------------|
| | | Duine C | - | | ~ | ~ | SS |
| | | Price £ | ≥- | ∑- | ∑- | ₩. | XCE |
| Chassis / Weig | ht variants | | ш | Ш | Ш | ш | Ш |
| V100601508 | Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E ⁴⁷⁾ | 1,880 | | 0 | _ | _ | 0 |
| V100601508 | Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E | 1,880 | _ | _ | 0 | 0 | 0 |
| V201104500 | Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 98) | 1,000 | | | _ | _ | 0 |
| V201104300 V201105000 | Weight variant 5,000 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) | | _ | _ | | | 0 |
| Basis | Weight variant 3,000 kg (Weicedes-Benz Sprinter 4137 417 CD1011ly) | | | | | Ě | <u> </u> |
| V2062110 | Halogen fog lights ³⁴⁾ | 250 | 0 | 0 | 0 | 0 | 1 |
| V2062112 | LED fog lights incl. static cornering light ⁹⁵⁾ | | | 0 | 0 | 0 | 1.5 |
| V2058014 | Four-circuit air suspension (3 axles) | 11,990 | | _ | 0 | 0 | 78 |
| V2021027 | 16" alloy wheels (black) with All Season tyres ^{37) 97)} | 1,190 | | 0 | • | • | 4 |
| V2021027 | 16" alloy wheels (silver) with All Season tyres ^{97) 37)} | 1,190 | | 0 | _ | _ | 4 |
| V3003011 | Exterior colour: Crystal-Silver Metallic | 4,280 | | 0 | 0 | 0 | 30 |
| V2090512 | Track widening front axle (60 mm in total) | | | 0 | 0 | 0 | 9.5 |
| V2058011 | Four-circuit air suspension (2 axles) 47) | 10,280 | _ | 0 | _ | _ | 52 |
| V2021041 | 17" alloy wheels (silver) with summer tyres ³⁷⁾ | 1,410 | | 0 | _ | _ | -7 |
| V2021027 | 16" alloy wheels (silver) with all season tyres (B-ML I 880 / 890) 37) | _, | _ | _ | • | • | 0 |
| V2021041 | 17" alloy wheels (silver) with summer tyres (B-ML I 880 / 890) ³⁷⁾ | 220 | _ | _ | Ō | O | -10 |
| V2054515 | Steering wheel heating ⁵⁸⁾ | 320 | | 0 | 0 | 0 | 1 |
| Body | | | Š | Ť | Ť | Š | |
| V30522180 | Electric roof awning incl. dimmable LED lighting, white housing, 550 x 300 cm ^{12) 116)} | 2,220 | 0 | 0 | _ | _ | 65 |
| V30522180 | Electric roof awning incl. dimmable LED lighting, silver housing, 550 x 300 cm ^{12) 116)} | 2,220 | | 0 | _ | _ | 65 |
| V30522190 | Electric roof awning incl. dimmable LED lighting, white housing, 600 x 300 cm ^{12) 116)} | 2,480 | _ | _ | 0 | 0 | 70 |
| V30522190 | Electric roof awning incl. dimmable LED lighting, silver housing, 600 x 300 cm ^{12) 116)} | 2,480 | _ | _ | 0 | 0 | 70 |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) 13) 14) 121) | 1,080 | 0 | 0 | 0 | 0 | 33 |
| V20391J | Electric windscreen warming | 600 | | 0 | 0 | 0 | 0 |
| V3020211 | Electric entrance step on cab door (when opening the cab door the step automatically extends) | 390 | 0 | 0 | 0 | 0 | 8 |
| V2045012 | Hydraulic lift system with automatic front and rear levelling ¹⁰²⁾ | 6,850 | 0 | 0 | 0 | 0 | 83 |
| V30020113 | Comfort-Plus habitation door incl. closing aid, RFID (keyless) access as well as central locking | 850 | 0 | 0 | 0 | 0 | 2 |
| V20460J | Comfort jacks, rear (2 units) ¹⁰²⁾ | 340 | 0 | 0 | 0 | 0 | 9 |
| V20062J | Frame extension incl. 450 kg garage load ¹⁴⁾ | 420 | 0 | 0 | 0 | 0 | 25 |
| V3055012 | Security lock for cab and habitation door | 510 | 0 | 0 | 0 | 0 | 1 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen ¹⁹⁾ | 390 | 0 | 0 | 0 | 0 | 5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom | 510 | 0 | 0 | 0 | 0 | 12 |
| Outfitting | | | | | | | |
| V20855J | Seat heating and lumbar support for pilot seats | 620 | 0 | 0 | 0 | 0 | 0 |
| V4052015 | Premium round and extendable table with real wood frame ^{122) 117)} | 510 | 0 | 0 | 0 | 0 | 20 |
| V4062010 | 5th seat with lap belt on seat bench, RH side against direction of travel ¹⁰⁹⁾ | 510 | 0 | 0 | _ | _ | 38 |
| V4062011 | 5th seat with 3-point belt on seat bench, RH side in direction of travel ¹²³⁾¹⁰⁹⁾ | 760 | | _ | 0 | 0 | 38 |
| V6001012 | Electric front roller shutter with roller blind that can be drawn bottom up as well as sun visor | 1,410 | | 0 | 0 | 0 | 16 |
| V30410J | Insulating mat for cab footwell, supplied loose | 140 | | | | | 3 |
| V40070J | Front overhead lockers instead of pull-down bed ¹²⁴⁾ | 470 | 0 | 0 | 0 | 0 | -16 |
| V40430J | Multifunctional sideboard instead of couch incl. seating, shoe- and multimedia compartment as well as $2 \times 230 \text{ V}$ and 1 Twin-USB socket $^{125)}$ $^{126)}$ $^{127)}$ | 640 | 0 | 0 | 0 | 0 | 15 |
| V4040510 | Drawer and insert tray storage space in seating group | 250 | 0 | 0 | 0 | 0 | 3 |
| V30310J | Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage | 420 | | | | | 22 |
| V50100J | External shower, located in garage | 250 | | | 0 | 0 | 1 |
| V3072010 | Lockable compartment, RH side | 170 | 0 | 0 | 0 | 0 | 3 |
| Living and bedi | | | | | | | |
| V60285J | Bed conversion for L-shaped seating group incl. lowerable table ¹¹⁰⁾ 109) | 390 | | 0 | 0 | 0 | 5 |
| V40220E | Pull-down bed, electric | 1,280 | | 0 | 0 | 0 | 3 |
| V40220EA | Pull-down bed with single bed feature, electric ¹²²⁾ | 1,710 | 0 | 0 | 0 | 0 | 18 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

| | | | | | | | <u>×</u> |
|------------------|---|---------|-----------|-----------|----------|----------|------------------|
| | | Price £ | B-MLI 780 | B-MLI 790 | B-ML1880 | B-ML1890 | Excess weight (k |
| V40220MA | Pull-down bed with single bed feature incl. comfort sleeping system with cup-slatted bed frame, manual ¹²²⁾ | 1,110 | 0 | 0 | 0 | 0 | 15 |
| V40350J | Ladder for pull-down bed | 60 | 0 | 0 | 0 | 0 | 5 |
| V60260J | Additional cushion between the longitudinal single beds incl. integrated comfort access | 390 | 0 | _ | 0 | _ | 4 |
| Kitchen | | | | | | | |
| V40310129 | TEC-Tower (153 fridge/freezer unit, oven) 118) 37) | 610 | 0 | 0 | 0 | 0 | 10 |
| V4020012 | Cooker- / oven combination ¹¹⁹⁾ | 760 | 0 | 0 | 0 | 0 | 29 |
| V4028014 | Hybrid cooker (gas- and induction cooker) 120) | 600 | 0 | 0 | 0 | 0 | 2.5 |
| V4001511 | Kitchen worktop made of solid surface | 1,360 | 0 | 0 | • | • | 10 |
| Bathroom | | | | | | | |
| V5053010 | Ceramic toilet | 420 | 0 | 0 | 0 | 0 | 10 |
| Installation & T | echnology | | | | | | |
| V50250J | Gas filter for automatic gas bottle changeover 8) 20) | 170 | 0 | 0 | 0 | 0 | 0 |
| V50230J | External gas socket with shut-off valve | 170 | 0 | 0 | 0 | 0 | 1 |
| V5012515 | HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) | 1,530 | | | | | 10.5 |
| V5012516 | HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2 x 80 Ah LFP (overall capacity 320 Ah) $^{89)}$ | 2,990 | | | | | 21 |
| V5047010 | Pre-wiring kit Solar system | 170 | 0 | 0 | 0 | 0 | 0.5 |
| V5047029 | Solar panel with solar charge controller (MPPT) and display, 2 x 95 W | 1,450 | 0 | 0 | 0 | 0 | 8 |
| V5033014 | Roof AirCon, 2,400 W | 1,960 | 0 | 0 | 0 | 0 | 33 |
| V5069710 | Water filter for fresh water system | 210 | 0 | 0 | 0 | 0 | 1 |
| V3064012 | Toilet vent | 250 | 0 | 0 | 0 | 0 | 1 |
| Multimedia | | | | | | | |
| V5054514 | 32" Smart LED-TV with built-in speakers, remote control, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), electric bracket as well as receiver ³⁰⁾ | 1,620 | 0 | 0 | 0 | 0 | 10 |
| V5055011 | Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as wall bracket $^{31)}$ | 1,230 | 0 | 0 | 0 | 0 | 13 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | 0 | 0 | 0 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 0 | 0 | 0 | 14.5 |
| V50440124 | Digital satellite dish, 80 cm, Twin LNB | 2,730 | 0 | 0 | 0 | 0 | 15.5 |
| Fabrics & Furni | ture finishes | | | | | | |
| V100904009 | Furniture finish: Velvet Ash | | ♦ | ♦ | ♦ | ♦ | 0 |
| V100704165 | Fabric combination: Porto | | ♦ | • | • | ♦ | 0 |
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | 0 | 0 | 0 | 0 | 4 |
| V100704166 | Leather-/ Fabric combination: Tenerife | 2,560 | 0 | 0 | 0 | 0 | 4 |
| V100704090 | Leather: Grigio | 2,560 | | 0 | 0 | 0 | 6.5 |
| V100704167 | Leather: Isola | 2,560 | 0 | 0 | 0 | 0 | 6.5 |
| V602104011 | Carpet: Laguna ³²⁾ | 340 | 0 | 0 | 0 | 0 | 7 |
| V602104009 | Carpet: Samona ³²⁾ | 340 | 0 | 0 | 0 | 0 | 7 |
| Packages | | | | | | | |
| V8006420 | Equipment Line Plus ⁹⁰⁾ | 3,000 | 0 | 0 | 0 | 0 | 0 |
| V8006421 | Equipment Line Premium ⁹⁰⁾ | 5,360 | 0 | 0 | 0 | 0 | 4 |
| V8039014 | Living Comfort package | 770 | 0 | | | 0 | 7 |
| V8007117 | Autonomy package Lithium XL | 5,560 | | 0 | 0 | 0 | 45.5 |
| V8005016 | Arctic package SMART | 2,210 | 0 | | 0 | 0 | 39 |
| | | | | | | | |

O Optional equipment

Mandatory Δ Not known at the time of publication Further information from p. 107 \square Available in package ◆ On request (no extra cost) — Not possible



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

(kg)*

PRICES AND TECHNICAL DATA HYMER B-KLASSE MASTERLINE I EDITION MODEL BLACKLINE









| | B-ML I 780 BlackLine | B-ML I 790 BlackLine | B-ML I 880 BlackLine | B-ML I 890 BlackLine |
|--|------------------------------------|------------------------------------|------------------------------------|--|
| Price a) £ | 158,290 | 158,290 | 167,700 | 167,700 |
| Standard chassis | Mercedes-Benz Sprinter 417 CDI | Mercedes-Benz Sprinter 417 CDI | Mercedes-Benz Sprinter 417 CDI | Mercedes-Benz Sprinter 417 CDI |
| Drive | Front Wheel Drive | Front Wheel Drive | Front Wheel Drive | Front Wheel Drive |
| kW (hp) | 125 (170) | 125 (170) | 125 (170) | 125 (170) |
| Emission standards | Euro VI-E | Euro VI-E | Euro VI-E | Euro VI-E |
| Length / Width / Height (cm) | $789^{1)} / 235^{2)} / 298^{3)}$ | $789^{1)} / 235^{2)} / 298^{3)}$ | $899^{1)} / 235^{2)} / 298^{3)}$ | $899^{1)} / 235^{2)} / 298^{3)}$ |
| Body width / Internal width (cm) | 225 / 218 | 225 / 218 | 225 / 218 | 225 / 218 |
| Standing height in living area (cm) | 198 | 198 | 198 | 198 |
| Wheelbase (mm) | 4500 | 4500 | 4800 | 4800 |
| Mass in running order (-/+ 5%) (kg)* | 3654 (3471 - 3837)* ³⁸⁾ | 3664 (3481 - 3847)* ³⁸⁾ | 4150 (3943 - 4358)* ³⁸⁾ | 4185 (3976 - 4394)* ³⁸⁾ ** |
| Manufacturer-specified mass for optional equipment (kg)* | 407 | 397 | 970 | 935 |
| Technically permissible maximum laden mass (kg)* | 4430 | 4430 | 5500 | 5500 |
| Technically permissible maximum towable mass (kg)* | 1450 O ⁴⁾ | 1450 O ⁴⁾ | 1100 ()4) | 1100 O ⁴⁾ |
| Permitted number of seats (including driver)* | 4 - 5 O ⁵⁾ |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 | 41/34/34 | 41/34/34 | 41/34/34 |
| Overall clearance storage- / garage door W x H (cm) | 110 x 123 | 90 x 114 / 90 x 94 | 110 x 123 | 90 x 114 / 90 x 94 |
| Bed dimension: Pull-down bed L x W (cm) | 197 x 145 / 2x 199 x 65 O | 197 x 145 / 2x 199 x 65 O | 197 x 145 / 2x 199 x 65 O | 197 x 145 / 2x 199 x 65 O |
| Bed dimension: Rear bed L x W (cm) | 207 x 90 / 202 x 90 | 200 x 156 | 2x 205 x 90 | 200 x 156 |
| Bed dimension: Central bed L x W (cm) | 205 x 110 - 50 O | 205 x 110 - 50 O | 205 x 110 - 75 O | 205 x 110 - 75 O |
| Berths | 4-50 | 4-50 | 4-50 | 4-50 |
| Bathroom W x D (cm) | 90 x 80 | 90 x 80 | 90 x 80 | 90 x 80 |
| Separate shower W x D (cm) | 73 x 77 | 73 x 77 | 73 x 77 | 73 x 77 |
| Wardrobe W x D x H (cm) | 30 x 57 x 190 | 30 x 56 x 107 / 30 x 56 x 107 | 30 x 57 x 190 / 65 x 57 x 190 | 30 x 56 x 107 / 30 x 56 x 107 / 65 x 57 x 190 |
| Fridge volume (freezer compartment) (I) | 153 | 153 | 153 | 153 |
| Standard heating | Warm water heating | Warm water heating | Warm water heating | Warm water heating |
| Gas bottle storage (Filling weight) | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg |
| Total fresh water tank capacity (I) | 180 | 180 | 180 | 180 |
| Fresh water tank in driving filling level (I) | 20 | 20 | 20 | 20 |
| Waste water tank (I) | 150 | 150 | 150 | 150 |
| Sockets: 230 V/12 V/USB | 4/2/6 | 4/2/6 | 4/2/6 | 4/2/6 |

Standard equipment
 Optional equi
 On request (no extra cost)
 Not possible

O Optional equipment

Mandatory

▲ Mandatory

☐ Available in package

 Δ Not known at the time of publication ** Estimated values



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-KLASSE MASTERLINE I EDITION MODEL BLACKLINE

1880 BlackLine B-ML I 780 BlackLine B-ML I 790 BlackLine B-ML I 890 BlackLine Chassis / Weight variants Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E $^{47)}$ Mercedes-Benz Sprinter 5.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E Exterior colour: Crystal-Silver Metallic Super lightweight chassis (SLC) Low-frame chassis with through-loading feature 9G-TRONIC automatic transmission incl. Hold function 92 I fuel tank 22 I AdBlue tank Exterior mirrors suspended, in black, electrically heated and adjustable, incl. wide-angle mirror Chrome version front (grill / fog light cover) **HYMER Premium Full-LED headlights** Comfort suspension chassis Engine compartment insulation and cab underbody panelling Mud flaps, front and rear axle Reinforced front axle Trailer hitch pre-installation Tandem axle 16" alloy wheels (black) with All Season tyres 37) 97) Shelf for smartphones incl. wireless charging with charge level indicator Mercedes-Benz acoustics package Cupholder instead of storage compartment ECO Start-Stop feature Electric parking brake Driver and passenger airbag 45) Cupholder driver and passenger seat Keyless Start (start-stop button for comfortable engine start) Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) Leather steering wheel (automatic transmission only) Multifunctional steering wheel Open shelf cockpit passenger side Fully automatic climate control THERMOTRONIC Warm air auxiliary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons **Active Brake Assist** Active Lane Keeping Assist **Attention Assist** Automatic headlight control Intelligent Speed Assistant Rain sensor **Crosswind Assist** Traffic Sign Assist Design graphics: BlackLine Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) Real glass side windows, superimposed Electric entrance step, 1-step Cab door with electric power windows and entry lighting 65 cm Maxi Comfort habitation door with inner shell, 2-way lock, window with blackout blind and waste bin Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Modern 3D rear design, insulated, with integrated lights Heated double floor incl. cellar compartments

| | e | e | ЭС | ЭС |
|--|--|--|--|----------------------|
| | Ė | Ė | į | Ė |
| | act | lact | lacl | acl |
| | B | B C | 0 B |) B |
| | 78(| 79(| 88 | 89(|
| | | | | |
| | B-ML I 780 BlackLine | B-ML I 790 BlackLine | B-ML I 880 BlackLine | B-ML I 890 BlackLine |
| GRP roof coating ¹⁶⁾ | • | • | • | • |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) | | | | |
| Large through-loading compartment with external access from both sides incl. extra deep basement compartment and access from | ŭ | | Ŭ | Ť |
| the inside | • | • | • | • |
| Skylight above pull-down bed with blackout blind and mosquito net, 40 x 40 cm | • | • | • | • |
| HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room | | • | | |
| Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm | • | • | • | • |
| Opening windows with blackout blind and mosquito net, LH and RH side, rear | • | • | • | |
| Electric roof awning incl. dimmable LED lighting, anthracite housing, 550 x 300 cm ^{12) 116)} | • | • | _ | _ |
| Electric roof awning incl. dimmable LED lighting, anthracite housing, 600 x 300 cm ^{12) 116)} | _ | _ | • | • |
| Outfitting | | | | |
| Electric front roller shutter with roller blind that can be drawn bottom up as well as sun visor | • | • | • | • |
| Cab blinds made of high-quality pleated fabric | • | • | • | • |
| Mosquito net on habitation door | • | | • | • |
| Floor in concrete look | • | • | • | • |
| Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests | • | • | • | • |
| Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts | • | • | | • |
| Drawer and insert tray storage space in seating group | • | • | • | • |
| Luxury table: 360° rotatable, longitudinally and transversably displaceable | <u> • </u> | <u> • </u> | <u> • </u> | • |
| Living and bedroom + lighting | | | | |
| Multi-functional ergonomic furniture elements | | | | |
| Pull-down bed, manual | | | | |
| Queensbed in the rear, electrically height adjustable | _ | | _ | |
| Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear | | | | |
| Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for pull-down bed Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) | | | | |
| Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as | | | | |
| well as atmospheric base illumination ¹¹²⁾ | • | • | • | • |
| Lighting dimmable (via push button) | | | | |
| Complete LED interior lighting | • | • | • | • |
| LED worktop lighting | | | | |
| Night lighting | • | • | • | • |
| Fitted sheets made to measure for rear beds individually adapted to mattress | • | • | • | • |
| 4 cushions | • | • | • | • |
| Kitchen | | | | |
| Pantry | • | • | • | • |
| Kitchen drawer with Soft close feature and cutlery insert | • | • | • | • |
| Freely arrangeable kitchen drawers, extra wide | • | • | • | • |
| 153 I Jumbo fridge | • | • | • | |
| Extra deep sink with tight-fitting chopping board and high water tap | • | • | | |
| Large cooker with glass cover and front panel operation | • | • | • | • |
| Structure wall panelling also serving as splash guard | | <u> </u> | <u> </u> | _ |
| Bathroom | | Ť | Ť | Ţ |
| Skylight (frosted glass) above shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm | • | | | |
| Saloon bathroom with separate shower, wash area, toilet and wardrobe | | | | |
| Shower insert floor with wooden surface | Ě | Š | Š | _ |
| Installation & Technology Automatic gas bottle changeover system with crash sensor and IceEx ⁸⁾ | _ | マ | _ | |
| Gas filter for automatic gas bottle changeover ^{8) 20)} | | | | |
| Gas-Warm water heating (incl. booster in the cab) incl. dashboard convectors | | | | |
| LCD keypad for heating (incl. booster in the cab) incl. dashboard convectors | | | • | |
| HYMER Connect sensor package incl. 1x gas level sensor, 1x temperature sensor and 2x contact sensor | | | | • |
| HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ | • | | • | • |
| 7" touch display for convenient control and monitoring of smart vehicle features | • | | | • |
| Extra low gas bottle compartment for easy gas bottle change with comfy access via external door | • | • | • | • |
| O | • | • | • | • |
| HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) | | | | • |
| · · · · · · · · · · · · · · · · · · · | | | | |
| HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) Twin USB on seating group and in small cab cupboard | • | | | |
| Charging booster for safe charging of the habitation battery while driving (up to 70 A) | • | • | • | • |

| | B-ML I 780 BlackLine | B-ML I 790 BlackLine | B-ML I 880 BlackLine | B-MLI 890 BlackLine |
|--|----------------------|----------------------|----------------------|---------------------|
| Electric waste water drainage with dashboard switch | • | • | • | • |
| Smart Connect water level display (in 1% increments) | • | • | • | • |
| Water filter for fresh water system | • | • | • | • |
| Pre-wiring kit Solar system | • | • | • | • |
| Solar panel with solar charge controller (MPPT) and display, 3 x 95 W | | • | | • |
| Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB as well as comfort lights | • | • | • | • |
| Multimedia | | | | |
| Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear bedroom, radio and DVB-T2 antenna | • | • | • | • |
| DAB Radio | | • | • | • |
| 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen | • | • | • | • |
| 32" Smart LED-TV with built-in speakers, remote control, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), electric bracket as well as receiver | • | • | • | • |
| 5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) | • | • | • | • |
| Smart Multimedia wiring living room (DSP box incl. wiring TV living room to DSP box) | | • | • | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | • | • | • | • |
| Fabrics & Furniture finishes | | | | |
| Furniture finish: Grand Oak | • | • | | lacktriangle |
| Fabric combination: Bogota | • | • | • | • |
| Packages | | | | |
| BlackLine package B-ML I 780 / 790 | • | • | - | _ |
| | | | | |

EQUIPMENT LINES HYMER B-KLASSE MASTERLINE I EDITION MODEL BLACKLINE

| | BlackLine package B-ML I 780 / 790 | BlackLine package B-ML I 880 / 890 |
|---|------------------------------------|------------------------------------|
| Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E | • | _ |
| Exterior colour: Crystal-Silver Metallic | • | • |
| HYMER Premium Full-LED headlights | • | • |
| Exterior mirrors suspended, in black, | | |
| electrically heated and adjustable, incl. wide- angle mirror | • | • |
| 16" alloy wheels (black) with All Season tyres | • | _ |
| Shelf for smartphones incl. wireless charging with charge level indicator | • | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | • | • |
| Leather steering wheel (automatic transmission only) | • | • |
| Fully automatic climate control THERMOTRONIC | • | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | • | • |
| Traffic Sign Assist | • | • |
| SatNav & Smartpone integration for Mercedes-Benz MBUX | • | • |
| Design graphics: BlackLine | • | • |
| Electric roof awning incl. dimmable LED lighting, anthracite housing, 550 x 300 cm | • | - |
| Electric front roller shutter with roller blind that can be drawn bottom up as well as sun visor | • | • |
| Drawer and insert tray storage space in seating group | • | • |
| Shower insert floor with wooden surface | • | • |
| Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB as well as comfort lights | • | • |
| HYMER Connect sensor package incl. 1x gas level sensor, 1x temperature sensor and 2x contact sensor | • | • |
| Solar panel with solar charge controller (MPPT) and display, 3 x 95 W | • | • |
| Fitted sheets made to measure for rear beds individually adapted to mattress | • | • |
| Floor in concrete look | • | • |
| 4 cushions | • | • |
| Automatic gas bottle changeover system with crash sensor and IceEx | • | • |
| Gas filter for automatic gas bottle changeover | • | • |
| Water filter for fresh water system | • | • |
| Smart Connect water level display (in 1% increments) | • | • |
| 32" Smart LED-TV with built-in speakers, remote control, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), electric bracket as well as receiver | • | • |
| 5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) | • | • |
| Mercedes-Benz Sprinter 5.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E | _ | • |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

| | BlackLine package B-ML I 780 / 790 | BlackLine package B-ML I 880 / 890 |
|--|------------------------------------|------------------------------------|
| Electric roof awning incl. dimmable LED | <u>_</u> | |
| lighting, anthracite housing, 600 x 300 cm | | • |
| Excess weight Equipment line (kg)* | 0 | 0 |
| Package price (incl. VAT) £ | | |

| • | Standard equipment | O Optional equipment | ▲ Mandatory | △ Not known at the time of publication |
|---|----------------------------|----------------------------------|--------------------------------|--|
| 4 | On request (no extra cost) | Not possible | \square Available in package | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKS HYMER B-KLASSE MASTERLINE I EDITION MODEL **BLACKLINE**

Autonomy package Lithium XL

HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity)

HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2 x 80 Ah LFP (overall capacity 320 Ah)

Inverter 12 V to 230 V, 1,800 W with network priority circuit

Package price (incl. VAT) 5,560.

Excess weight (kg)* 45.5

Heat exchanger for warm water heating

Heat exchanger pre-installation, Mercedes-Benz

Gas-Warm water garage floor heating

External insulation windscreen mat

Insulating mat for cab footwell, supplied loose

Auxiliary heating (supports heating when heating up the vehicle)

Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage

Package price (incl. VAT) 2,210.-

Excess weight (kg)* 39

 Standard equipment O Optional equipment ▲ Mandatory △ Not known at the time of publication ◆ On request (no extra cost) — Not possible ☐ Available in package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-KLASSE MASTERLINE I EDITION MODEL BLACKLINE

| | | Price £ | B-ML I 780 BlackLine | B-ML I 790 BlackLine | B-ML I 880 BlackLine | B-ML I 890 BlackLine | Excess weight (kg)* |
|------------------|--|---------|----------------------|----------------------|----------------------|----------------------|---------------------|
| Chassis / Weig | ht variants | | | | | | |
| V201104500 | Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 98) | | • | • | _ | _ | 0 |
| V201105000 | Weight variant 5,000 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) | | _ | _ | ♦ | ♦ | 0 |
| Basis | | | | | | | |
| V2062112 | LED fog lights incl. static cornering light ⁹⁵⁾ | 680 | 0 | 0 | 0 | 0 | 1.5 |
| V2058014 | Four-circuit air suspension (3 axles) | 11,990 | _ | _ | 0 | 0 | 78 |
| V2090512 | Track widening front axle (60 mm in total) | 290 | - | 0 | 0 | 0 | 9.5 |
| V2058011 | Four-circuit air suspension (2 axles) ⁴⁷⁾ | 10,280 | 0 | 0 | | | 52 |
| Body | | | | | | | |
| V2007111 | Trailer hitch, detachable ball head (max. 2.0 t) 13) 14) 121) | 1,080 | | 0 | 0 | 0 | 33 |
| V20391J | Electric windscreen warming | 600 | - | 0 | 0 | 0 | 0 |
| V3020211 | Electric entrance step on cab door (when opening the cab door the step automatically extends) | 390 | | 0 | 0 | 0 | 8 |
| V2045012 | Hydraulic lift system with automatic front and rear levelling ¹⁰²⁾ | 6,850 | 0 | 0 | 0 | 0 | 83 |
| V30020113 | Comfort-Plus habitation door incl. closing aid, RFID (keyless) access as well as central locking | 850 | 0 | 0 | 0 | 0 | 2 |
| V20460J | Comfort jacks, rear (2 units) ¹⁰²⁾ | 340 | _ | 0 | 0 | 0 | 9 |
| V20062J | Frame extension incl. 450 kg garage load ¹⁴⁾ | 420 | | 0 | 0 | 0 | 25 |
| V3055012 | Security lock for cab and habitation door | 510 | 0 | 0 | 0 | 0 | 1 |
| V3009011 | Electric roof vent with function supply and exhaust air above kitchen ¹⁹⁾ | 390 | 0 | 0 | 0 | 0 | 5 |
| V3011016 | HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom | 510 | 0 | 0 | 0 | 0 | 12 |
| Outfitting | | | | | | | |
| V20855J | Seat heating and lumbar support for pilot seats | 620 | 0 | 0 | 0 | 0 | 0 |
| V4052015 | Premium round and extendable table with real wood frame 122) 117) | 510 | 0 | 0 | 0 | 0 | 20 |
| V4062010 | 5th seat with lap belt on seat bench, RH side against direction of travel ¹⁰⁹⁾ | 510 | 0 | 0 | _ | _ | 38 |
| V4062011 | 5th seat with 3-point belt on seat bench, RH side in direction of travel 123) 109) | 760 | _ | _ | 0 | 0 | 38 |
| V30410J | Insulating mat for cab footwell, supplied loose | 140 | | | | | 3 |
| V40070J | Front overhead lockers instead of pull-down bed ¹²⁴⁾ | 470 | 0 | 0 | 0 | 0 | -16 |
| V40430J | Multifunctional sideboard instead of couch incl. seating, shoe- and multimedia compartment as well as $2 \times 230 \text{ V}$ and 1 Twin-USB socket $^{125)} ^{126)} ^{127)}$ | 640 | 0 | 0 | 0 | 0 | 15 |
| V30310J | Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage | 420 | | | | | 22 |
| V3072010 | Lockable compartment, RH side | 170 | 0 | 0 | 0 | 0 | 3 |
| V50100J | External shower, located in garage | 250 | 0 | 0 | 0 | 0 | 1 |
| Living and bed | | | | | | | |
| V60285J | Bed conversion for L-shaped seating group incl. lowerable table ¹¹⁰⁾ 109) | 390 | 0 | 0 | 0 | 0 | 5 |
| V40220E | Pull-down bed, electric | 1,280 | 0 | 0 | 0 | 0 | 3 |
| V40220EA | Pull-down bed with single bed feature, electric ¹²²⁾ | 1,710 | 0 | 0 | 0 | 0 | 18 |
| V40220MA | Pull-down bed with single bed feature incl. comfort sleeping system with cup-slatted bed frame, manual $^{122)}$ | 1,110 | 0 | 0 | 0 | 0 | 15 |
| V40350J | Ladder for pull-down bed | 60 | 0 | 0 | 0 | 0 | 5 |
| V60260J | Additional cushion between the longitudinal single beds incl. integrated comfort access | 390 | 0 | _ | 0 | _ | 4 |
| Kitchen | | | | | | | |
| V40310129 | TEC-Tower (153 I fridge/freezer unit, oven) 118) 37) | 610 | 0 | 0 | 0 | 0 | 10 |
| V4020012 | Cooker- / oven combination ¹¹⁹⁾ | 760 | 0 | 0 | 0 | 0 | 29 |
| V4028014 | Hybrid cooker (gas- and induction cooker) 120) | 600 | 0 | 0 | 0 | 0 | 2.5 |
| V4001511 | Kitchen worktop made of solid surface | 1,360 | 0 | 0 | • | • | 10 |
| Bathroom | | | | | | | |
| V5053010 | Ceramic toilet | 420 | 0 | 0 | 0 | 0 | 10 |
| Installation & T | Technology | | | | | | |
| | | | | | | | |



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

9 e e

| | | Price £ | B-ML I 780 BlackLine | B-ML I 790 BlackLine | B-ML I 880 BlackLine | B-ML I 890 BlackLine | Excess weight (kg)* |
|----------------|---|---------|----------------------|----------------------|----------------------|----------------------|---------------------|
| V50230J | External gas socket with shut-off valve | 170 | 0 | 0 | 0 | 0 | 1 |
| V5012515 | HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) | 1,530 | | | | | 10.5 |
| V5012516 | HYMER Smart Battery System 2.0 - extension: 3rd & 4th habitation battery module - 2×80 Ah LFP (overall capacity 320 Ah) $^{89)}$ | 2,990 | | | | | 21 |
| V5033014 | Roof AirCon, 2,400 W | 1,960 | 0 | 0 | 0 | 0 | 33 |
| V3064012 | Toilet vent | 250 | 0 | 0 | 0 | 0 | 1 |
| Multimedia | | | | | | | |
| V5055011 | Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVB-T / C, DVB-S2, wiring as well as wall bracket $^{31)}$ | 1,230 | 0 | 0 | 0 | 0 | 13 |
| V50440116 | Digital flat antenna, without receiver | 2,310 | 0 | 0 | 0 | 0 | 17 |
| V50440123 | Digital satellite dish, 80 cm, without receiver | 2,480 | 0 | 0 | 0 | 0 | 14.5 |
| V50440124 | Digital satellite dish, 80 cm, Twin LNB | 2,730 | 0 | 0 | 0 | 0 | 15.5 |
| Fabrics & Furn | iture finishes | | | | | | |
| V100704165 | Fabric combination: Porto | | • | • | • | • | 0 |
| V100704171 | Textile leather-/ fabric combination: Valletta | 850 | 0 | 0 | 0 | 0 | 4 |
| V100704166 | Leather-/ Fabric combination: Tenerife | 2,560 | 0 | 0 | 0 | 0 | 4 |
| V100704090 | Leather: Grigio | 2,560 | 0 | 0 | 0 | 0 | 6.5 |
| V100704167 | Leather: Isola | 2,560 | 0 | 0 | 0 | 0 | 6.5 |
| V602104011 | Carpet: Laguna | 340 | | 0 | 0 | 0 | 7 |
| V602104009 | Carpet: Samona | 340 | 0 | 0 | 0 | 0 | 7 |
| Packages | | | | | | | |
| V8007117 | Autonomy package Lithium XL | 5,560 | 0 | 0 | 0 | 0 | 45.5 |
| V8005016 | Arctic package SMART | 2,210 | 0 | 0 | 0 | 0 | 39 |

O Optional equipment

Mandatory Δ Not known at the time of publication Further information from p. 107 ◆ On request (no extra cost) — Not possible ☐ Available in package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

PRICES AND TECHNICAL DATA HYMER VENTURE S



| | Venture S |
|--|---|
| Price a) £ | 210,090 |
| Standard chassis | Mercedes-Benz Sprinter 419 CDI |
| Drive | All Wheel Drive |
| kW (hp) | 140 (190) |
| Emission standards | Euro VI-E |
| Length / Width / Height (cm) | 645 ¹⁾ / 216 ²⁾ / 307 ³⁾ |
| Body width / Internal width (cm) | 207/200 |
| Roof type | Sleeping roof |
| Standing height in living area (cm) | 196 |
| Wheelbase (mm) | 3665 |
| Mass in running order (-/+ 5%) (kg)* | 3567 (3389 - 3745)* |
| Manufacturer-specified mass for optional equipment (kg)* | 363 |
| Technically permissible maximum laden mass (kg)* | 4100 |
| Technically permissible maximum towable mass (kg)* | 1780 O ⁴⁾ |
| Permitted number of seats (including driver)* | 2 |
| Insulation Floor / Wall / Roof (mm) | 41/34/34 |
| Bed dimension: Rear bed L x W (cm) | 190 x 120 - 110 |
| Bed dimension: Sleeping roof L x W (cm) | 210 - 140 x 140 |
| Berths | 4 |
| Bathroom W x D (cm) | 127 x 67 |
| Separate shower W x D (cm) | 64×74 |
| Wardrobe W x D x H (cm) | 30 x 540 x 196 |
| Kitchen W x D x H (cm) | 168 x 60 x 93 |
| Standard heating | Diesel warm air, 6 kW |
| Gas bottle storage (Filling weight) | 1 x 5 kg |
| Total fresh water tank capacity (I) | 120 |
| Fresh water tank in driving filling level (I) | 20 |
| Waste water tank (I) | 100 |
| Battery capacity (Ah) | 4x80 Ah (LFP) |
| Sockets: 230 V/12 V/USB | 6/6/9 |

| Standard equipment | O Optional equipment | ▲ Mandatory | △ Not known at the time of publication |
|--|----------------------------------|------------------------|--|
| On request (no extra cost) | Not possible | ☐ Available in package | |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER VENTURE S

| Chassis / Weight variants | Ve |
|--|----|
| Mercedes-Benz Sprinter 4.1 t - 419 CDI - 140 KW/190 hp - Euro VI-E | • |
| Basis | |
| Pastel: Stone grey | • |
| Bumper, wheel arch and attachments made in ELASTOCOAT | • |
| PG-TRONIC automatic transmission incl. Hold function | • |
| All-wheel drive (permanent) with torque-on-demand | • |
| 22 I AdBlue tank | • |
| Electrically adjustable and heated exterior mirrors | • |
| LED High-Performance headlights | • |
| Fog lights with cornering light | • |
| Mud flaps, rear axle | • |
| Daytime Running Light integrated in headlights | • |
| Reinforced front axle | • |
| Heat-insulating glass with tinting strip on windscreen | • |
| Heated windscreen | • |
| .6" steel rim (black) with studded tyres (All Terrain) ⁷³⁾ | • |
| Shelf for smartphones incl. wireless charging with charge level indicator | • |
| Shelf above windscreen | • |
| Mercedes-Benz acoustics package | • |
| Electric cab windows and central locking for cab | • |
| Electric parking brake | • |
| Driver and passenger airbag | • |
| Keyless Start (start-stop button for comfortable engine start) | • |
| Mercedes-Benz instrument cluster with colour display | • |
| Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) | • |
| Leather steering wheel (automatic transmission only) | • |
| Steering wheel, height and tilt adjustable | • |
| Open shelf cockpit passenger side | • |
| Parameterisable special module for controlling retrofitted electronic add-on parts | • |
| Fully automatic climate control THERMOTRONIC incl. rain sensor | • |
| ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) | • |
| Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons | • |
| Active Brake Assist | • |
| Active Lane Keeping Assist | • |
| Attention Assist | • |
| Automatic headlight control | • |
| Hill Start Assist | • |
| High Beam Assist | • |
| ntelligent Speed Assistant | • |
| Fraffic Sign Assist | • |
| Body | |
| Design graphics in honeycomb look | • |
| Stone chip resistant Raptor paint for bumpers, wheel arches and add-on parts | • |
| nstant Loft - Pneumatic sleeping roof with air chamber system, electric locking and ambient lighting | • |
| Optimal PUAL Sandwich insulation alloy / alloy (34 mm wall and roof thickness) | • |
| External rear storage compartments, RH and LH side | • |
| Electric entrance step, 1 step, incl. Coming Home feature | • |
| Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology | • |
| Flexible mounting system via airline rails on tailgate | • |
| Rear platform with load capacity up to 350 kg | • |
| Comfort-Plus habitation door incl. closing aid, RFID (keyless) access as well as central locking | • |
| ront and rear underride protection | • |
| GRP lightweight floor with XPS insulation (41 mm floor thickness) | • |
| 14" LED Light bar above cab | • |
| • | _ |
| Jnderfloor storage box, LH side | |
| • | • |
| Underfloor storage box, LH side Skylight sleeping roof, 40 x 40 cm Skylight above seating group, 40 x 40 cm | • |
| Underfloor storage box, LH side Skylight sleeping roof, 40 x 40 cm Skylight above seating group, 40 x 40 cm Panorama window rear seating group | |
| Underfloor storage box, LH side Skylight sleeping roof, 40 x 40 cm Skylight above seating group, 40 x 40 cm | |

| | Venture S |
|---|-----------|
| Mercedes-Benz Comfort seat in living area fabric, height- and tilt adjustable, rotating, with 2 armrests and integral look ⁴⁶⁾ | • |
| Cab blinds | • |
| Mosquito net on habitation door and rear platform | • |
| Comfort push locks with genuine leather loops on flaps and drawers | • |
| Multifunctional wall panels with aluminium profiles (in bamboo look) | • |
| Floor-to-ceiling wardrobe incl. pantry | • |
| Desk / PC workstation with folding bamboo tabletop | • |
| Cab storage system with felt trim boxes | • |
| Stairway with bamboo steps | • |
| Lashing eyes on seating group | • |
| Felt-look wall panelling | • |
| Living room table with solid bamboo top, sliding | • |
| External shower in external storage compartment, LH side | • |
| Living and bedroom + lighting | |
| Breathable dual-core mattress with individually adjustable firmness level | • |
| Fitted sheets for sleeping roof | • |
| 4 cushions | • |
| Complete LED interior lighting, warm white, dimmable | • |
| Light package (Multifunctional pendant lamp as well as 2 ambient reading lights for multifunctional walls) | • |
| Kitchen | |
| Worktop extension incl. chopping board | • |
| 115 I compressor fridge incl. 17 I freezer compartment and low-noise night mode | • |
| Freely arrangeable kitchen drawers, extra wide | • |
| FENIX kitchen worktop, extra matt, anti-fingerprint | • |
| Waste bin | • |
| 2-burner hob | • |
| Bathroom | |
| Comfort bathroom with patented room extension incl. flush shower and bamboo shower column | • |
| Bathroom window | • |
| Make-up mirror, magnetic | • |
| Installation & Technology | |
| 6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) | • |
| Warm air heating in the bedroom, can be regulated separately | |
| 7" touch display for convenient control and monitoring of smart vehicle features | • |
| HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. ⁶²⁾ | • |
| HYMER Smart Battery System 2.0 - (4 x 80 Ah LFP) incl. additional charger | • |
| Charging booster for safe charging of the habitation battery while driving (up to 70 A) | • |
| Solar panel with solar charge controller (MPPT), 3 x 115 W | • |
| Inverter 12 V to 230 V, 1,600 VA, 2,800 Watt peak power incl. 70 A additional charger ¹²⁸⁾ | • |
| 120 I fresh water tank, insulated and heated (20 I in driving position) | |
| 100 I waste water tank, insulated and heated | • |
| Electric waste water drainage | |
| Water filter for fresh water system | • |
| Smart Connect water level display (in 1% increments) | • |
| Multimedia | |
| 2 cab speakers, radio and DVB-T2 antenna | |
| Networking of the technical components of vehicle body construction | • |
| 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera 90) | • |
| Mobile SONOS Smartspeaker incl. bracket for multifunction wall | • |
| Fabrics & Furniture finishes | |

 $\ensuremath{\Delta}$ Not known at the time of publication

● Standard equipment Optional equipment Amandatory
◆ On request (no extra cost) — Not possible ☐ Available in package

Furniture finish: Native Bamboo Fabric combination: Indiana Cab carpet Venture S

PACKS HYMER VENTURE S

Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

Package price (incl. VAT) 1,190.-

Excess weight (kg)*

Standard equipment
 O Optional equ
 On request (no extra cost)
 Not possible

O Optional equipment

Mandatory

▲ Mandatory

☐ Available in package

 Δ Not known at the time of publication



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER VENTURE S

| | | Price £ | Ventur | Excess |
|------------------|---|---------|--------|--------|
| Chassis / Weig | ht variants | | | |
| V201103880 | Weight variant 3,880 kg | 220 | 0 | 0 |
| Basis | | | | |
| V8006031 | Exterior colour: Source blue metallic ^{129) 37)} | 7,460 | 0 | 3.5 |
| V2021051 | 18" alloy rims Delta Beadlock (black) with studded tyres (All-Terrain) ^{37) 73)} | 4,960 | 0 | 22 |
| V2113010 | Wet Wiper System (windscreen wiper with integrated spray nozzles) 51) | 90 | | 0 |
| V20855J | Seat heating and lumbar support for Original Mercedes-Benz seats ⁵²⁾ | 620 | | 2 |
| V2022210 | Downhill Speed Regulation (Offroad mode) | 510 | 0 | 0 |
| Body | | | | |
| V30522110 | 3 m awning, electric (12 V) with LED lighting | 1,710 | 0 | 30 |
| V2007111 | Trailer hitch, removable ball head (max. 2 t) | 1,710 | 0 | 24 |
| V3071510 | Bicycle carrier on airline rails (black powder-coated) for two bicycles, max. load 60 kg | 2,050 | 0 | 17.5 |
| V20460J | Comfort jacks, rear (2 units) | 340 | 0 | 9 |
| V3055010 | Security lock for habitation door | 250 | 0 | 0.5 |
| V3012011 | Electric skylight ventilator with supply and exhaust air function for seating group | 390 | 0 | 5 |
| Outfitting | | | | |
| V30490J | 2 camping chairs + table (suitable for storage space seating group RH side) | 420 | 0 | 14.5 |
| V4016210 | SKOTTI gas barbecue incl. gas bottle connection set | 210 | 0 | 4.5 |
| Bathroom | | | | |
| V5053010 | Ceramic toilet | 420 | 0 | 10 |
| V3064012 | Toilet vent (silent, steady air exchange during rinsing, no use of additional toilet chemicals necessary) | 340 | 0 | 0.5 |
| Installation & T | | | | |
| V5028021 | 1,800 W electric bar heater (for 6 kW Diesel warm air heating) | 500 | _ | 1.5 |
| V50230J | Gas connection in storage compartment | 170 | | 1 |
| V5033015 | Underfloor AirCon Truma Saphir Compact 1,800 W | 1,710 | 0 | 24 |
| Multimedia | | | | |
| V5012810 | Compact beamer incl. bracket for multifunctional wall and canvas | 1,110 | _ | 3 |
| V5073019 | HYMER Premium Sound System in the cab, incl. subwoofer | 730 | 0 | 0 |
| Fabrics & Furn | | | | |
| V100704126 | Leather / fabric combination: Moreno | 2,560 | 0 | 5 |
| Packages | | 1100 | | |
| V8031023 | Winter package | 1,190 | 0 | 3 |

● Standard equipment O Optional equipment ▲ Mandatory △ Not known at the time of publication Further information from p.107
◆ On request (no extra cost) — Not possible □ Available in package



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

HYMER ORIGINAL PARTS FOR YOUR MOTORHOME

The HYMER Original Parts product range offers you solutions with added value that combine an excellent fit with harmonious design – and, of course, in the renowned HYMER quality. Whether you're looking for a solution for securely transporting your bikes or are interested in being more self-sufficient, we offer you tailor-made products for your vehicle.



HYMER Bike Carrier: practical solution for transporting your bikes in the rear garage

With the HYMER Bike Carrier you can easily and efficiently store up to two bicycles or e-bikes in the rear garage. The individually adjustable vertical support pole and holding brackets make the loading process a breeze.



Make the space your own thanks to the range of modular accessories for the hook-on rail

HYMER Original Parts offers you accessories such as tablet holders, a universal shelf and spice racks for the integrated rail in the living area. Adapt the walls to perfectly suit your needs!









HYMER insulation and sunblinds

Protect yourself from the heat or cold inside the vehicle with insulation and sunblinds from HYMER Original Parts. The high-quality blinds can be installed in just a few simple steps and are extremely durable.



HYMER cab carpet

Protect the cab of your motorhome with the high-quality cab carpet from HYMER Original Parts. The carpet is made of made-to-measure and low-maintenance polypropylene tufted velour and finished off with an embroidered HYMER logo.

Tailor-made solutions for your sleeping comfort, various storage space solutions, a wide range of merchandise and items from our collections are also available from HYMER Original Parts – and much more besides. Take a look at the entire product range of HYMER Original Parts.





Original accessories are not available direct from the factory, but are instead ordered and retrofitted exclusively via your HYMER dealer. The items are retrofitted to the vehicle following delivery from the factory and are not the responsibility of the manufacturer. Original HYMER parts and accessories that are retrofitted to a vehicle affect the payload capacity and axle loads.

Please note that the technically permissible maximum laden mass on the axle must not be exceeded even after fitting the original HYMER parts and accessories. For further information and explanations on the topic of weight, please refer to our weight information.

IMPORTANT NOTES:

Abbreviations

ABS - Anti-lock Braking System

ASR - Anti-Slip Control - Traction Control

EDS - Electronic Differential Lock

ESC - Driving Dynamics Control = ESP

ESP - Electronic Stability Control - Driving Dynamics Control

HBA - Hydraulic Brake Assist

LAC - Load Adaptive Control

MSR - Engine Drag Torque Control

EBV - Electronic Brake-Force Distribution

Any modification in the Original factory condition of your vehicle may result in impaired driving and / or driving safety.

Please note that the standard equipment may be omitted when ordering optional extras. Individual package contents can sometimes be ordered individually. Since not all dependencies of optional extras can be listed here, please check with your HYMER dealer.

Accessories and original spare parts recommended by Hymer GmbH & Co KG are designed, developed and approved specifically for your vehicle. Your HYMER dealer supplies these products; he is informed about all the technical details and can perform the necessary work in the correct manner. Accessories, add-on, conversion or installation parts not approved by Hymer GmbH & Co KG may cause damage to the vehicle and impair road safety. Even if an expert's report, a parts BE or a type approval is available for these parts, there is no presumption of the proper condition of the product. Please understand that for any damage caused by non-approved products or not permitted changes, Hymer GmbH & Co KG CANNOT be made liable.

Weight figures are approximate values. The payload stated in the price list is reduced by the weights stated in the price list if optional extras are fitted.

Please note: The alternative engine options available at extra cost, as well as all other chassis options such as automatic transmission and air conditioning, result in a change in weight. The additional weight of the individual chassis and engine variants as well as chassis options are always indicated in the chassis-related optional extras in the individual optional extras lists.

Please note: A maximum of 2 child seats are permitted on the bench seat in the living area, provided the table is removed and securely stowed. On an L-shaped seating group with fixed table, only one child seat is permitted beside the window. For this purpose, the side cushion must be removed and the table top moved towards the centre of the vehicle and locked in place. Please observe the exact instructions in the corresponding manual.

Please ensure that your observe the prescribed axle load when installing special parts attached to the rear of the vehicle, such as a motorcycle rack or

Please ensure that your observe the prescribed axle load when installing special parts attached to the rear of the vehicle, such as a motorcycle rack or trailer hitch.

The prices indicated are only valid for optional extras if fitted with the production of a new vehicle. The retrofitting of certain optional extras is sometimes not possible or associated with considerable additional costs.

This price list includes the series status at the time of printing. Despite checking the contents, errors can not be excluded. In the course of the model year, we reserve the right to change equipment and to make product improvements. The layouts are partially shown with optional extras available at extra cost, these are not part of the standard scope of delivery.

The water installation system is at least state-of-the-art as of 07/2011 (EG directive 2002/72/EG).

Before signing a sales contract, please inform yourself about our current product and series status with one of our approved HYMER dealers.

All prices are non-binding recommended retail prices in GBP including the legally valid value added tax (VAT), freight from Germany, first registration fee and pre-delivery inspection. For deliveries after the 31st of December 2020 import duties may apply. These are not included in the price and are charged separately.

Changes in price, design and equipment are possible without prior notice.

a) This is a recommended retail price based on UK retail prices. Prices in other countries may differ due to currency conversion and country-specific VAT, fees and import duties. For the latest information, please ask a local dealer for the prices applicable in your country.

This price list supersedes all previous ones.

Collection / Pick-up:

Collection / Pick-up of your HYMER motorhome at the factory is not possible.

FOOTNOTES

- 1) The length changes if optional extras such as trailer hitch, roof rails with rear ladder, Backrack+, bicycle rack, spare wheel incl. bracket on the outside of the rear wall, etc. are fitted.
- 2) Overall width corresponds the measurement incl. wheel arches (excluding exterior mirrors).
- 3) Height changes if optional equipment such as SAT antenna, roof rails etc. is fitted. The standard radio roof aerial is not included in the overall height.
- 4) The specification is the maximum technically possible trailer load, taking into account the total towing weight of the possible chassis variants. The gross train weight and the associated trailer load may vary depending on the equipment/chassis variant and the technically permissible gross vehicle weight of the towing vehicle Up to 12% incline: The engine power is inevitably reduced with increasing altitude. From 1000 m above sea level and every 1000 m thereafter, 10% of the trailer load must be deducted from the trailer weight. Your HYMER dealer will be happy to calculate the towing capacity of your individual vehicle. Please do not hesitate to contact them.
- 5) The number of persons stated may be reduced if the mass in running order increases. This increase occurs in particular if the engine version differs from the basic version, if optional extras are fitted and if a corresponding equipment version is selected. Use the weight information in the price list or talk to your HYMER dealer to make sure that the technically permissible total mass is not exceeded and that there is sufficient loading capacity for persons and items.
- 6) The Fiat Ducato 3.5 t chassis (Light and Maxi chassis) with a gross vehicle weight of 3.5 t cannot be upgraded. Please note this when ordering.
- 7) In the event of an accident, brakes are automatically locked to prevent a possible secondary collision.
- 8) Due to manufacturer's instructions, we recommend to order the gas filter when ordering the optional automatic gas bottle switchover with Crash Sensor and IceEx.
- 9) Body colour Crystal Silver not available in combination with exterior cab colour Campovolo grey.
- 10) Only available in combination with Style package.
- 11) Only available in combination with optional Driver Assistance System.
- 12) Brackets for awnings feet are supplied loose.
- 13) The trailer hitch for motorhomes is only available in combination with the frame extension.
- 14) Depending on the vehicle equipment and loading, situations may arise in which the axle load is exceeded before the 450 kg of the rear garage are reached. When loading the vehicle, the axle loads and the permissible total mass must be observed.
- 15) With a total mass of 3,500 kg, the trailer load is 2,000 kg. With a total mass of 3,650 kg, the trailer load is 1,850 kg.
- 16) GRP roof coating doesn't match the vehicle colour. The surface quality of the GRP coating does not correspond to a painted outer panel.
- 17) Surcharge to door with 1-way lock and window.
- 18) Roof AirCon and electric roof vent are mutually exclusive. Only one of these options can be ordered.
- 19) Due to manufacturer's instructions, please refer to the maximum speed of 150 km/h. Nevertheless, note the traffic regulations of your country as well as vehicle information.
- 20) Only available in combination with automatic gas bottle change over system with Crash Sensor and Ice Ex.
- 21) The HYMER Smart Battery System (HY-Tec-LFP-Battery 150) significantly extends the available electrical energy and thus the self-sufficient standing time of your motorhome. The HY-Tec-LFP-Battery offers a 200 % increase in available battery capacity with practically identical installation space (compared to standard 95Ah AGM_II batteries), combined with a weight saving of around 6 kg (approx. -22 %). This expandable solution increases the capacity and performance of the lead-acid batteries while increasing the efficiency and lifespan of the overall system. The lithium batteries are connected in parallel to the lead batteries. In this process, the lithium batteries take over most of the charging cycles, whilst the lead batteries act as backup storage. The battery computer regulates the optimal charge/discharge and also displays the state of charge.
- 22) Second habitation battery (95 Ah AGM), HYMER Smart Battery System (50 Ah LFP) and HYMER Smart Battery System (150 Ah LFP) incl. 18 A additional charger cannot be ordered at the same time or fitted inside one vehicle. Only one of these options can be ordered.
- 23) Second habitation battery (95 Ah AGM) incl. additional 18 A charger and HYMER Smart Battery system can not be ordered and fitted at the same time. Only one of these options can be ordered.
- 24) Electric floor tempering only available for walk-in area. Pedestal is heated with warm air and floor openings are not heated.
- 25) Carpet and floor heating options are mutually exclusive. Only one of these options can be ordered.
- 26) SatNav device incl. automatic switching from starter to habitation battery and selector switch for driving and camping operation.
- 27) HYMER Smart Control: Simple status query of water levels and battery voltage via the operating unit of the SatNav device.
- 28) Depending on the type of smartphone and the software version, the level of possible smartphone use may vary.
- 29) Full smartphone integration in the multimedia system (e.g. Apple Car Play, Google Android Auto) can only be guaranteed if the 9" Multimedia SatNav system is installed ex works. Smartphone integration is not possible in the retrofit version.
- 30) Only available in combination with TV pre-installation / TV-bracket.
- 31) Second LED-TV only available in combination with first LED-TV.
- 32) Carpet and electric floor tempering cancel each other. Only one of these options can be ordered.
- 33) For vehicles with transverse bed, LH side opening window at the rear only available as optional extra.
- 34) Halogen fog lights not available in combination with HYMER Full-LED headlights.
- 35) Only available in combination with optional height and tilt adjustment for pilot seats (A-Class models only).
- 36) 40 x 40 cm skylight not available in combination with optional front overhead lockers instead of pull-down bed.
- 37) When ordering this optional extra, standard variant is not included.
- 38) The specified mass in running order corresponds to the vehicle with standard equipment and optional extras.
- 39) Adaptive Cruise Control active from 30 km/h.
- 40) Active Distance Assist 30+ is only available in conjunction with the driving assistance system.
- 41) With a total mass of 3,500 kg or 3,650 kg, the trailer load is 2,000 kg.
- 42) The HYMER Smart Battery System (HY-Tec-LFP-Battery 50) significantly extends the available electrical energy and thus the self-sufficient standing time of your motorhome. The HY-Tec-LFP-Battery 50 offers a significant weight saving of 20 kg with the same capacity compared to a standard 95Ah AGM_II battery and requires only 1/3 of the space. This expandable solution increases the capacity and performance of the lead-acid batteries while increasing the efficiency and lifespan of the overall system. The lithium batteries are connected in parallel to the lead batteries. In this process, the lithium batteries take over most of the charging cycles, while the lead batteries act as backup storage. The battery computer regulates the optimal charge/discharge and also displays the state of charge.

- 43) Option incl. automatic radio switchover from cab to habitation battery.
- 44) Mercedes-Benz Sprinter 31x chassis with permissible total weight of 3,500 kg cannot be uprated. Please keep this in mind when ordering.
- 45) Please note: Front passenger airbag can not be deactivated! Therefore, it is not allowed to attach child seats with restraint system against direction of travel on the front passenger seat.
- 46) Original Mercedes-Benz seats are swivelling, as well as longitudinally / tilt and height adjustable, headrest can be adjusted.
- 47) Only available in combination with 9G automatic transmission.
- 48) Active Brake Assist standard for Mercedes-Benz Sprinter 41x CDI.
- 49) The options "Chrome grill" as well as "Bumper, add-on parts and grill frame painted in vehicle colour" are only available in combination.
- 50) Not available in combination with exterior colour Hightech silver.
- 51) Only available in combination with the optional cab seat heating and lumbar support for Original Mercedes-Benz cab seats.
- 52) Only available in combination with Wet Wiper System.
- 53) Design graphics Tenorite only available in combination with exterior colour Tenorite grey.
- 54) When choosing this option, a 40 x 40 cm skylight is fitted in the living area instead of the 80 x 50 panorama skylight.
- 55) Only available in combination with optional "6 kW warm air heating with 1,800 W electric bar heating, warm water boiler and 142 l absorber fridge" or "6 kW warm air heating with warm water boiler and 142 l absorber fridge".
- 56) If ordered with gas warm air heating, a larger gas bottle compartment (2 x 11 kg) is required. Kitchen drawers are therefore sometimes smaller or, depending on the layout, replaced by a flap.
- 57) Style package is only available in combination with exterior colours: White, Obsidian black or Tenorite grey.
- 58) Only available in combination with Equipment Line Plus or Premium.
- 59) Not available in combination with All Wheel Drive.
- 60) Eco Start-Stop function not applicable with All-Wheel Drive option.
- 61) When choosing the roof air con, the partition curtain to the sleeping area is omitted (ML-T 570 only).
- 62) HYMER Connect App also allows remote control via smartphone. Remote access and control via app and associated fees are included for a period of 2 years. After this period, various functions can still be used to a limited extent.
- 63) All Wheel Drive only available in combination with Mercedes-Benz Sprinter 419 chassis variant.
- 64) When ordering the optional All Wheel Drive, the overall height increases by approx. 9 cm.
- 65) Not available in combination with optional 17" rims.
- 66) All Wheel Drive is supplied with summer tyres as standard.
- 67) All Wheel Drive not available in combination with All Season tyres.
- 68) Engine compartment noise reduction insulation and engine / underride protection cannot be ordered at the same time. Only one of these options can be ordered.
- 69) Only available in combination with Comfort habitation door with window, blackout blind, integrated waste bin and 2-way lock.
- 70) Only available in combination with All Wheel Drive.
- 71) Optional tyre pressure sensors not available in combination with optional studded tyres.
- 72) 16" studded tyres can only be ordered directly from the factory.
- 73) Remember that the maximum permissible speed with these tyres is 120 km/h.
- 74) A jack is included with the order of the spare wheel.
- 75) Only available in combination with 16" rims.
- 76) The tyres fitted to the 16" spare wheel vary depending on the type of drive: The ML-T with All-Wheel Drive is fitted with winter tyres, while the Rear-Wheel Drive models are fitted with all-season tyres.
- 77) Not available in combination with bicycle rack.
- 78) The 16" steel spare wheel incl. studded tyres is only available in combination with the 16" steel rims (black) with studded tyres.
- 79) The awning light iconnected to the porch light.
- 80) With a total mass of 3,500 kg or 3,880 kg, the trailer load is 2,000 kg. With a total mass of 4,100 kg, the trailer load is 1,780 kg.
- 81) Please note when ordering: Roof rack with rear ladder only available ex works. Retrofitting is not possible.
- 82) Roof rack with ladder and checker roof plate not available in combination GRP roof coating.
- 83) Solar panels not available in combination with roof rack and rear ladder and checker roof plate (except B-MC I 550).
- 84) Not available in combination with spare wheel fitted on the rear wall (exterior).
- 85) Not available in combination with winter package.
- 86) Not available in combination with warm water heating.
- 87) Warm water heating can be regulated separately via shut-off valve.
- 88) Only available in combination with optional warm water heating.
- 89) Only available in combination with the optional HYMER Smart Battery System 2.0 extension: 2nd habitation battery module 80 Ah (LFP) incl. additional charger.
- 90) Vehicle dimensions and weights can be stored in the Mercedes me App.
- 91) Only available in combination with exterior colours: HYMER white, Tenorite grey or Obsidian black.
- 92) Not available in combination with the optional pilot seats.
- 93) The two optional extras 18' Delta Breadlock alloy wheels and 18' Delta spare wheel can only be ordered in combination.
- 94) The options "Seat heating and lumbar support for Mercedes-Benz Original seats" and the "Wet Wiper System" can only be ordered in combination.
- 95) Only available in combination with Equipment Line Premium.
- 96) When ordering the pull-down bed option, the standard panoramic skylight in the living area is not fitted.
- 97) When ordering the original Mercedes-Benz 16" alloy wheels in combination with the Mercedes-Benz Sprinter 41x CDI chassis, the weight variant 4,500 kg becomes possible.
- 98) Weight variant 4.5 t only available in combination with Original 16" Mercedes-Benz alloy wheels and must be ordered separately.
- 99) When ordering the lowerable double bed above the seating group, the max. awning length is 4 m.
- 100) In the 680 layout, the awning is only available in combination with the lowerable double bed above the seating group.
- 101) With a total mass of 3,500 kg or 3,880 kg, the trailer load is 2,000 kg. With a total mass of 4,430 kg, the trailer load is 1,450 kg. With a total mass of 4,500 kg, the trailer load is 1,380 kg.
- 102) Hydraulic lift jack system option not available in combination with optional rear comfort steadies. Only one of these options can be ordered.

- 103) Only available in combination with automatic transmission and cup holder.
- 104) When ordered with lowerable double bed above seating group, the optional solar system 2 x 95 W not available in combination with options 2,400 W roof AirCon and / or electric roof vent.
- 105) B-MCI/T 600: Warm water heating and 5th seating are mutually exclusive. Only one of these options can be ordered.
- 106) Only available in combination with the bed construction for the comfort L-shaped seating group and the extendable table with length, width and height adjustment. Alternatively, the equipment is also available with the bed conversion for the seating group incl. additional cushion and lowerable table.
- 107) Two Isofix places are provided.
- 108) Only available in combination with L-shaped seating group.
- 109) The options 5th seat and bed conversion kit for L-shaped seating group change the contour of the side couch.
- 110) Optional bed conversion kit for L-shaped seating group not available in combination with optional premium, round and extendable table.
- 111) Panoramic skylight in living area will not be fitted.
- 112) The 4 levels in the living area (ceiling, counter, floor and functional lights). Ambient lighting on ceiling in living/sleeping area. Suspended lighting in living area. Light temperature can be adjusted in ceiling area in living/sleeping area. All luminaires controlled via push-buttons can also be dimmed. In addition, there is an all-lights-off feature to switch off all lights inside the vehicle while in bed.
- 113) Not available in combination with pull-down bed.
- 114) Only available in combination with comfort habitation door.
- 115) Only available in combination with automatic transmission and cup holder.
- 116) An inverter is required for use in your own board network (without shore power). Alternatively, the awning can be operated via 230 V shore power.
- 117) When ordering this option, the space behind the LH cab seat / seating group is reduced. In the cab seats' rearmost locking position, the table and the seat may collide.
- 118) TEC-Tower not available in combination with Thetford cooker/oven combination Caprice.
- 119) Not available in combination with Hybrid cooker (gas and induction).
- 120) Hybrid cooker only available in combination with kitchen worktop made of solid surface.
- 121) With a total mass of 4,430 kg, the trailer load is 1,450 kg. With a total mass of 4,500 kg, the trailer load is 1,380 kg. At 5,000 kg or 5,500 kg, the trailer load is 1,100 kg.
- 122) High-quality round table not available in combination with optional pull-down bed with single bed feature.
- 123) 5th seat only available when ordered from factory. Retro-fitting of the 5th seat is not possible.
- 124) Front overhead lockers only available in combination with electric front roller shutter.
- 125) Not available in combination with 5th seating.
- 126) Not available in combination with bed conversion kit for L-shaped seating group (except B-MC I 580).
- 127) Not available in combination with pull-down bed with single bed feature.
- 128) The peak power describes the maximum power specified by the manufacturer that an inverter can supply for a short period of time, for example to absorb high starting currents or sudden load peaks.
- 129) Exterior colour Source Blue Metallic only available in combination with 18" alloy wheels Delta Beadlock (Black) with studded tyres (All-Terrain).

FOOD FOR THOUGHT!

LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the HYMER configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is \pm 5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg $\,$

The specific range of permissible weight deviations can be found for each model in the technical data. HYMER makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by HYMER by weighing each vehicle at the end of the line.

3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore 3*75 kg = 225 kg.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order — as an element of the actual mass — is subject to a legally permissible tolerance of \pm 5 % (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in $kg \ge 10 * (n + L)$

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg * (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass

- 2,850 kg mass in running order
- 3*75 kg mass of the passengers
- 100 kg minimum pay-mass
- = 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum paymass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value: 3,500 kg technically permissible maximum laden mass

- 2,907 kg real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg)
- 3*75 kg mass of the passengers
- 325 kg optional equipment (maximum permissible value)
- = 43 kg actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, HYMER further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, HYMER will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order — both upwards and downwards — have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

- 3.500 kg technically permissible maximum laden mass
- -2.907 kg real weighed mass in running order (+ 2% compared to the stated value of 2,850 kg)
- -3*75 kg mass of the passengers

- -150 kg optional equipment ordered for the specific vehicle
- = 218 kg actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

Please note!

This brochure contains the series status at the time of printing. Despite checking the contents, printing errors cannot be ruled out. We reserve the right to make equipment changes, product improvements and price changes during the course of the model year. Please contact one of our approved HYMER dealers for information on the current product, series and price status before concluding a contract.

Some of the vehicles are shown with optional extras that are included in the current price list and are available at an additional cost. The decoration shown is not part of the HYMER scope of delivery.

The details correspond to the European homologation regulations; these may change before the vehicle is purchased or delivered. Your HYMER dealer will be happy to inform you about any changes and the standard scope of delivery.

Copyright © 2025 Hymer GmbH & Co. KG



Hymer GmbH & Co. KG Postfach 1140 D-88339 Bad Waldsee

www.hymer.com



