

United Kingdom & Ireland

Made in Germany

Motorhomes

Important information regarding the selection of your motorhome

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Sunlight specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

| | |
|--|--------------------|
| Permitted seats (including driver)* | 4 |
| Berths | 2–3 ^{OPT} |
| Length / Width / Height (cm) | 595 / 214 / 287 |
| Headroom in living area (cm) | 195 |
| Standard chassis | Citroën Jumper |
| Standard engine | 2.2 BlueHDI |
| kW (hp) | 103 (140) |
| Mass in running order* (kg) | 2679 (2545–2813)* |
| Manufacturer-specified mass for optional equipment* (kg) | 497 |
| Technically permissible maximum laden mass* (kg) | 3500 |

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is $\pm 5\%$. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Sunlight weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the “Legal Information” section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated.

Detailed explanations on the subject of mass of the passengers can be found in the “Legal Information” section

| | |
|--|--------------------|
| Permitted seats (including driver)* | 4 |
| Berths | 2-3 ^{OPT} |
| Length / Width / Height (cm) | 595 / 214 / 287 |
| Headroom in living area (cm) | 195 |
| Standard chassis | Citroën Jumper |
| Standard engine | 2.2 BlueHDI |
| kW (hp) | 103 (140) |
| Mass in running order* (kg) | 2679 (2545-2813)* |
| Manufacturer-specified mass for optional equipment* (kg) | 497 |
| Technically permissible maximum laden mass* (kg) | 3500 |

4. The manufacturer-specified mass for optional equipment...

... is a value set by Sunlight per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the “Legal Information” section.



COMFORT

| | Additional weight* |
|---|--------------------|
| Bed conversion for seating area ⁴⁾ | 5 kg |
| Carpet | 5 kg |
| Wooden duckboard for the shower tray | 2 kg |
| Foldable window blinds | 7,5 kg |

SAFETY

+ 0,7 kg *

- Lane Control
- Rain and Dusk Sensor
- Traffic Sign and High Beam Recognition
- Matrix Instrument Cluster

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.

Prices and technical data

Van







| | V 60 | V 66 | V 67S | V 69 |
|---|----------------------|---|---------------------------------------|----------------------|
| | | | | |
| Price £ | 52,090.- | 54,690.- | 55,590.- | 54,690.- |
| Permitted seats (including driver)* | 4 | 4 | 4 | 4 |
| Berths | 2 - 3 OPT | 2 | 2 - 4 OPT | 2 |
| Length / Width / Height (cm) | 596 / 214 / 271 | 666 / 214 / 271 | 698 / 214 / 271 | 688 / 214 / 271 |
| Headroom in living area (cm) | 195 | 195 | 195 | 195 |
| Standard chassis | Citroën Jumper | Citroën Jumper | Citroën Jumper | Citroën Jumper |
| Standard engine | 2.2 | 2.2 | 2.2 | 2.2 |
| kW (hp) | 103 (140) | 103 (140) | 103 (140) | 103 (140) |
| Mass in running order* (kg) | 2566 (2438 to 2694)* | 2668 (2535 to 2801)* | 2733 (2596 to 2870)* | 2661 (2528 to 2794)* |
| Manufacturer-specified mass for optional equipment* (kg) | 600 | 491 | 432 | 488 |
| Technically permissible maximum laden mass* (kg) | 3500 | 3500 | 3500 | 3500 |
| Technically permissible towing weight 12 % braked (unbraked) (kg) | 2000 (750) | 2000 (750) | 2000 (750) | 2000 (750) |
| Tire size | 215/70 R 15 CP | 215/70 R 15 CP | 215/70 R 15 CP | 215/70 R 15 CP |
| Wheelbase (cm) | 345 | 380 | 380 | 380 |
| Bed size overcab / pull-down bed / Easy fold single bed (cm) | | | 185 x 80 OPT | |
| Bed dimension: Central / middle bed, L x W (cm) | 192 x 65 - 45 OPT | | 196 x 91 OPT | |
| Bed dimension: Rear bed, L x W (cm) | 194 x 140 - 130 | 200 x 70 195 x 80 200 - 195 x 194 OPT | 195 x 70 195 x 80 195 x 194 OPT | 195 x 140 |
| Refrigerator volume incl. freezer (l) | 78 (11) | 78 (11) | 137 (15) | 78 (11) |
| Heating type | Combi 4 Gas | Combi 4 Gas | Combi 4 Gas | Combi 4 Gas |



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

| | V 60 | V 66 | V 67S | V 69 |
|--|---|---|---|---|
| |  |  |  |  |
| Total fresh water tank capacity / fresh water tank when driving filled (l) | 116 / 20 ¹⁾ | 116 / 20 ¹⁾ | 116 / 20 ¹⁾ | 116 / 20 ¹⁾ |
| Waste water tank (l) | 92 | 92 | 92 | 92 |
| Sockets: 230 V | 4 | 4 | 4 | 4 |
| Sockets: USB | 2 | 2 | 2 | 2 |
| Inner dimensions storage locker right/left W x H (cm) | 65 x 110 45 x 85 OPT | 65 x 105 70 x 75 OPT | 95 x 105 75 x 80 OPT | 85 x 90 85 x 90 |
| Storage space for two gas cylinders with filling weight (kg) | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg |

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
 ◆ upon request — Not possible □ Available in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Van



| | V 60 | V 66 | V 67S | V 69 |
|---|------|------|-------|------|
| BASE VEHICLE CITROËN | | | | |
| Citroën Jumper 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • | • |
| Start & Stop function incl. booster | • | • | • | • |
| 60l fuel tank | • | • | • | • |
| Manual cab air conditioning | • | • | • | • |
| Cruise control | • | • | • | • |
| Steel rims 15" | • | • | • | • |
| Tyres M+S* Camping (snowflake) | • | • | • | • |
| Front Wheel Drive | • | • | • | • |
| Daytime running lights, integrated in headlights | • | • | • | • |
| Headlights with black frame | • | • | • | • |
| Driver and Passenger airbag | • | • | • | • |
| ABS, EBD (electronic brake force distribution), ESP (electronic stability program) | • | • | • | • |
| ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking) | • | • | • | • |
| Traction+ incl. hill descent assistant | • | • | • | • |
| Electric operated cab windows and central locking | • | • | • | • |
| Electric and heated mirrors | • | • | • | • |
| Radio aerial integrated in mirror | • | • | • | • |
| Radio pre-wiring including speakers | • | • | • | • |
| Multifunction steering wheel | • | • | • | • |
| Fix & Go breakdown kit | • | • | • | • |
| Central cup holder | • | • | • | • |
| Comfortable driving experience with rear and front axle stabilizers | • | • | • | • |
| Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt | • | • | • | • |
| USB charger (A+C) | • | • | • | • |
| Driver and passenger seats with armrests & upholstered covers (Captain Chair) | • | • | • | • |
| Driver and passenger seats swivel | • | • | • | • |
| Driver and passenger seat with lumbar support | • | • | • | • |
| Height and rake adjustment for driver seat | • | • | • | • |
| CONVERSION | | | | |
| 7-year water ingress warranty ²⁾ | • | • | • | • |
| GRP (glass fibre reinforced plastic) roof and rear wall | • | • | • | • |
| Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm | • | • | • | • |

| | V 60 | V 66 | V 67S | V 69 |
|--|------|------|-------|------|
| Design rear light carrier in three parts with full-LED lights | ● | ● | ● | ● |
| Double glazed hinged window with cassette blinds and flyscreens (except for bathroom) | ● | ● | ● | ● |
| Roof light with frosted perspex glas and flyscreen | ● | ● | ● | ● |
| Aluminium sidewalls | ● | ● | ● | ● |
| High quality entrance door with ergonomic handle inside and outside | ● | ● | ● | ● |
| Electric entrance step | ● | ● | ● | ● |
| Splash water seals for the exterior storage locker and doors | ● | ● | ● | ● |
| Large rear garage with lowered frame, lashing rings and interior lighting (depending on model) | ● | ● | ● | ● |
| Payload in garage up to 150 kg | ● | ● | ● | ● |
| COMFORT | | | | |
| Overhead lockers with soft close system | ● | ● | ● | ● |
| Ergonomically shaped upholstery for improved seating comfort | ● | ● | ● | ● |
| Isofix for 2 seats | ● | ● | ● | ● |
| Spacious storage compartments and storage options | ● | ● | ● | ● |
| Ventilation for storage locker and seat backrest | ● | ● | ● | ● |
| High-quality mattress in all beds | ● | ● | ● | ● |
| Wooden slatted frame in all fixed-beds for better sleeping comfort | ● | ● | ● | ● |
| Mattress cover removable and washable | ● | ● | ● | ● |
| Table extension | ● | ● | ● | ● |
| Furniture Decor Cozy Cottage, Dyna White und Active Grey | ● | ● | ● | ● |
| Floor Mountain Lodge | ● | ● | ● | ● |
| INSTALLATIONS | | | | |
| Automatic switching and separating systems for starter and leisure battery as well as for refrigerator | ● | ● | ● | ● |
| Bord-control-panel supplies information about filling levels and battery capacity | ● | ● | ● | ● |
| CEE 230 V external socket with safety device | ● | ● | ● | ● |
| Electric charger for leisure and vehicle battery 12 V / 18 A | ● | ● | ● | ● |
| Residual Current Device (RCD) | ● | ● | ● | ● |
| LED Awning light | ● | ● | ● | ● |
| LED interior light | ● | ● | ● | ● |
| High-performance, maintenance-free leisure battery (95 Ah AGM) | ● | ● | ● | ● |
| USB Socket (A/C) | ● | ● | ● | ● |
| HEATING / GAS SUPPLY | | | | |
| Gas control valves easily accessible and centrally arranged | ● | ● | ● | ● |
| Gas bottle locker for 2 x 11 kg gas bottles | ● | ● | ● | ● |
| Gas heating Combi 4 | ● | ● | ● | ● |
| KITCHEN | | | | |

| | V 60 | V 66 | V 67S | V 69 |
|---|------|------|-------|------|
| Ergonomically arranged kitchen with spacious work top | ● | ● | ● | ● |
| Large drawer with soft-close in the kitchen unit | ● | ● | ● | ● |
| 2-burner cooker with piezo ignition and glass cover | ● | ● | ● | ● |
| Folding extension for kitchen worktop | — | — | ● | — |
| Fridge 78 l with freezer compartment 11 l | ● | ● | — | ● |
| Fridge 137 l with freezer compartment 15 l | — | — | ● | — |
| Water tank incl. boiler 116 l, waste water tank 92 l | ● | ● | ● | ● |
| Waste bin | ● | ● | ● | ● |
| BATHROOM | | | | |
| Variobath | ● | ● | ● | ● |
| Shower cubicle lining | ● | ● | ● | ● |
| Large mirrors | ● | ● | ● | ● |
| Clothes rail in bathroom | ● | ● | ● | ● |
| Roof vent with integrated flyscreen blind | ● | ● | ● | ● |
| SOFT FURNISHING | | | | |
| Performance Grey | ● | ● | ● | ● |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Packs

Van



BASIC PACK

Bridge Light

Flyscreen door (one-piece)

Mirror with coat hooks

Panoramic roof light 70 x 50 cm

Clear glass roof light 40 x 40 cm

Additional weight (kg)*

14.6

Price

550.-

TWO-COLOUR ALLOY WHEELS PACK

Leather steering wheel and gear knob in leather trim

Air outlets with applications silver (Techno-Trim)

16" alloy wheels two-colour

Additional weight (kg)*

8

Price

1,040.-

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Van



| | Price £ ^{a)} | Additional weight (kg)* | V 60 | V 66 | V 67S | V 69 |
|--|-----------------------|-------------------------|------|------|-------|------|
| BASE VEHICLE CITROËN | | | | | | |
| 90l fuel tank | 40.- | 23 | ○ | ○ | ○ | ○ |
| CONVERSION | | | | | | |
| 2nd external storage door (size depends on layout) | 350.- | 3 | ○ | ○ | ○ | ● |
| COMFORT | | | | | | |
| Easy fold single bed ³⁾ | 690.- | 14 | — | — | ○ | — |
| Bed conversion for seating area ⁴⁾ | 300.- | 5 | ○ | — | ○ | — |
| Bed conversion single to double bed | 300.- | 5 | — | ○ | ○ | — |
| Wooden duckboard for the shower tray | 80.- | 2 | ○ | ○ | ○ | ○ |
| INSTALLATIONS | | | | | | |
| Pre-cabling reversing camera | 150.- | 1 | ○ | ○ | ○ | ○ |
| SOFT FURNISHING | | | | | | |
| Green Trail | 190.- | 0 | ○ | ○ | ○ | ○ |
| PACKS | | | | | | |
| Basic Pack | 550.- | 14.6 | ○ | ○ | ○ | ○ |
| Two-colour alloy wheels Pack | 1,040.- | 8 | ○ | ○ | ○ | ○ |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Further information from p. 66



* INFO





The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

Van Adventure

FIAT





| | V 60 | V 66 | V 67S | V 69 |
|---|---|---|---|---|
| |  |  |  |  |
| Price £ | 55,990.- | 58,490.- | 59,390.- | 58,490.- |
| Permitted seats (including driver)* | 4 | 4 | 4 | 4 |
| Berths | 2 - 3 OPT | 2 | 2 - 4 OPT | 2 |
| Length / Width / Height (cm) | 596 / 214 / 274 | 666 / 214 / 274 | 698 / 214 / 274 | 688 / 214 / 274 |
| Headroom in living area (cm) | 195 | 195 | 195 | 195 |
| Standard chassis | Fiat Ducato | Fiat Ducato | Fiat Ducato | Fiat Ducato |
| Standard engine | 2.2 | 2.2 | 2.2 | 2.2 |
| kW (hp) | 103 (140) | 103 (140) | 103 (140) | 103 (140) |
| Mass in running order* (kg) | 2640 (2508 to 2772)* | 2749 (2612 to 2886)* | 2814 (2673 to 2955)* | 2734 (2597 to 2871)* |
| Manufacturer-specified mass for optional equipment* (kg) | 526 | 410 | 351 | 415 |
| Technically permissible maximum laden mass* (kg) | 3500 | 3500 | 3500 | 3500 |
| Technically permissible towing weight 12 % braked (unbraked) (kg) | 2000 (750) | 2000 (750) | 2000 (750) | 2000 (750) |
| Tire size | 225/75 R 16 CP | 225/75 R 16 CP | 225/75 R 16 CP | 225/75 R 16 CP |
| Wheelbase (cm) | 345 | 380 | 380 | 380 |
| Bed size overcab / pull-down bed / Easy fold single bed (cm) | | | 185 x 80 OPT | |
| Bed dimension: Central / middle bed, L x W (cm) | 192 x 65 - 45 OPT | | 196 x 91 OPT | |
| Bed dimension: Rear bed, L x W (cm) | 194 x 140 - 130 | 200 x 70 195 x 80 200 - 195 x 194 | 195 x 70 195 x 80 195 x 194 | 195 x 140 |
| Refrigerator volume incl. freezer (l) | 78 (11) | 78 (11) | 137 (15) | 78 (11) |
| Heating type | Combi 4 Gas | Combi 4 Gas | Combi 4 Gas | Combi 4 Gas |



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

| | V 60 | V 66 | V 67S | V 69 |
|--|---|---|---|---|
| |  |  |  |  |
| Total fresh water tank capacity / fresh water tank when driving filled (l) | 116 / 20 ¹⁾ | 116 / 20 ¹⁾ | 116 / 20 ¹⁾ | 116 / 20 ¹⁾ |
| Waste water tank (l) | 92 | 92 | 92 | 92 |
| Sockets: 230 V | 4 | 4 | 4 | 4 |
| Sockets: USB | 2 | 2 | 2 | 2 |
| Inner dimensions storage locker right/left W x H (cm) | 65 x 110 45 x 85 | 65 x 105 70 x 75 | 95 x 105 75 x 80 | 85 x 90 85 x 90 |
| Storage space for two gas cylinders with filling weight (kg) | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg |

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
 ◆ upon request — Not possible □ Available in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Van Adventure

FIAT

| | V 60 | V 66 | V 67S | V 69 |
|---|------|------|-------|------|
| ADVENTURE EQUIPMENT | | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • | • |
| Fiat white | • | • | • | • |
| Adventure Decals | • | • | • | • |
| Soft furnishing Adventure | • | • | • | • |
| Cab sunroof | • | • | • | • |
| 2nd external storage door (size depends on layout) | • | • | • | • |
| Bed conversion single to double bed | — | • | • | — |
| Pack One (Awning, bike rack for 3 bikes) | • | • | • | • |
| Basic Pack | • | • | • | • |
| Package painted front bumper | • | • | • | • |
| Two-colour alloy wheels Pack | • | • | • | • |
| BASE VEHICLE FIAT | | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • | • |
| Start & Stop function incl. booster | • | • | • | • |
| 60l fuel tank | • | • | • | • |
| Manual cab air conditioning | • | • | • | • |
| Cruise control | • | • | • | • |
| Tyres M+S* Camping (snowflake) | • | • | • | • |
| Front Wheel Drive | • | • | • | • |
| Daytime running lights, integrated in headlights | • | • | • | • |
| Headlights with black frame | • | • | • | • |
| Driver and passenger airbag | • | • | • | • |
| Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt | • | • | • | • |
| ABS, EBD (electronic brake force distribution), ESP (electronic stability program) | • | • | • | • |
| ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking) | • | • | • | • |
| Traction+ incl. hill descent assistant | • | • | • | • |
| Electric operated cab windows and central locking | • | • | • | • |
| Electric and heated mirrors | • | • | • | • |
| Radio aerial integrated in mirror | • | • | • | • |
| Radio pre-wiring including speakers | • | • | • | • |
| Multifunction steering wheel | • | • | • | • |
| Fix & Go breakdown kit | • | • | • | • |

| | V 60 | V 66 | V 67S | V 69 |
|--|------|------|-------|------|
| Central cup holder | ● | ● | ● | ● |
| Comfortable driving experience with rear and front axle stabilizers | ● | ● | ● | ● |
| USB charger (A+C) | ● | ● | ● | ● |
| Driver and passenger seats with armrests & upholstered covers (Captain Chair) | ● | ● | ● | ● |
| Driver and passenger seats swivel | ● | ● | ● | ● |
| Driver and passenger seat with lumbar support | ● | ● | ● | ● |
| Height and rake adjustment for driver and passenger seat | ● | ● | ● | ● |
| CONVERSION | | | | |
| 7-year water ingress warranty ²⁾ | ● | ● | ● | ● |
| GRP (glass fibre reinforced plastic) roof and rear wall | ● | ● | ● | ● |
| Aluminium sidewalls | ● | ● | ● | ● |
| Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm | ● | ● | ● | ● |
| Design rear light carrier in three parts with full-LED lights | ● | ● | ● | ● |
| High quality entrance door with ergonomic handle inside and outside | ● | ● | ● | ● |
| Double glazed hinged window with cassette blinds and flyscreens (except for bathroom) | ● | ● | ● | ● |
| Roof light with frosted perspex glas and flyscreen | ● | ● | ● | ● |
| Electric entrance step | ● | ● | ● | ● |
| Large rear garage with lowered frame, lashing rings and interior lighting (depending on model) | ● | ● | ● | ● |
| Splash water seals for the exterior storage locker and doors | ● | ● | ● | ● |
| Payload in garage up to 150 kg | ● | ● | ● | ● |
| COMFORT | | | | |
| Ergonomically shaped upholstery for improved seating comfort | ● | ● | ● | ● |
| Isofix for 2 seats | ● | ● | ● | ● |
| Table extension | ● | ● | ● | ● |
| High-quality mattress in all beds | ● | ● | ● | ● |
| Mattress cover removable and washable | ● | ● | ● | ● |
| Wooden slatted frame in all fixed-beds for better sleeping comfort | ● | ● | ● | ● |
| Spacious storage compartments and storage options | ● | ● | ● | ● |
| Ventilation for storage locker and seat backrest | ● | ● | ● | ● |
| Overhead lockers with soft close system | ● | ● | ● | ● |
| Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey | ● | ● | ● | ● |
| Floor Mountain Lodge | ● | ● | ● | ● |
| INSTALLATIONS | | | | |
| High-performance, maintenance-free leisure battery (95 Ah AGM) | ● | ● | ● | ● |
| Bord-control-panel supplies information about filling levels and battery capacity | ● | ● | ● | ● |
| Automatic switching and separating systems for starter and leisure battery as well as for refrigerator | ● | ● | ● | ● |

| | V 60 | V 66 | V 67S | V 69 |
|--|------|------|-------|------|
| Electric charger for leisure and vehicle battery 12 V / 18 A | ● | ● | ● | ● |
| CEE 230 V external socket with safety device | ● | ● | ● | ● |
| Residual Current Device (RCD) | ● | ● | ● | ● |
| LED Awning light | ● | ● | ● | ● |
| LED interior light | ● | ● | ● | ● |
| USB Socket (A/C) | ● | ● | ● | ● |
| HEATING / GAS SUPPLY | | | | |
| Gas bottle locker for 2 x 11 kg gas bottles | ● | ● | ● | ● |
| Gas heating Combi 4 | ● | ● | ● | ● |
| Gas control valves easily accessible and centrally arranged | ● | ● | ● | ● |
| KITCHEN | | | | |
| Ergonomically arranged kitchen with spacious work top | ● | ● | ● | ● |
| Large drawer with soft-close in the kitchen unit | ● | ● | ● | ● |
| 2-burner cooker with piezo ignition and glass cover | ● | ● | ● | ● |
| Folding extension for kitchen worktop | — | — | ● | — |
| Water tank incl. boiler 116 l, waste water tank 92 l | ● | ● | ● | ● |
| Fridge 78 l with freezer compartment 11 l | ● | ● | — | ● |
| Fridge 137 l with freezer compartment 15 l | — | — | ● | — |
| Waste bin | ● | ● | ● | ● |
| BATHROOM | | | | |
| Variobath | ● | ● | ● | ● |
| Shower cubicle lining | ● | ● | ● | ● |
| Roof vent with integrated flyscreen blind | ● | ● | ● | ● |
| Large mirrors | ● | ● | ● | ● |
| Clothes rail in bathroom | ● | ● | ● | ● |
| SOFT FURNISHING | | | | |
| Soft furnishing Adventure | ● | ● | ● | ● |
| PACKS | | | | |
| Basic Pack | ● | ● | ● | ● |
| Package painted front bumper | ● | ● | ● | ● |
| Two-colour alloy wheels Pack | ● | ● | ● | ● |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Packs

Van Adventure

FIAT

BASIC PACK

| | |
|-----------------------------------|------|
| Bridge Light | |
| Flyscreen door (one-piece) | |
| Mirror with coat hooks | |
| Panoramic roof light 70 x 50 cm | |
| Clear glass roof light 40 x 40 cm | |
| Additional weight (kg)* | 14.6 |

in Van Adventure included

PACKAGE PAINTED FRONT BUMPER

| | |
|-------------------------|---|
| Painted bumper | |
| Skid Plate Black | |
| Fog lights | |
| Additional weight (kg)* | 3 |

in Van Adventure included

TWO-COLOUR ALLOY WHEELS PACK

| | |
|--|---|
| Leather steering wheel and gear knob in leather trim | |
| Air outlets with applications silver (Techno-Trim) | |
| 16" alloy wheels two-colour | |
| Additional weight (kg)* | 8 |

in Van Adventure included

BLACK ALLOY WHEELS PACK ⁵⁾

| | |
|--|--|
| Leather steering wheel and gear knob in leather trim | |
|--|--|



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

BLACK ALLOY WHEELS PACK ⁵⁾

Air outlets with applications silver (Techno-Trim)

16" alloy wheels black matt

Additional weight (kg)*

8

Price

0.-

DIGITAL PACKAGE

Automatic cab air conditioning

Wireless smartphone charging

10" Radio and navigation system (DAB+)

7" digital TFT color display

Reversing camera without grid lines

Additional weight (kg)*

4

Price

2,810.-

SAFETY PACK

Full Brake Control with Pedestrian Detection

Rain and light sensor

Lane control

Traffic sign recognition

Driver Drowsiness Detection

Intelligent Speed Assist

Additional weight (kg)*

0

Price

940.-

SAFETY PACK + ACC

Full Brake Control with Pedestrian Detection

Rain and light sensor

Lane control



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

SAFETY PACK + ACC

| | |
|----------------------------------|---------|
| Traffic sign recognition | |
| Driver Drowsiness Detection | |
| Intelligent Speed Assist | |
| Adaptive Cruise Control >30 km/h | |
| Additional weight (kg)* | 0 |
| Price | 1,460.- |

- Standard equipment
- ◆ upon request
- Optional equipment
- Not possible
- ▲ Mandatory
- Available in package
- △ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Van Adventure

FIAT

| | Price £ ^{a)} | Additional weight (kg)* | V 60 | V 66 | V 67S | V 69 |
|---|-----------------------|-------------------------|------|------|-------|------|
| BASE VEHICLE FIAT | | | | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 8-speed automatic gearbox | 2,770.- | 60 | o | o | o | o |
| Full LED Headlamps incl. wiping indicators and LED daytime running lights | 950.- | 0 | o | o | o | o |
| Tyre pressure indicator | 250.- | 0.8 | o | o | o | o |
| Electric Park Brake | 530.- | -9.4 | o | o | o | o |
| 90l fuel tank | 40.- | 23 | o | o | o | o |
| WEIGHT INCREASE | | | | | | |
| Weight increase to 3,65 t (no chassis modification)* | 220.- | 0 | o | o | o | o |
| CONVERSION | | | | | | |
| Two rear corner steadies | 290.- | 6 | o | o | o | o |
| Insulated waste water tank | 160.- | 8 | o | o | o | o |
| COMFORT | | | | | | |
| Foldable window blinds | 570.- | 8 | o | o | o | o |
| Easy fold single bed ³⁾ | 690.- | 14 | — | — | o | — |
| Bed conversion for seating area ⁴⁾ | 300.- | 5 | o | — | o | — |
| Wooden duckboard for the shower tray | 80.- | 2 | o | o | o | o |
| Carpet | 250.- | 5 | o | o | o | o |
| INSTALLATIONS | | | | | | |
| Second AGM leisure battery 95 Ah | 290.- | 27 | o | o | o | o |
| 12V TV pre-cabling incl. flat screen holder | 190.- | 3 | o | o | o | o |
| Mobile internet (WiFi / LTE antenna incl. Router) | 870.- | 1.4 | o | o | o | o |
| Pre-cabling reversing camera | 150.- | 1 | o | o | o | o |
| Pre-cabling solar system | 150.- | 2 | o | o | o | o |
| HEATING / GAS SUPPLY | | | | | | |
| Floor heating electric in living area | 430.- | 6 | o | o | o | o |
| Heating Combi 6 E (with el. heating element) incl. digital control panel | 610.- | 2 | o | o | o | o |
| Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor) | 260.- | 3.5 | o | o | o | o |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

| | Price £ ^{a)} | Additional weight (kg)* | V 60 | V 66 | V 67S | V 69 |
|---------------------------------------|-----------------------|----------------------------|------|------|-------|------|
| KITCHEN | | | | | | |
| Oven in kitchen | 460.- | 12 | ○ | ○ | ○ | ○ |
| SOFT FURNISHING | | | | | | |
| Performance Grey | 0.- | 0 | ○ | ○ | ○ | ○ |
| Green Trail | 0.- | 0 | ○ | ○ | ○ | ○ |
| PACKS | | | | | | |
| Black alloy wheels Pack ⁵⁾ | 0.- | 8 | ○ | ○ | ○ | ○ |
| Digital Package | 2,810.- | 4 | ○ | ○ | ○ | ○ |
| Safety Pack | 940.- | 0 | ○ | ○ | ○ | ○ |
| Safety Pack + ACC | 1,460.- | 0 | ○ | ○ | ○ | ○ |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Further information from p. 66



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

Low Profile









| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C |
|---|----------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|------------------------------|
| | | | | | | |
| Price £ | 59,190.- | 61,290.- | 62,390.- | 63,890.- | 63,890.- | 64,190.- |
| Permitted seats (including driver)* | 4 | 4 - 5 OPT | 4 | 4 - 5 OPT | 4 - 5 OPT | 4 |
| Berths | 2 - 4 OPT | 2 - 5 OPT | 2 - 4 OPT | 2 - 5 OPT | 2 - 5 OPT | 2 - 5 OPT |
| Length / Width / Height (cm) | 596 / 232 / 290 | 698 / 232 / 290 | 698 / 232 / 290 | 731 / 232 / 290 | 741 / 232 / 290 | 741 / 232 / 290 |
| Headroom in living area (cm) | 210 | 210 | 210 | 210 | 210 | 210 |
| Standard chassis | Citroën Jumper | Citroën Jumper | Citroën Jumper | Citroën Jumper | Citroën Jumper | Citroën Jumper |
| Standard engine | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| kW (hp) | 103 (140) | 103 (140) | 103 (140) | 103 (140) | 103 (140) | 103 (140) |
| Mass in running order* (kg) | 2720 (2584 to 2856)* | 2890 (2746 to 3035)* | 2890 (2746 to 3035)* | 2951 (2803 to 3099)* | 2973 (2824 to 3122)* | 2983 (2834 to 3132)* |
| Manufacturer-specified mass for optional equipment* (kg) | 431 | 249 | 252 | 192 | 163 | 159 |
| Technically permissible maximum laden mass* (kg) | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| Technically permissible towing weight 12 % braked (unbraked) (kg) | 2000 (750) | 2000 (750) | 2000 (750) | 2000 (750) | 2000 (750) | 2000 (750) |
| Tire size | 215/70 R 15 CP | 215/70 R 15 CP | 215/70 R 15 CP | 215/70 R 15 CP | 215/70 R 15 CP | 215/70 R 15 CP |
| Wheelbase (cm) | 345 | 380 | 380 | 404 | 404 | 404 |
| Bed size overcab / pull-down bed / Easy fold single bed (cm) | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT |
| Bed dimension: Central / middle bed, L x W (cm) | | 210 x 58 OPT | | 210 x 100 OPT | 210 x 65 OPT | 210 x 93 OPT |
| Bed dimension: Rear bed, L x W (cm) | 200 x 135 - 115 | 200 x 80 190 x 80 210 x 162 OPT | 190 x 80 200 x 80 210 x 159 OPT | 205 x 80 210 x 80 210 x 168 OPT | 210 x 80 215 x 80 210 x 168 OPT | 2x 200 x 80 210 x 168 OPT |
| Refrigerator volume incl. freezer (l) | 78 (11) | 137 (15) | 156 (29) | 156 (29) | 156 (29) | 156 (29) |



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C |
|--|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Heating type | Combi 6 E | Combi 6 E | Combi 6 E | Combi 6 E | Combi 6 E | Combi 6 E |
| Total fresh water tank capacity / fresh water tank when driving filled (l) | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ |
| Waste water tank (l) | 92 | 92 | 92 | 92 | 92 | 92 |
| Sockets: 230 V | 5 | 4 | 4 | 4 | 5 | 5 |
| Sockets: USB | 4 | 4 | 4 | 4 | 4 | 4 |
| Inner dimensions storage locker right/left W x H (cm) | 65 x 75 | 95 x 110 75 x 80 OPT | 95 x 110 75 x 80 OPT | 95 x 110 75 x 80 OPT | 95 x 110 75 x 80 OPT | 95 x 110 75 x 80 OPT |
| Storage space for two gas cylinders with filling weight (kg) | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg |

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
 ◆ upon request — Not possible □ Available in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Prices and technical data

Low Profile



T 69LC



| | |
|---|----------------------|
| Price £ | 64,190.- |
| Permitted seats (including driver)* | 4 |
| Berths | 2 - 5 OPT |
| Length / Width / Height (cm) | 741 / 232 / 290 |
| Headroom in living area (cm) | 210 |
| Standard chassis | Citroën Jumper |
| Standard engine | 2.2 |
| kW (hp) | 103 (140) |
| Mass in running order* (kg) | 2978 (2829 to 3127)* |
| Manufacturer-specified mass for optional equipment* (kg) | 163 |
| Technically permissible maximum laden mass* (kg) | 3500 |
| Technically permissible towing weight 12 % braked (unbraked) (kg) | 2000 (750) |
| Tire size | 215/70 R 15 CP |
| Wheelbase (cm) | 404 |
| Bed size overcab / pull-down bed / Easy fold single bed (cm) | 195 x 140 - 110 OPT |
| Bed dimension: Central / middle bed, L x W (cm) | 210 x 93 OPT |
| Bed dimension: Rear bed, L x W (cm) | 195 x 150 |
| Refrigerator volume incl. freezer (l) | 156 (29) |
| Heating type | Combi 6 E |



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

T 69LC



| | |
|--|------------------------|
| Total fresh water tank capacity / fresh water tank when driving filled (l) | 122 / 20 ¹⁾ |
| Waste water tank (l) | 92 |
| Sockets: 230 V | 5 |
| Sockets: USB | 4 |
| Inner dimensions storage locker right/left W x H (cm) | 105 x 90 65 x 90 |
| Storage space for two gas cylinders with filling weight (kg) | 2 x 11kg |

- Standard equipment
- Optional equipment
- ▲ Mandatory
- △ Not known at the time of publication
- ◆ upon request
- Not possible
- Available in package



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Low Profile



| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|---|------|-------|-------|------|------|-------|--------|
| BASE VEHICLE CITROËN | | | | | | | |
| Citroën Jumper 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • | • | • | • | • |
| Start & Stop function incl. booster | • | • | • | • | • | • | • |
| 60l fuel tank | • | • | • | • | • | • | • |
| Manual cab air conditioning | • | • | • | • | • | • | • |
| Cruise control | • | • | • | • | • | • | • |
| Wide-track chassis | • | • | • | • | • | • | • |
| Steel rims 15" | • | • | • | • | • | • | • |
| Tyres M+S* Camping (snowflake) | • | • | • | • | • | • | • |
| Front Wheel Drive | • | • | • | • | • | • | • |
| Daytime running lights, integrated in headlights | • | • | • | • | • | • | • |
| Headlights with black frame | • | • | • | • | • | • | • |
| Driver and Passenger airbag | • | • | • | • | • | • | • |
| Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt | • | • | • | • | • | • | • |
| ABS, EBD (electronic brake force distribution), ESP (electronic stability program) | • | • | • | • | • | • | • |
| ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking) | • | • | • | • | • | • | • |
| Traction+ incl. hill descent assistant | • | • | • | • | • | • | • |
| Electric operated cab windows and central locking | • | • | • | • | • | • | • |
| Electric and heated mirrors | • | • | • | • | • | • | • |
| Radio aerial integrated in mirror | • | • | • | • | • | • | • |
| Radio pre-wiring including speakers | • | • | • | • | • | • | • |
| Multifunction steering wheel | • | • | • | • | • | • | • |
| Fix & Go breakdown kit | • | • | • | • | • | • | • |
| Central cup holder | • | • | • | • | • | • | • |
| Comfortable driving experience with rear and front axle stabilizers | • | • | • | • | • | • | • |
| USB charger (A+C) | • | • | • | • | • | • | • |
| Driver and passenger seats with armrests & upholstered covers (Captain Chair) | • | • | • | • | • | • | • |
| Driver and passenger seats swivel | • | • | • | • | • | • | • |
| Driver and passenger seat with lumbar support | • | • | • | • | • | • | • |
| Height and rake adjustment for driver seat | • | • | • | • | • | • | • |
| CONVERSION | | | | | | | |
| 7-year water ingress warranty ²⁾ | • | • | • | • | • | • | • |

| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|--|------|-------|-------|------|------|-------|--------|
| GRP (glass fibre reinforced plastic) roof and rear wall | ● | ● | ● | ● | ● | ● | ● |
| Aluminium sidewalls | ● | ● | ● | ● | ● | ● | ● |
| Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm | ● | ● | ● | ● | ● | ● | ● |
| Design rear light carrier in three parts with full-LED lights | ● | ● | ● | ● | ● | ● | ● |
| High quality entrance door with ergonomic handle inside and outside | ● | ● | ● | ● | ● | ● | ● |
| Double glazed hinged window with cassette blinds and flyscreens (except for bathroom) | ● | ● | ● | ● | ● | ● | ● |
| Roof light with frosted perspex glas and flyscreen | ● | ● | ● | ● | ● | ● | ● |
| Electric entrance step | ● | ● | ● | ● | ● | ● | ● |
| Large rear garage with lowered frame, lashing rings and interior lighting (depending on model) | ● | ● | ● | ● | ● | ● | ● |
| Splash water seals for the exterior storage locker and doors | ● | ● | ● | ● | ● | ● | ● |
| Payload in garage up to 150 kg | ● | ● | ● | ● | ● | ● | ● |
| Cab sunroof | ● | ● | ● | ● | ● | ● | ● |
| COMFORT | | | | | | | |
| Ergonomically shaped upholstery for improved seating comfort | ● | ● | ● | ● | ● | ● | ● |
| Isofix for 2 seats | ● | ● | ● | ● | ● | ● | ● |
| L-shape lounge with free-standing and rotating table | — | — | — | — | ● | — | — |
| Table extension | ● | ● | ● | ● | — | — | — |
| High-quality mattress in all beds | ● | ● | ● | ● | ● | ● | ● |
| Mattress cover removable and washable | ● | ● | ● | ● | ● | ● | ● |
| Wooden slatted frame in all fixed-beds for better sleeping comfort | ● | ● | ● | ● | ● | ● | ● |
| Spacious storage compartments and storage options | ● | ● | ● | ● | ● | ● | ● |
| Ventilation for storage locker and seat backrest | ● | ● | ● | ● | ● | ● | ● |
| Mirror with indirect lighting and coat hooks | ● | ● | ● | ● | ● | ● | ● |
| Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey | ● | ● | ● | ● | ● | ● | ● |
| Floor Mountain Lodge | ● | ● | ● | ● | ● | ● | ● |
| Carpet | ● | ● | ● | ● | ● | ● | ● |
| INSTALLATIONS | | | | | | | |
| Overhead locker with integrated LED light | ● | ● | ● | ● | ● | ● | ● |
| High-performance, maintenance-free leisure battery (95 Ah AGM) | ● | ● | ● | ● | ● | ● | ● |
| Bord-control-panel supplies information about filling levels and battery capacity | ● | ● | ● | ● | ● | ● | ● |
| Automatic switching and separating systems for starter and leisure battery as well as for refrigerator | ● | ● | ● | ● | ● | ● | ● |
| Electric charger for leisure and vehicle battery 12 V / 18 A | ● | ● | ● | ● | ● | ● | ● |
| CEE 230 V external socket with safety device | ● | ● | ● | ● | ● | ● | ● |
| Residual Current Device (RCD) | ● | ● | ● | ● | ● | ● | ● |
| LED Awning light | ● | ● | ● | ● | ● | ● | ● |
| LED interior light | ● | ● | ● | ● | ● | ● | ● |

| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|--|------|-------|-------|------|------|-------|--------|
| USB Socket 3 x A / 1 x C (depending on layout) | ● | ● | ● | ● | ● | ● | ● |
| HEATING / GAS SUPPLY | | | | | | | |
| Gas control valves easily accessible and centrally arranged | ● | ● | ● | ● | ● | ● | ● |
| Gas bottle locker for 2 x 11 kg gas bottles | ● | ● | ● | ● | ● | ● | ● |
| Heating Combi 6 E (with el. heating element) incl. digital control panel | ● | ● | ● | ● | ● | ● | ● |
| KITCHEN | | | | | | | |
| Two-flame cooker with 12 V ignition and glass cover | ● | ● | ● | ● | ● | ● | ● |
| Ergonomically arranged kitchen with spacious work top | ● | ● | ● | ● | ● | ● | ● |
| Large drawer with soft-close in the kitchen unit | ● | ● | ● | ● | ● | ● | ● |
| Large, round kitchen sink in stainless steel | ● | ● | ● | ● | ● | ● | ● |
| Water tank incl. boiler 122 l, waste water tank 92 l | ● | ● | ● | ● | ● | ● | ● |
| LED light-band | ● | ● | ● | ● | ● | ● | ● |
| Waste bin | ● | ● | ● | ● | ● | ● | ● |
| Flexible railing system with two hooks | ● | ● | — | ● | ● | ● | ● |
| Fridge 78 l with freezer compartment 11 l | ● | — | — | — | — | — | — |
| Fridge 137 l with freezer compartment 15 l | — | ● | — | — | — | — | — |
| Large 156 l fridge with separate 29 l freezer compartment | — | — | ● | ● | ● | ● | ● |
| Oven in kitchen | ● | ● | ● | ● | ● | ● | ● |
| BATHROOM | | | | | | | |
| Variobath | — | ● | ● | ● | — | — | — |
| Spacious bathroom with separate shower on the opposite side | — | — | — | — | ● | ● | ● |
| Bathroom with bench toilet and integrated shower cubicle | ● | — | — | — | — | — | — |
| Swivel cassette toilet with electric flush | — | ● | ● | ● | ● | ● | ● |
| Roof vent with integrated flyscreen blind (depending on model) | ● | ● | ● | ● | ● | ● | ● |
| Large mirrors | ● | ● | ● | ● | ● | ● | ● |
| Clothes rail in bathroom | ● | ● | ● | ● | ● | ● | ● |
| Flexible railing system with two hooks | — | — | — | — | ● | ● | ● |
| Shower cubicle lining | ● | ● | ● | ● | ● | ● | ● |
| SOFT FURNISHING | | | | | | | |
| Performance Grey | ● | ● | ● | ● | ● | ● | ● |
| PACKS | | | | | | | |
| Basic Pack | ● | ● | ● | ● | ● | ● | ● |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Packs

Low Profile



BASIC PACK

Bridge Light

Comfort entrance door with window

Flyscreen door (one-piece)

Panoramic roof light 70 x 50 cm

Clear glass roof light 40 x 40 cm

Additional weight (kg)*

14.3

in Low Profile included

TWO-COLOUR ALLOY WHEELS PACK

Leather steering wheel and gear knob in leather trim

Air outlets with applications silver (Techno-Trim)

16" alloy wheels two-colour

Additional weight (kg)*

8

Price

1,040.-

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Low Profile



| | Price £ ^{a)} | Additional weight (kg)* | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|--|-----------------------|-------------------------|------|-------|-------|------|------|-------|--------|
| BASE VEHICLE CITROËN | | | | | | | | | |
| 90l fuel tank | 40.- | 23 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| WEIGHT INCREASE | | | | | | | | | |
| Weight increase to 3,65 t (no chassis modification)* | 220.- | 0 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| CONVERSION | | | | | | | | | |
| 2nd external storage door (size depends on layout) | 350.- | 3 | — | ○ | ○ | ○ | ○ | ○ | ● |
| COMFORT | | | | | | | | | |
| Bed conversion single to double bed | 300.- | 5 | — | ○ | ○ | ○ | ○ | ○ | — |
| Bed conversion for seating area | 300.- | 5 | — | ○ | — | ○ | ○ | ○ | ○ |
| Pull-down bed with Clima-Plux elements | 1,390.- | 44 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 5th seat on side bench with seat belt* ^{b)} | 500.- | 15 | — | ○ | — | ○ | ○ | — | — |
| Wooden duckboard for the shower tray | 80.- | 2 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| INSTALLATIONS | | | | | | | | | |
| Pre-cabling reversing camera | 150.- | 1 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| SOFT FURNISHING | | | | | | | | | |
| Green Trail | 190.- | 0 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| PACKS | | | | | | | | | |
| Two-colour alloy wheels Pack | 1,040.- | 8 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Further information from p. 66



* INFO







The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

Low Profile Adventure

FIAT







| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C |
|---|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Price £ | 62,390.- | 64,590.- | 65,090.- | 66,790.- | 66,790.- | 67,190.- |
| Permitted seats (including driver)* | 4 | 4 - 5 OPT | 4 | 4 - 5 OPT | 4 - 5 OPT | 4 |
| Berths | 2 - 4 OPT | 2 - 5 OPT | 2 - 4 OPT | 2 - 5 OPT | 2 - 5 OPT | 2 - 5 OPT |
| Length / Width / Height (cm) | 596 / 232 / 293 | 698 / 232 / 293 | 698 / 232 / 293 | 731 / 232 / 293 | 741 / 232 / 293 | 741 / 232 / 293 |
| Headroom in living area (cm) | 210 | 210 | 210 | 210 | 210 | 210 |
| Standard chassis | Fiat Ducato | Fiat Ducato | Fiat Ducato | Fiat Ducato | Fiat Ducato | Fiat Ducato |
| Standard engine | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| kW (hp) | 103 (140) | 103 (140) | 103 (140) | 103 (140) | 103 (140) | 103 (140) |
| Mass in running order* (kg) | 2721 (2585 to 2857)* | 2899 (2754 to 3044)* | 2899 (2754 to 3044)* | 2960 (2812 to 3108)* | 2982 (2833 to 3131)* | 2992 (2842 to 3142)* |
| Manufacturer-specified mass for optional equipment* (kg) | 430 | 240 | 243 | 183 | 154 | 150 |
| Technically permissible maximum laden mass* (kg) | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| Technically permissible towing weight 12 % braked (unbraked) (kg) | 2000 (750) | 2000 (750) | 2000 (750) | 2000 (750) | 2000 (750) | 2000 (750) |
| Tire size | 225/75 R 16 CP | 225/75 R 16 CP | 225/75 R 16 CP | 225/75 R 16 CP | 225/75 R 16 CP | 225/75 R 16 CP |
| Wheelbase (cm) | 345 | 380 | 380 | 404 | 404 | 404 |
| Bed size overcab / pull-down bed / Easy fold single bed (cm) | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT |
| Bed dimension: Central / middle bed, L x W (cm) | | 210 x 58 OPT | | 210 x 100 OPT | 210 x 65 OPT | 210 x 93 OPT |
| Bed dimension: Rear bed, L x W (cm) | 200 x 135 - 115 | 200 x 80 190 x 80 210 x 162 | 190 x 80 200 x 80 210 x 159 | 205 x 80 210 x 80 210 x 168 | 210 x 80 215 x 80 210 x 168 | 2x 200 x 80 210 x 168 |
| Refrigerator volume incl. freezer (l) | 78 (11) | 137 (15) | 156 (29) | 156 (29) | 156 (29) | 156 (29) |



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C |
|--|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Heating type | Combi 6 E | Combi 6 E | Combi 6 E | Combi 6 E | Combi 6 E | Combi 6 E |
| Total fresh water tank capacity / fresh water tank when driving filled (l) | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ |
| Waste water tank (l) | 92 | 92 | 92 | 92 | 92 | 92 |
| Sockets: 230 V | 5 | 4 | 4 | 4 | 5 | 5 |
| Sockets: USB | 4 | 4 | 4 | 4 | 4 | 4 |
| Inner dimensions storage locker right/left W x H (cm) | 65 x 75 | 95 x 110 75 x 80 | 95 x 110 75 x 80 | 95 x 110 75 x 80 | 95 x 110 75 x 80 | 95 x 110 75 x 80 |
| Storage space for two gas cylinders with filling weight (kg) | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg | 2 x 11kg |

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
 ◆ upon request — Not possible □ Available in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Prices and technical data

Low Profile Adventure

FIAT

T 69LC



| | |
|---|----------------------|
| Price £ | 67,190.- |
| Permitted seats (including driver)* | 4 |
| Berths | 3 - 5 OPT |
| Length / Width / Height (cm) | 741 / 232 / 293 |
| Headroom in living area (cm) | 210 |
| Standard chassis | Fiat Ducato |
| Standard engine | 2.2 |
| kW (hp) | 103 (140) |
| Mass in running order* (kg) | 2984 (2835 to 3133)* |
| Manufacturer-specified mass for optional equipment* (kg) | 157 |
| Technically permissible maximum laden mass* (kg) | 3500 |
| Technically permissible towing weight 12 % braked (unbraked) (kg) | 2000 (750) |
| Tire size | 225/75 R 16 CP |
| Wheelbase (cm) | 404 |
| Bed size overcab / pull-down bed / Easy fold single bed (cm) | 195 x 140 - 110 OPT |
| Bed dimension: Central / middle bed, L x W (cm) | 210 x 93 |
| Bed dimension: Rear bed, L x W (cm) | 195 x 150 |
| Refrigerator volume incl. freezer (l) | 156 (29) |
| Heating type | Combi 6 E |



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

T 69LC



| | |
|--|------------------------|
| Total fresh water tank capacity / fresh water tank when driving filled (l) | 122 / 20 ¹⁾ |
| Waste water tank (l) | 92 |
| Sockets: 230 V | 5 |
| Sockets: USB | 4 |
| Inner dimensions storage locker right/left W x H (cm) | 105 x 90 65 x 90 |
| Storage space for two gas cylinders with filling weight (kg) | 2 x 11kg |

- Standard equipment
- Optional equipment
- ▲ Mandatory
- △ Not known at the time of publication
- ◆ upon request
- Not possible
- Available in package



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Low Profile Adventure

FIAT

| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|---|------|-------|-------|------|------|-------|--------|
| ADVENTURE EQUIPMENT | | | | | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • | • | • | • | • |
| Fiat white | • | • | • | • | • | • | • |
| Adventure Decals | • | • | • | • | • | • | • |
| Soft furnishing Adventure | • | • | • | • | • | • | • |
| High-level rear light cluster | • | • | • | • | • | • | • |
| Cab sunroof | • | • | • | • | • | • | • |
| Framed windows | • | • | • | • | • | • | • |
| 2nd external storage door (size depends on layout) | — | • | • | • | • | • | • |
| Large 156 l fridge with separate 29 l freezer compartment | — | — | • | • | • | • | • |
| Fridge 137 l with freezer compartment 15 l | — | • | — | — | — | — | — |
| Bed conversion for seating area | — | ○ | — | ○ | ○ | ○ | • |
| Bed conversion single to double bed | — | • | • | • | • | • | — |
| Basic Pack | • | • | • | • | • | • | • |
| Package painted front bumper | • | • | • | • | • | • | • |
| Two-colour alloy wheels Pack | • | • | • | • | • | • | • |
| BASE VEHICLE FIAT | | | | | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • | • | • | • | • |
| Start & Stop function incl. booster | • | • | • | • | • | • | • |
| 60l fuel tank | • | • | • | • | • | • | • |
| Manual cab air conditioning | • | • | • | • | • | • | • |
| Cruise control | • | • | • | • | • | • | • |
| Wide-track chassis | • | • | • | • | • | • | • |
| Tyres M+S* Camping (snowflake) | • | • | • | • | • | • | • |
| Front Wheel Drive | • | • | • | • | • | • | • |
| Daytime running lights, integrated in headlights | • | • | • | • | • | • | • |
| Headlights with black frame | • | • | • | • | • | • | • |
| Driver and passenger airbag | • | • | • | • | • | • | • |
| Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt | • | • | • | • | • | • | • |
| ABS, EBD (electronic brake force distribution), ESP (electronic stability program) | • | • | • | • | • | • | • |
| ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking) | • | • | • | • | • | • | • |
| Traction+ incl. hill descent assistant | • | • | • | • | • | • | • |
| Electric operated cab windows and central locking | • | • | • | • | • | • | • |

| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|--|------|-------|-------|------|------|-------|--------|
| Electric and heated mirrors | ● | ● | ● | ● | ● | ● | ● |
| Radio aerial integrated in mirror | ● | ● | ● | ● | ● | ● | ● |
| Radio pre-wiring including speakers | ● | ● | ● | ● | ● | ● | ● |
| Multifunction steering wheel | ● | ● | ● | ● | ● | ● | ● |
| Fix & Go breakdown kit | ● | ● | ● | ● | ● | ● | ● |
| Central cup holder | ● | ● | ● | ● | ● | ● | ● |
| Comfortable driving experience with rear and front axle stabilizers | ● | ● | ● | ● | ● | ● | ● |
| USB charger (A+C) | ● | ● | ● | ● | ● | ● | ● |
| Driver and passenger seats with armrests & upholstered covers (Captain Chair) | ● | ● | ● | ● | ● | ● | ● |
| Driver and passenger seats swivel | ● | ● | ● | ● | ● | ● | ● |
| Driver and passenger seat with lumbar support | ● | ● | ● | ● | ● | ● | ● |
| Height and rake adjustment for driver and passenger seat | ● | ● | ● | ● | ● | ● | ● |
| PAINTING | | | | | | | |
| Fiat white | ● | ● | ● | ● | ● | ● | ● |
| CONVERSION | | | | | | | |
| 7-year water ingress warranty ²⁾ | ● | ● | ● | ● | ● | ● | ● |
| GRP (glass fibre reinforced plastic) roof and rear wall | ● | ● | ● | ● | ● | ● | ● |
| Aluminium sidewalls | ● | ● | ● | ● | ● | ● | ● |
| Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm | ● | ● | ● | ● | ● | ● | ● |
| Design rear light carrier in three parts with full-LED lights | ● | ● | ● | ● | ● | ● | ● |
| High quality entrance door with ergonomic handle inside and outside | ● | ● | ● | ● | ● | ● | ● |
| Double glazed hinged window with cassette blinds and flyscreens (except for bathroom) | ● | ● | ● | ● | ● | ● | ● |
| Roof light with frosted perspex glas and flyscreen | ● | ● | ● | ● | ● | ● | ● |
| Electric entrance step | ● | ● | ● | ● | ● | ● | ● |
| Large rear garage with lowered frame, lashing rings and interior lighting (depending on model) | ● | ● | ● | ● | ● | ● | ● |
| Splash water seals for the exterior storage locker and doors | ● | ● | ● | ● | ● | ● | ● |
| Payload in garage up to 150 kg | ● | ● | ● | ● | ● | ● | ● |
| COMFORT | | | | | | | |
| Ergonomically shaped upholstery for improved seating comfort | ● | ● | ● | ● | ● | ● | ● |
| Isofix for 2 seats | ● | ● | ● | ● | ● | ● | ● |
| L-shape lounge with free-standing and rotating table | — | — | — | — | ● | — | — |
| Table extension | ● | ● | ● | ● | — | — | — |
| High-quality mattress in all beds | ● | ● | ● | ● | ● | ● | ● |
| Mattress cover removable and washable | ● | ● | ● | ● | ● | ● | ● |
| Wooden slatted frame in all fixed-beds for better sleeping comfort | ● | ● | ● | ● | ● | ● | ● |
| Spacious storage compartments and storage options | ● | ● | ● | ● | ● | ● | ● |

| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|--|------|-------|-------|------|------|-------|--------|
| Ventilation for storage locker and seat backrest | ● | ● | ● | ● | ● | ● | ● |
| Mirror with indirect lighting and coat hooks | ● | ● | ● | ● | ● | ● | ● |
| Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey | ● | ● | ● | ● | ● | ● | ● |
| Floor Mountain Lodge | ● | ● | ● | ● | ● | ● | ● |
| Bed conversion single to double bed | — | ● | ● | ● | ● | ● | — |
| Carpet | ● | ● | ● | ● | ● | ● | ● |
| INSTALLATIONS | | | | | | | |
| Overhead locker with integrated LED light | ● | ● | ● | ● | ● | ● | ● |
| High-performance, maintenance-free leisure battery (95 Ah AGM) | ● | ● | ● | ● | ● | ● | ● |
| Bord-control-panel supplies information about filling levels and battery capacity | ● | ● | ● | ● | ● | ● | ● |
| Automatic switching and separating systems for starter and leisure battery as well as for refrigerator | ● | ● | ● | ● | ● | ● | ● |
| Electric charger for leisure and vehicle battery 12 V / 18 A | ● | ● | ● | ● | ● | ● | ● |
| CEE 230 V external socket with safety device | ● | ● | ● | ● | ● | ● | ● |
| Residual Current Device (RCD) | ● | ● | ● | ● | ● | ● | ● |
| LED interior light | ● | ● | ● | ● | ● | ● | ● |
| LED Awning light | ● | ● | ● | ● | ● | ● | ● |
| USB Socket 3 x A / 1 x C (depending on layout) | ● | ● | ● | ● | ● | ● | ● |
| HEATING / GAS SUPPLY | | | | | | | |
| Gas control valves easily accessible and centrally arranged | ● | ● | ● | ● | ● | ● | ● |
| Gas bottle locker for 2 x 11 kg gas bottles | ● | ● | ● | ● | ● | ● | ● |
| Heating Combi 6 E (with el. heating element) incl. digital control panel | ● | ● | ● | ● | ● | ● | ● |
| KITCHEN | | | | | | | |
| Two-flame cooker with 12 V ignition and glass cover | ● | ● | ● | ● | ● | ● | ● |
| Ergonomically arranged kitchen with spacious work top | ● | ● | ● | ● | ● | ● | ● |
| Large drawer with soft-close in the kitchen unit | ● | ● | ● | ● | ● | ● | ● |
| Large, round kitchen sink in stainless steel | ● | ● | ● | ● | ● | ● | ● |
| Water tank incl. boiler 122 l, waste water tank 92 l | ● | ● | ● | ● | ● | ● | ● |
| Fridge 78 l with freezer compartment 11 l | ● | — | — | — | — | — | — |
| Fridge 137 l with freezer compartment 15 l | — | ● | — | — | — | — | — |
| Large 156 l fridge with separate 29 l freezer compartment | — | — | ● | ● | ● | ● | ● |
| LED light-band | ● | ● | ● | ● | ● | ● | ● |
| Waste bin | ● | ● | ● | ● | ● | ● | ● |
| Flexible railing system with two hooks | ● | ● | — | ● | ● | ● | ● |
| Oven in kitchen | ● | ● | ● | ● | ● | ● | ● |
| BATHROOM | | | | | | | |
| Variobath | — | ● | ● | ● | — | — | — |

| | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|--|------|-------|-------|------|------|-------|--------|
| Bathroom with bench toilet and integrated shower cubicle | ● | — | — | — | — | — | — |
| Spacious bathroom with separate shower on the opposite side | — | — | — | — | ● | ● | ● |
| Swivel cassette toilet with electric flush | — | ● | ● | ● | ● | ● | ● |
| Roof vent with integrated flyscreen blind (depending on model) | ● | ● | ● | ● | ● | ● | ● |
| Large mirrors | ● | ● | ● | ● | ● | ● | ● |
| Clothes rail in bathroom | ● | ● | ● | ● | ● | ● | ● |
| Flexible railing system with two hooks | — | — | — | — | ● | ● | ● |
| Shower cubicle lining | ● | ● | ● | ● | ● | ● | ● |
| SOFT FURNISHING | | | | | | | |
| Soft furnishing Adventure | ● | ● | ● | ● | ● | ● | ● |
| PACKS | | | | | | | |
| Basic Pack | ● | ● | ● | ● | ● | ● | ● |
| Package painted front bumper | ● | ● | ● | ● | ● | ● | ● |
| Two-colour alloy wheels Pack | ● | ● | ● | ● | ● | ● | ● |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Packs

Low Profile Adventure

FIAT

BASIC PACK

| | |
|-----------------------------------|------|
| Bridge Light | |
| Comfort entrance door with window | |
| Flyscreen door (one-piece) | |
| Panoramic roof light 70 x 50 cm | |
| Clear glass roof light 40 x 40 cm | |
| Additional weight (kg)* | 14.3 |

in Low Profile Adventure included

PACKAGE PAINTED FRONT BUMPER

| | |
|-------------------------|---|
| Painted bumper | |
| Skid Plate Black | |
| Fog lights | |
| Additional weight (kg)* | 3 |

in Low Profile Adventure included

TWO-COLOUR ALLOY WHEELS PACK

| | |
|--|---|
| Leather steering wheel and gear knob in leather trim | |
| Air outlets with applications silver (Techno-Trim) | |
| 16" alloy wheels two-colour | |
| Additional weight (kg)* | 8 |

in Low Profile Adventure included

BLACK ALLOY WHEELS PACK ⁵⁾

| | |
|--|--|
| Leather steering wheel and gear knob in leather trim | |
|--|--|



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

BLACK ALLOY WHEELS PACK ⁵⁾

Air outlets with applications silver (Techno-Trim)

16" alloy wheels black matt

Additional weight (kg)*

8

Price

0.-

DIGITAL PACKAGE

Automatic cab air conditioning

Wireless smartphone charging

10" Radio and navigation system (DAB+)

7" digital TFT color display

Reversing camera without grid lines

Additional weight (kg)*

4

Price

2,810.-

SAFETY PACK

Full Brake Control with Pedestrian Detection

Rain and light sensor

Lane control

Traffic sign recognition

Driver Drowsiness Detection

Intelligent Speed Assist

Additional weight (kg)*

0

Price

940.-

SAFETY PACK + ACC

Full Brake Control with Pedestrian Detection

Rain and light sensor

Lane control



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

SAFETY PACK + ACC

Traffic sign recognition

Driver Drowsiness Detection

Intelligent Speed Assist

Adaptive Cruise Control >30 km/h

Additional weight (kg)*

0

Price

1,460.-

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Low Profile Adventure

FIAT

| | Price £ ^{a)} | Additional weight (kg)* | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|--|-----------------------|-------------------------|------|-------|-------|------|------|-------|--------|
| BASE VEHICLE FIAT | | | | | | | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 8-speed automatic gearbox | 2,770.- | 60 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Electric Park Brake | 530.- | -9.4 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 90l fuel tank | 40.- | 23 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Tyre pressure indicator | 250.- | 0.8 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Full LED Headlamps incl. wiping indicators and LED daytime running lights | 950.- | 0 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| WEIGHT INCREASE | | | | | | | | | |
| Weight increase to 3,65 t (no chassis modification)* | 220.- | 0 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| PAINTING | | | | | | | | | |
| Chassis colour black incl. side panel in silver gloss finish | 1,630.- | 2.5 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| CONVERSION | | | | | | | | | |
| Insulated waste water tank | 160.- | 8 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Two rear corner steadies | 290.- | 6 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| COMFORT | | | | | | | | | |
| Bed conversion for seating area | 300.- | 5 | — | ○ | — | ○ | ○ | ○ | ● |
| Pull-down bed with Klima-Plux elements | 1,390.- | 44 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 5th seat on side bench with seat belt* ^{b)} | 500.- | 15 | — | ○ | — | ○ | ○ | — | — |
| Wooden duckboard for the shower tray | 80.- | 2 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Foldable window blinds | 570.- | 8 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| INSTALLATIONS | | | | | | | | | |
| 12V TV pre-cabling incl. flat screen holder | 190.- | 3 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Mobile internet (WiFi / LTE antenna incl. Router) | 870.- | 1.4 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Pre-cabling reversing camera | 150.- | 1 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Pre-cabling solar system | 150.- | 2 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Second AGM leisure battery 95 Ah | 290.- | 27 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| HEATING / GAS SUPPLY | | | | | | | | | |
| Floor heating electric in living area | 430.- | 6 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

| | Price £ ^{ab} | Additional weight (kg)* | T 58 | T 66S | T 67S | T 67 | T 68 | T 68C | T 69LC |
|---|-----------------------|-------------------------|------|-------|-------|------|------|-------|--------|
| Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor) | 260.- | 3.5 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| SOFT FURNISHING | | | | | | | | | |
| Performance Grey | 0.- | 0 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Green Trail | 0.- | 0 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| PACKS | | | | | | | | | |
| Black alloy wheels Pack ⁵⁾ | 0.- | 8 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Digital Package | 2,810.- | 4 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Safety Pack | 940.- | 0 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Safety Pack + ACC | 1,460.- | 0 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Further information from p. 66



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

Low Profile Adventure Ford






| | T 670S | T 680 | T 690L |
|---|-----------------------------------|-----------------------------------|----------------------|
| | | | |
| Price £ | 69,490.- | 71,390.- | 71,390.- |
| Permitted seats (including driver)* | 4 | 4 - 5 OPT | 4 - 5 OPT |
| Berths | 2 - 4 OPT | 2 - 5 OPT | 3 - 5 OPT |
| Length / Width / Height (cm) | 699 / 232 / 293 | 739 / 232 / 293 | 739 / 232 / 293 |
| Headroom in living area (cm) | 210 | 210 | 210 |
| Standard chassis | Ford Transit | Ford Transit | Ford Transit |
| Standard engine | 2.0 | 2.0 | 2.0 |
| kW (hp) | 96 (130) | 96 (130) | 96 (130) |
| Mass in running order* (kg) | 2922 (2776 to 3068)* | 2968 (2820 to 3116)* | 2975 (2826 to 3124)* |
| Manufacturer-specified mass for optional equipment* (kg) | 224 | 178 | 170 |
| Technically permissible maximum laden mass* (kg) | 3500 | 3500 | 3500 |
| Technically permissible towing weight 12 % braked (unbraked) (kg) | 2000 (750) | 2000 (750) | 2000 (750) |
| Tire size | 235/65 R16 | 235/65 R16 | 235/65 R16 |
| Wheelbase (cm) | 375 | 396 | 396 |
| Bed size overcab / pull-down bed / Easy fold single bed (cm) | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT | 195 x 140 - 110 OPT |
| Bed dimension: Central / middle bed, L x W (cm) | | 210 x 50 OPT | 210 x 50 |
| Bed dimension: Rear bed, L x W (cm) | 192 x 80 200 x 80 210 x 153 | 212 x 80 205 x 80 210 x 168 | 195 x 150 |
| Refrigerator volume incl. freezer (l) | 156 (29) | 156 (29) | 156 (29) |
| Heating type | Combi 6 E | Combi 6 E | Combi 6 E |



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

| | T 670S | T 680 | T 690L |
|--|---|--|---|
| |  |  |  |
| Total fresh water tank capacity / fresh water tank when driving filled (l) | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ |
| Waste water tank (l) | 92 | 92 | 92 |
| Sockets: 230 V | 4 | 5 | 5 |
| Sockets: USB | 4 | 4 | 4 |
| Inner dimensions storage locker right/left W x H (cm) | 75 x 110 75 x 80 | 95 x 110 75 x 80 | 105 x 90 105 x 90 |
| Storage space for two gas cylinders with filling weight (kg) | 2 x 11kg | 2 x 11kg | 2 x 11kg |

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
 ◆ upon request — Not possible □ Available in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Low Profile Adventure Ford



| | T 670S | T 680 | T 690L |
|--|--------|-------|--------|
| ADVENTURE EQUIPMENT | | | |
| Ford Transit 3.500 kg 2.0 96 kW (130 BHP) Euro 6 6-speed manual gearbox | • | • | • |
| Black Metallic | • | • | • |
| 16" alloy wheels black | • | • | • |
| Side walls in smooth silver | • | • | • |
| Adventure Decals | • | • | • |
| Soft furnishing Adventure | • | • | • |
| High-level rear light cluster | • | • | • |
| Cab sunroof | • | • | • |
| Framed windows | • | • | • |
| 2nd external storage door (size depends on layout) | • | • | • |
| Large 156 l fridge with separate 29 l freezer compartment | • | • | • |
| Bed conversion single to double bed | • | • | — |
| Bed conversion for seating area | — | ○ | • |
| Basic Pack | • | • | • |
| Chassis Pack | • | • | • |
| BASE VEHICLE FORD | | | |
| Ford Transit 3.500 kg 2.0 96 kW (130 BHP) Euro 6 6-speed manual gearbox | • | • | • |
| Start & Stop Function incl. Booster | • | • | • |
| 70l fuel tank | • | • | • |
| Cruise control | • | • | • |
| Intelligent speed detection | • | • | • |
| Broad-gauge rear axle | • | • | • |
| Front axle load increase to 1,850 kg | • | • | • |
| Radiator grille chrome | • | • | • |
| Headlights with daytime running lights | • | • | • |
| Electric Park Brake | • | • | • |
| Driver and Passenger airbag | • | • | • |
| Disc brakes, rear and front wheel stabilisers, heat convection, tachometer, power steering, height-adjustable headlights, immobiliser, lap and diagonal seat belts | • | • | • |
| ABS (anti-lock braking system), ESC (electronic stability program), TBC (traction control), EBD (electronic brake force distribution) | • | • | • |
| Hill start assist, crosswind assist, safety brake assist, rollover protection | • | • | • |
| Lane departure warning | • | • | • |
| Pre-collision assist | • | • | • |

| | T 670S | T 680 | T 690L |
|---|--------|-------|--------|
| Fatigue warning | ● | ● | ● |
| Automatic high beam control | ● | ● | ● |
| Front parking assistance | ● | ● | ● |
| Tyre pressure indicator | ● | ● | ● |
| Electric cab windows | ● | ● | ● |
| Central locking cab with remote control | ● | ● | ● |
| Electric and heated mirrors | ● | ● | ● |
| Rear view camera | ● | ● | ● |
| 12" display incl. Apple Car Play & Android Car, 4 front speakers, DAB antenna, Bluetooth interface, USB port, hands-free system | ● | ● | ● |
| Leather steering wheel | ● | ● | ● |
| Audio remote control on steering wheel | ● | ● | ● |
| Fix & Go breakdown kit | ● | ● | ● |
| Tablet holder and USB port | ● | ● | ● |
| Cup holder driver and passenger side | ● | ● | ● |
| Comfort swivel seats for driver and front passenger, each with 2 armrests and lumbar support | ● | ● | ● |
| Driver and passenger seats in matching colours | ● | ● | ● |
| Height and tilt adjustment for driver and passenger seat | ● | ● | ● |
| PAINTING | | | |
| Black Metallic | ● | ● | ● |
| CONVERSION | | | |
| 7-year water ingress warranty ²⁾ | ● | ● | ● |
| GRP (glass fibre reinforced plastic) roof and rear wall | ● | ● | ● |
| Aluminium sidewalls | ● | ● | ● |
| Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm | ● | ● | ● |
| Design rear light carrier in three parts with full-LED lights | ● | ● | ● |
| High quality entrance door with ergonomic handle inside and outside | ● | ● | ● |
| Double glazed hinged window with cassette blinds and flyscreens (except for bathroom) | ● | ● | ● |
| Roof light with frosted perspex glas and flyscreen | ● | ● | ● |
| Electric entrance step | ● | ● | ● |
| Large rear garage with lowered frame, lashing rings and interior lighting (depending on model) | ● | ● | ● |
| Splash water seals for the exterior storage locker and doors | ● | ● | ● |
| Payload in garage up to 150 kg | ● | ● | ● |
| COMFORT | | | |
| Ergonomically shaped upholstery for improved seating comfort | ● | ● | ● |
| Isofix for 2 seats | ● | ● | ● |
| Table extension | ● | ● | ● |
| High-quality mattress in all beds | ● | ● | ● |

| | T 670S | T 680 | T 690L |
|--|--------|-------|--------|
| Mattress cover removable and washable | ● | ● | ● |
| Wooden slatted frame in all fixed-beds for better sleeping comfort | ● | ● | ● |
| Spacious storage compartments and storage options | ● | ● | ● |
| Ventilation for storage locker and seat backrest | ● | ● | ● |
| Mirror with indirect lighting and coat hooks | ● | ● | ● |
| Floor Mountain Lodge | ● | ● | ● |
| Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey | ● | ● | ● |
| Bed conversion single to double bed | ● | ● | — |
| Carpet | ● | ● | ● |
| INSTALLATIONS | | | |
| Overhead locker with integrated LED light | ● | ● | ● |
| High-performance, maintenance-free leisure battery (95 Ah AGM) | ● | ● | ● |
| Bord-control-panel supplies information about filling levels and battery capacity | ● | ● | ● |
| Automatic switching and separating systems for starter and leisure battery as well as for refrigerator | ● | ● | ● |
| Electric charger for leisure and vehicle battery 12 V / 18 A | ● | ● | ● |
| CEE 230 V external socket with safety device | ● | ● | ● |
| Residual Current Device (RCD) | ● | ● | ● |
| LED Awning light | ● | ● | ● |
| LED interior light | ● | ● | ● |
| USB Socket 3 x A / 1 x C (depending on layout) | ● | ● | ● |
| HEATING / GAS SUPPLY | | | |
| Gas control valves easily accessible and centrally arranged | ● | ● | ● |
| Gas bottle locker for 2 x 11 kg gas bottles | ● | ● | ● |
| Heating Combi 6 E (with el. heating element) incl. digital control panel | ● | ● | ● |
| KITCHEN | | | |
| Two-flame cooker with 12 V ignition and glass cover | ● | ● | ● |
| Ergonomically arranged kitchen with spacious work top | ● | ● | ● |
| Large drawer with soft-close in the kitchen unit | ● | ● | ● |
| Large, round kitchen sink in stainless steel | ● | ● | ● |
| Water tank incl. boiler 122 l, waste water tank 92 l | ● | ● | ● |
| Large 156 l fridge with separate 29 l freezer compartment | ● | ● | ● |
| LED light-band | ● | ● | ● |
| Waste bin | ● | ● | ● |
| Flexible railing system with two hooks | — | ● | ● |
| Oven in kitchen | ● | ● | ● |
| BATHROOM | | | |

| | T 670S | T 680 | T 690L |
|--|--------|-------|--------|
| Variobath | ● | — | — |
| Spacious bathroom with separate shower on the opposite side | — | ● | ● |
| Swivel cassette toilet with electric flush | ● | ● | ● |
| Roof vent with integrated flyscreen blind (depending on model) | ● | ● | ● |
| Large mirrors | ● | ● | ● |
| Clothes rail in bathroom | ● | ● | ● |
| Flexible railing system with two hooks | — | ● | ● |
| Shower cubicle lining | ● | ● | ● |
| SOFT FURNISHING | | | |
| Soft furnishing Adventure | ● | ● | ● |
| PACKS | | | |
| Basic Pack | ● | ● | ● |
| Chassis Pack | ● | ● | ● |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Packs

Low Profile Adventure Ford



BASIC PACK

Bridge Light

Comfort entrance door with window

Flyscreen door (one-piece)

Panoramic roof light 70 x 50 cm

Clear glass roof light 40 x 40 cm

Additional weight (kg)*

14.3

in Low Profile Adventure Ford included

CHASSIS PACK

Air conditioner incl. dust and pollen filter

Painted bumper

Fog lights

Headlights with static cornering light

Additional weight (kg)*

13

in Low Profile Adventure Ford included

ASSISTANCE PACK ⁷⁾

Traffic sign recognition

Adaptive cruise control

Navigation

Additional weight (kg)*

2.6

Price

1,910.-

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Low Profile Adventure Ford



| | Price £ ^{a)} | Additional weight (kg) [*] | T 670S | T 680 | T 690L |
|---|-----------------------|-------------------------------------|--------|-------|--------|
| BASE VEHICLE FORD | | | | | |
| Ford Transit 3.500 kg 2.0 122 kW (165 BHP) Euro 6 6-speed manual gearbox | 600.- | 0 | ○ | ○ | ○ |
| Ford Transit 3.500 kg 2.0 122 kW (165 BHP) Euro 6 8-speed automatic gearbox | 3,260.- | 55 | ○ | ○ | ○ |
| Bi-xenon headlights with static cornering lights and LED daytime running lights | 660.- | 0.2 | ○ | ○ | ○ |
| Electrical preparation for trailer coupling | 280.- | 0 | ○ | ○ | ○ |
| CONVERSION | | | | | |
| Insulated waste water tank | 170.- | 8 | ○ | ○ | ○ |
| Two rear corner steadies | 310.- | 6 | ○ | ○ | ○ |
| COMFORT | | | | | |
| Bed conversion for seating area | 330.- | 5 | — | ○ | ● |
| Pull-down bed with Clima-Plux elements | 1,510.- | 44 | ○ | ○ | ○ |
| 5th seat on side bench with seat belt ^{* 6)} | 540.- | 15 | — | ○ | ○ |
| Wooden duckboard for the shower tray | 80.- | 2 | ○ | ○ | ○ |
| Foldable window blinds | 620.- | 8 | ○ | ○ | ○ |
| INSTALLATIONS | | | | | |
| 12V TV pre-cabling incl. flat screen holder | 210.- | 3 | ○ | ○ | ○ |
| Mobile internet (WiFi / LTE antenna incl. Router) | 940.- | 1.4 | ○ | ○ | ○ |
| Pre-cabling solar system | 160.- | 2 | ○ | ○ | ○ |
| Second AGM leisure battery 95 Ah | 310.- | 27 | ○ | ○ | ○ |
| HEATING / GAS SUPPLY | | | | | |
| Floor heating electric in living area | 470.- | 6 | ○ | ○ | ○ |
| Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor) | 280.- | 3.5 | ○ | ○ | ○ |
| SOFT FURNISHING | | | | | |
| Performance Grey | 0.- | 0 | ○ | ○ | ○ |
| Green Trail | 0.- | 0 | ○ | ○ | ○ |
| PACKS | | | | | |
| Assistance Pack ⁷⁾ | 1,910.- | 2.6 | ○ | ○ | ○ |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Further information from p. 66






The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

A Class Adventure

FIAT




| | I 67S | I 68 | I 69L |
|---|---|--|---|
| |  |  |  |
| Price £ | 77,990.- | 80,190.- | 80,190.- |
| Permitted seats (including driver)* | 4 | 4 - 5 OPT | 4 - 5 OPT |
| Berths | 4 | 4 - 5 OPT | 5 |
| Length / Width / Height (cm) | 699 / 232 / 293 | 743 / 232 / 293 | 743 / 232 / 293 |
| Headroom in living area (cm) | 210 | 210 | 210 |
| Standard chassis | Fiat Ducato | Fiat Ducato | Fiat Ducato |
| Standard engine | 2.2 | 2.2 | 2.2 |
| kW (hp) | 103 (140) | 103 (140) | 103 (140) |
| Mass in running order* (kg) | 2958 (2810 to 3106)* | 3047 (2895 to 3199)* | 3043 (2891 to 3195)* |
| Manufacturer-specified mass for optional equipment* (kg) | 192 | 95 | 101 |
| Technically permissible maximum laden mass* (kg) | 3500 | 3500 | 3500 |
| Technically permissible towing weight 12 % braked (unbraked) (kg) | 2000 (750) | 2000 (750) | 2000 (750) |
| Tire size | 225/75 R 16 CP | 225/75 R 16 CP | 225/75 R 16 CP |
| Wheelbase (cm) | 380 | 404 | 404 |
| Bed size overcab / pull-down bed / Easy fold single bed (cm) | 200 x 150 | 200 x 150 | 200 x 150 |
| Bed dimension: Central / middle bed, L x W (cm) | | 210 x 65 OPT | 210 x 65 |
| Bed dimension: Rear bed, L x W (cm) | 190 x 80 200 x 80 210 x 159 | 210 x 80 215 x 80 210 x 168 | 195 x 150 |
| Refrigerator volume incl. freezer (l) | 156 (29) | 156 (29) | 156 (29) |
| Heating type | Combi 6 E | Combi 6 E | Combi 6 E |



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

| | I 67S | I 68 | I 69L |
|--|---|--|---|
| |  |  |  |
| Total fresh water tank capacity / fresh water tank when driving filled (l) | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ |
| Waste water tank (l) | 92 | 92 | 92 |
| Sockets: 230 V | 4 | 5 | 5 |
| Sockets: USB | 4 | 4 | 4 |
| Inner dimensions storage locker right/left W x H (cm) | 95 x 110 75 x 80 | 95 x 110 75 x 80 | 105 x 90 65 x 90 |
| Storage space for two gas cylinders with filling weight (kg) | 2 x 11kg | 2 x 11kg | 2 x 11kg |

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
 ◆ upon request — Not possible □ Available in package



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

A Class Adventure

FIAT

| | I 67S | I 68 | I 69L |
|---|-------|------|-------|
| ADVENTURE EQUIPMENT | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • |
| Fiat white | • | • | • |
| Side walls in smooth silver | • | • | • |
| Adventure Decals | • | • | • |
| Soft furnishing Adventure | • | • | • |
| High-level rear light cluster | • | • | • |
| Framed windows | • | • | • |
| 2nd external storage door (size depends on layout) | • | • | • |
| Bed conversion single to double bed | • | • | — |
| Bed conversion for seating area | — | ○ | • |
| Large 156 l fridge with separate 29 l freezer compartment | • | • | • |
| Basic Pack | • | • | • |
| Two-colour alloy wheels Pack | • | • | • |
| BASE VEHICLE FIAT | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • |
| Start & Stop function incl. booster | • | • | • |
| 60l fuel tank | • | • | • |
| Manual cab air conditioning | • | • | • |
| Cruise control | • | • | • |
| Wide-track chassis | • | • | • |
| Tyres M+S* Camping (snowflake) | • | • | • |
| Front Wheel Drive | • | • | • |
| Full LED front lighting (daytime running light, low beam, high beam and turn signal) | • | • | • |
| Driver and passenger airbag | • | • | • |
| Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt | • | • | • |
| ABS, EBD (electronic brake force distribution), ESP (electronic stability program) | • | • | • |
| ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking) | • | • | • |
| Traction+ incl. hill descent assistant | • | • | • |
| Panoramic laminated glass windshield all-round | • | • | • |
| Low vibration, electrical and heated cab mirrors in coach optic with wide angle | • | • | • |
| Driver's cab door left | • | • | • |

| | I 67S | I 68 | I 69L |
|--|-------|------|-------|
| Radio pre-wiring with loudspeakers and roof antenna | ● | ● | ● |
| Multifunction steering wheel | ● | ● | ● |
| Fix & Go breakdown kit | ● | ● | ● |
| Central cup holder | ● | ● | ● |
| Comfortable driving experience with rear and front axle stabilizers | ● | ● | ● |
| USB charger (A+C) | ● | ● | ● |
| Pilote seats with covers | ● | ● | ● |
| Driver and passenger seats swivel | ● | ● | ● |
| Driver and passenger seat with lumbar support | ● | ● | ● |
| Height and rake adjustment for driver and passenger seat | ● | ● | ● |
| PAINTING | | | |
| Fiat white | ● | ● | ● |
| CONVERSION | | | |
| 7-year water ingress warranty ²⁾ | ● | ● | ● |
| GRP (glass fibre reinforced plastic) roof and rear wall | ● | ● | ● |
| Aluminium sidewalls | ● | ● | ● |
| Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm | ● | ● | ● |
| Design rear light carrier in three parts with full-LED lights | ● | ● | ● |
| Cab blinds for best insulation and privacy shield | ● | ● | ● |
| High quality entrance door with ergonomic handle inside and outside | ● | ● | ● |
| Double glazed hinged window with cassette blinds and flyscreens (except for bathroom) | ● | ● | ● |
| Roof light with frosted perspex glas and flyscreen | ● | ● | ● |
| Coupé entrance | ● | ● | ● |
| Large rear garage with lowered frame, lashing rings and interior lighting (depending on model) | ● | ● | ● |
| Splash water seals for the exterior storage locker and doors | ● | ● | ● |
| Payload in garage up to 150 kg | ● | ● | ● |
| COMFORT | | | |
| Isofix for 2 seats | ● | ● | ● |
| Ergonomically shaped upholstery for improved seating comfort | ● | ● | ● |
| L-shape lounge with free-standing and rotating table | — | ● | ● |
| Table extension | ● | — | — |
| Pull-down bed with Klima-Plux elements as standard on A-Class models | ● | ● | ● |
| High-quality mattress in all beds | ● | ● | ● |
| Mattress cover removable and washable | ● | ● | ● |
| Wooden slatted frame in all fixed-beds for better sleeping comfort | ● | ● | ● |
| Ventilation for storage locker and seat backrest | ● | ● | ● |
| Spacious storage compartments and storage options | ● | ● | ● |

| | I 67S | I 68 | I 69L |
|--|-------|------|-------|
| Mirror with indirect lighting and coat hooks | ● | ● | ● |
| Foldable window blinds | ● | ● | ● |
| Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey | ● | ● | ● |
| Floor Mountain Lodge | ● | ● | ● |
| Bed conversion single to double bed | ● | ● | — |
| Carpet | ● | ● | ● |
| INSTALLATIONS | | | |
| Overhead locker with integrated LED light | ● | ● | ● |
| High-performance, maintenance-free leisure battery (95 Ah AGM) | ● | ● | ● |
| Bord-control-panel supplies information about filling levels and battery capacity | ● | ● | ● |
| Automatic switching and separating systems for starter and leisure battery as well as for refrigerator | ● | ● | ● |
| Electric charger for leisure and vehicle battery 12 V / 18 A | ● | ● | ● |
| CEE 230 V external socket with safety device | ● | ● | ● |
| Residual Current Device (RCD) | ● | ● | ● |
| LED interior light | ● | ● | ● |
| LED Awning light | ● | ● | ● |
| USB Socket 3 x A / 1 x C (depending on layout) | ● | ● | ● |
| HEATING / GAS SUPPLY | | | |
| Gas control valves easily accessible and centrally arranged | ● | ● | ● |
| Gas bottle locker for 2 x 11 kg gas bottles | ● | ● | ● |
| Heating Combi 6 E (with el. heating element) incl. digital control panel | ● | ● | ● |
| KITCHEN | | | |
| Two-flame cooker with 12 V ignition and glass cover | ● | ● | ● |
| Ergonomically arranged kitchen with spacious work top | ● | ● | ● |
| Large drawer with soft-close in the kitchen unit | ● | ● | ● |
| Large, round kitchen sink in stainless steel | ● | ● | ● |
| Water tank incl. boiler 122 l, waste water tank 92 l | ● | ● | ● |
| Waste bin | ● | ● | ● |
| Flexible railing system with two hooks | — | ● | ● |
| LED light-band | ● | ● | ● |
| Large 156 l fridge with separate 29 l freezer compartment | ● | ● | ● |
| Oven in kitchen | ● | ● | ● |
| BATHROOM | | | |
| Variobath | ● | — | — |
| Spacious bathroom with separate shower on the opposite side | — | ● | ● |
| Swivel cassette toilet with electric flush | ● | ● | ● |

| | I 67S | I 68 | I 69L |
|--|-------|------|-------|
| Large mirrors | ● | ● | ● |
| Roof vent with integrated flyscreen blind (depending on model) | ● | ● | ● |
| Flexible railing system with two hooks | — | ● | ● |
| Clothes rail in bathroom | ● | ● | ● |
| Shower cubicle lining | ● | ● | ● |
| SOFT FURNISHING | | | |
| Soft furnishing Adventure | ● | ● | ● |
| PACKS | | | |
| Basic Pack | ● | ● | ● |
| Two-colour alloy wheels Pack | ● | ● | ● |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Packs

A Class Adventure

FIAT

BASIC PACK

| | |
|-----------------------------------|------|
| Bridge Light | |
| Comfort entrance door with window | |
| Flyscreen door (one-piece) | |
| Panoramic roof light 70 x 50 cm | |
| Clear glass roof light 40 x 40 cm | |
| Additional weight (kg)* | 14.3 |

in A Class Adventure included

TWO-COLOUR ALLOY WHEELS PACK

| | |
|--|---|
| Leather steering wheel and gear knob in leather trim | |
| Air outlets with applications silver (Techno-Trim) | |
| 16" alloy wheels two-colour | |
| Additional weight (kg)* | 8 |

in A Class Adventure included

BLACK ALLOY WHEELS PACK ⁵⁾

| | |
|--|---|
| Leather steering wheel and gear knob in leather trim | |
| Air outlets with applications silver (Techno-Trim) | |
| 16" alloy wheels black matt | |
| Additional weight (kg)* | 8 |

Price

0.-

DIGITAL PACKAGE

| | |
|--------------------------------|--|
| Automatic cab air conditioning | |
|--------------------------------|--|



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

DIGITAL PACKAGE

| | |
|--|---------|
| Wireless smartphone charging | |
| 10" Radio and navigation system (DAB+) | |
| 7" digital TFT color display | |
| Reversing camera without grid lines | |
| Additional weight (kg)* | 4 |
| Price | 2,810.- |

- Standard equipment

◆ upon request
- Optional equipment

— Not possible
- ▲ Mandatory

□ Available in package
- △ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

A Class Adventure

FIAT

| | Price £ ^{ab} | Additional weight (kg)* | I 67S | I 68 | I 69L |
|---|-----------------------|-------------------------|-------|------|-------|
| BASE VEHICLE FIAT | | | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 8-speed automatic gearbox | 2,770.- | 60 | o | o | o |
| Electric Park Brake | 530.- | -9.4 | o | o | o |
| 90l fuel tank | 40.- | 23 | o | o | o |
| Tyre pressure indicator | 250.- | 0.8 | o | o | o |
| WEIGHT INCREASE | | | | | |
| Weight increase to 3,65 t (no chassis modification)* | 220.- | 0 | o | o | o |
| CONVERSION | | | | | |
| Two rear corner steadies | 290.- | 6 | o | o | o |
| Insulated waste water tank | 160.- | 8 | o | o | o |
| COMFORT | | | | | |
| Bed conversion for seating area | 300.- | 5 | — | o | ● |
| 5th seat on side bench with seat belt* ⁶⁾ | 500.- | 15 | — | o | o |
| Wooden duckboard for the shower tray | 80.- | 2 | o | o | o |
| INSTALLATIONS | | | | | |
| 12V TV pre-cabling incl. flat screen holder | 190.- | 3 | o | o | o |
| Mobile internet (WiFi / LTE antenna incl. Router) | 870.- | 1.4 | o | o | o |
| Pre-cabling reversing camera | 150.- | 1 | o | o | o |
| Pre-cabling solar system | 150.- | 2 | o | o | o |
| Second AGM leisure battery 95 Ah | 290.- | 27 | o | o | o |
| HEATING / GAS SUPPLY | | | | | |
| Floor heating electric in living area | 430.- | 6 | o | o | o |
| Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor) | 260.- | 3.5 | o | o | o |
| SOFT FURNISHING | | | | | |
| Performance Grey | 0.- | 0 | o | o | o |
| Green Trail | 0.- | 0 | o | o | o |
| PACKS | | | | | |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

| | Price £ ^{ad} | Additional weight (kg)* | I 67S | I 68 | I 69L |
|---------------------------------------|-----------------------|-------------------------|-------|------|-------|
| Digital Package | 2,810.- | 4 | o | o | o |
| Black alloy wheels Pack ⁵⁾ | 0.- | 8 | o | o | o |

● Standard equipment
◆ upon request

o Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Further information from p. 66



* INFO


The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

Coachbuilts

FIAT




| | A 60 | A 68 | A 70 |
|---|---|--|---|
| |  |  |  |
| Price £ | 58,990.- | 62,490.- | 65,190.- |
| Permitted seats (including driver)* | 4 | 6 | 5 |
| Berths | 4 | 6 | 6 |
| Length / Width / Height (cm) | 596 / 232 / 314 | 661 / 232 / 314 | 726 / 232 / 314 |
| Headroom in living area (cm) | 195 | 195 | 195 |
| Standard chassis | Fiat Ducato | Fiat Ducato | Fiat Ducato |
| Standard engine | 2.2 | 2.2 | 2.2 |
| kW (hp) | 103 (140) | 103 (140) | 103 (140) |
| Mass in running order* (kg) | 2825 (2684 to 2966)* | 2925 (2779 to 3071)* | 2998 (2848 to 3148)* |
| Manufacturer-specified mass for optional equipment* (kg) | 334 | 62 | 71 |
| Technically permissible maximum laden mass* (kg) | 3500 | 3500 | 3500 |
| Technically permissible towing weight 12 % braked (unbraked) (kg) | 2000 (750) | 2000 (750) | 2000 (750) |
| Tire size | 225/75 R 16 CP | 225/75 R 16 CP | 225/75 R 16 CP |
| Wheelbase (cm) | 345 | 380 | 404 |
| Bed size overcab / pull-down bed / Easy fold single bed (cm) | 210 x 160 | 210 x 160 | 210 x 160 |
| Bed dimension: Central / middle bed, L x W (cm) | | 175 x 100 | 185 x 100 |
| Bed dimension: Rear bed, L x W (cm) | 210 x 140 - 130 | 210 x 85 205 x 80 | 210 x 150 - 135 |
| Refrigerator volume incl. freezer (l) | 78 (11) | 156 (29) | 156 (29) |
| Heating type | Combi 6 Gas | Combi 6 Gas | Combi 6 Gas |



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

| | A 60 | A 68 | A 70 |
|--|---|--|---|
| |  |  |  |
| Total fresh water tank capacity / fresh water tank when driving filled (l) | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ | 122 / 20 ¹⁾ |
| Waste water tank (l) | 92 | 92 | 92 |
| Sockets: 230 V | 4 | 5 | 5 |
| Sockets: USB | 4 | 2 | 4 |
| Inner dimensions storage locker right/left W x H (cm) | 65 x 110 45 x 70 | 65 x 120 60 x 100 | 105 x 120 105 x 80 |
| Storage space for two gas cylinders with filling weight (kg) | 2 x 11kg | 2 x 11kg | 2 x 11kg |

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
 ◆ upon request — Not possible □ Available in package



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Coachbuilts

FIAT

| | A 60 | A 68 | A 70 |
|---|------|------|------|
| EXTENDED STANDARD EQUIPMENT COACHBUILTS | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • |
| Pre-cabling reversing camera | • | • | • |
| 2nd external storage door (size depends on layout) ⁸⁾ | • | • | • |
| Safety Pack Overcab: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight)* | — | • | • |
| Green Trail | • | • | • |
| Large 156 l fridge with separate 29 l freezer compartment | — | • | • |
| Basic Pack | • | • | • |
| Two-colour alloy wheels Pack | • | • | • |
| BASE VEHICLE FIAT | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 6-speed manual gearbox | • | • | • |
| Start & Stop function incl. booster | • | • | • |
| 60l fuel tank | • | • | • |
| Manual cab air conditioning | • | • | • |
| Cruise control | • | • | • |
| Wide-track chassis | • | • | • |
| Tyres M+S* Camping (snowflake) | • | • | • |
| Front Wheel Drive | • | • | • |
| Daytime running lights, integrated in headlights | • | • | • |
| Headlights with black frame | • | • | • |
| Driver and passenger airbag | • | • | • |
| Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt | • | • | • |
| Comfortable driving experience with rear and front axle stabilizers | • | • | • |
| ABS, EBD (electronic brake force distribution), ESP (electronic stability program) | • | • | • |
| ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking) | • | • | • |
| Traction+ incl. hill descent assistant | • | • | • |
| Electric operated cab windows and central locking | • | • | • |
| Electric and heated mirrors | • | • | • |
| Radio aerial integrated in mirror | • | • | • |
| Radio pre-wiring including speakers | • | • | • |

| | A 60 | A 68 | A 70 |
|--|------|------|------|
| Multifunction steering wheel | ● | ● | ● |
| Fix & Go breakdown kit | ● | ● | ● |
| Central cup holder | ● | ● | ● |
| USB charger (A+C) | ● | ● | ● |
| Driver and passenger seats with armrests & upholstered covers (Captain Chair) | ● | ● | ● |
| Driver and passenger seats swivel | ● | — | — |
| Driver and passenger seat with lumbar support | ● | ● | ● |
| Height and rake adjustment for driver and passenger seat | ● | ● | ● |
| CONVERSION | | | |
| 7-year water ingress warranty ²⁾ | ● | ● | ● |
| GRP (glass fibre reinforced plastic) roof and rear wall | ● | ● | ● |
| Aluminium sidewalls | ● | ● | ● |
| Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm | ● | ● | ● |
| Design rear light carrier in three parts with full-LED lights | ● | ● | ● |
| High quality entrance door with ergonomic handle inside and outside | ● | ● | ● |
| Double glazed hinged window with cassette blinds and flyscreens (except for bathroom) | ● | ● | ● |
| Roof light with frosted perspex glas and flyscreen | ● | ● | ● |
| Electric entrance step | ● | ● | ● |
| Large rear garage with lowered frame, lashing rings and interior lighting (depending on model) | ● | ● | ● |
| Splash water seals for the exterior storage locker and doors | ● | ● | ● |
| Payload in garage up to 150 kg | ● | ● | ● |
| 2nd external storage door (size depends on layout) ⁸⁾ | ● | ● | ● |
| COMFORT | | | |
| Ergonomically shaped upholstery for improved seating comfort | ● | ● | ● |
| Isofix for 2 seats | ● | ● | ● |
| Safety Pack Overcab: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight)* | — | ● | ● |
| Table extension | ● | — | — |
| Bed conversion for seating area | — | ● | ● |
| High-quality mattress in all beds | ● | ● | ● |
| Mattress cover removable and washable | ● | ● | ● |
| Wooden slatted frame in all fixed-beds for better sleeping comfort | ● | ● | ● |
| Overcab with side window on the right, hot air nozzles, 72cm headroom and 210 x 160 cm bed size | ● | ● | ● |
| Sliding overcab bed for an improved access to the cab | ● | ● | ● |
| Safety net on overcab beds, bunk beds and on pull-down beds (depending on model) | ● | ● | ● |
| Spacious storage compartments and storage options | ● | ● | ● |
| Ventilation for storage locker and seat backrest | ● | ● | ● |

| | A 60 | A 68 | A 70 |
|--|------|------|------|
| Mirror with indirect lighting and coat hooks | ● | ● | ● |
| Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey | ● | ● | ● |
| Floor Mountain Lodge | ● | ● | ● |
| INSTALLATIONS | | | |
| Overhead locker with integrated LED light | ● | ● | ● |
| High-performance, maintenance-free leisure battery (95 Ah AGM) | ● | ● | ● |
| Bord-control-panel supplies information about filling levels and battery capacity | ● | ● | ● |
| Automatic switching and separating systems for starter and leisure battery as well as for refrigerator | ● | ● | ● |
| Electric charger for leisure and vehicle battery 12 V / 18 A | ● | ● | ● |
| CEE 230 V external socket with safety device | ● | ● | ● |
| Residual Current Device (RCD) | ● | ● | ● |
| LED Awning light | ● | ● | ● |
| LED interior light | ● | ● | ● |
| USB Socket 3 x A / 1 x C (depending on layout) | ● | ● | ● |
| Pre-cabling reversing camera | ● | ● | ● |
| HEATING / GAS SUPPLY | | | |
| Gas bottle locker for 2 x 11 kg gas bottles | ● | ● | ● |
| Combi 6 gas heating | ● | ● | ● |
| Gas control valves easily accessible and centrally arranged | ● | ● | ● |
| KITCHEN | | | |
| Two-flame cooker with 12 V ignition and glass cover | ● | ● | ● |
| Ergonomically arranged kitchen with spacious work top | ● | ● | ● |
| Large drawer with soft-close in the kitchen unit | ● | ● | ● |
| Large, round kitchen sink in stainless steel | ● | ● | ● |
| Water tank incl. boiler 122 l, waste water tank 92 l | ● | ● | ● |
| Fridge 78 l with freezer compartment 11 l | ● | — | — |
| Large 156 l fridge with separate 29 l freezer compartment | — | ● | ● |
| LED light-band | ● | ● | ● |
| Waste bin | ● | ● | ● |
| Flexible railing system with two hooks | ● | ● | ● |
| BATHROOM | | | |
| Variobath | ● | — | — |
| Bathroom with separate shower | — | ● | ● |
| Swivel cassette toilet with electric flush | ● | ● | ● |
| Roof vent with integrated flyscreen blind (depending on model) | ● | ● | ● |
| Large mirrors | ● | ● | ● |
| Clothes rail in bathroom | ● | ● | ● |

| | A 60 | A 68 | A 70 |
|------------------------------|------|------|------|
| Shower cubicle lining | ● | ● | ● |
| SOFT FURNISHING | | | |
| Green Trail | ● | ● | ● |
| PACKS | | | |
| Basic Pack | ● | ● | ● |
| Two-colour alloy wheels Pack | ● | ● | ● |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Packs

Coachbuilts

FIAT

BASIC PACK

| | |
|-----------------------------------|------|
| Bridge Light | |
| Comfort entrance door with window | |
| Flyscreen door (one-piece) | |
| Panoramic roof light 70 x 50 cm | |
| Clear glass roof light 40 x 40 cm | |
| Additional weight (kg)* | 14.3 |
| in Coachbuilts included | |

TWO-COLOUR ALLOY WHEELS PACK

| | |
|--|---|
| Leather steering wheel and gear knob in leather trim | |
| Air outlets with applications silver (Techno-Trim) | |
| 16" alloy wheels two-colour | |
| Additional weight (kg)* | 8 |
| in Coachbuilts included | |

PACKAGE PAINTED FRONT BUMPER

| | |
|-------------------------|-------|
| Painted bumper | |
| Skid Plate Black | |
| Fog lights | |
| Additional weight (kg)* | 3 |
| Price | 470.- |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Coachbuilds

FIAT

| | Price £ ^{a)} | Additional weight (kg)* | A 60 | A 68 | A 70 |
|---|-----------------------|-------------------------|------|------|------|
| BASE VEHICLE FIAT | | | | | |
| Fiat Ducato 3.500 kg 2.2 103 kW 140 BHP Euro 6 8-speed automatic gearbox | 2,770.- | 60 | ○ | ○ | ○ |
| Electric Park Brake | 530.- | -9.4 | ○ | ○ | ○ |
| 90l fuel tank | 40.- | 23 | ○ | ○ | ○ |
| WEIGHT INCREASE | | | | | |
| Weight increase to 3,65 t (no chassis modification)* | 220.- | 0 | ○ | ○ | ○ |
| HEATING / GAS SUPPLY | | | | | |
| Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor) | 260.- | 3.5 | ○ | ○ | ○ |
| SOFT FURNISHING | | | | | |
| Performance Grey | 0.- | 0 | ○ | ○ | ○ |
| PACKS | | | | | |
| Package painted front bumper | 470.- | 3 | ○ | ○ | ○ |

● Standard equipment
◆ upon request

○ Optional equipment
— Not possible

▲ Mandatory
□ Available in package

△ Not known at the time of publication

Further information from p. 66



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass

for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Footnotes

- 1) Before driving, please ensure that the fresh water tank does not contain more than 20 l.
- 2) The water ingress warranty conditions of Sunlight GmbH apply.
- 3) When ordering the option "Easy fold bed" for the V67S, please note that the overhead storage cabinet on the left side will be replaced by an open storage compartment, and overhead lockers and the window on the right-hand side in the living area are omitted.
- 4) When ordering the option bed conversion of the seating area on the V60, please note that the wardrobe in living room is replaced with a side seat incl. overhead locker.
- 5) Not in conjunction with Maxi Chassis and/or automatic.
- 6) When ordering the option "5th seat on side bench with safety belt", the interior storage space flap is not applicable. An optional 5th seat should be taken into account as a regular seat when calculating the minimum payload and passenger mass . To obtain a 5th seat, it must be ensured that the minimum payload is maintained and all other legal mass values are observed. For detailed information, please contact our trading partners.
- 7) For Maxi Chassis the Assistance Pack is included.
- 8) Lower window will be omitted on A 68.

Legal notices regarding weight-related information

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Sunlight configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is $\pm 5\%$. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of $\pm 5\%$: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Sunlight makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Sunlight by weighing each vehicle at the end of the line.

3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore $3 \times 75 \text{ kg} = 225 \text{ kg}$.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of $\pm 5\%$ (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above).

The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg $\geq 10 \cdot (n + L)$

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. $10 \text{ kg} \cdot (4 + 6) = 100 \text{ kg}$.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

| | |
|---|--|
| | 3,500 kg technically permissible maximum laden mass |
| - | 2,850 kg mass in running order |
| - | 3*75 kg mass of the passengers |
| - | 100 kg minimum pay-mass |
| = | 325 kg maximum permissible mass of optional equipment |

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

| | |
|---|---|
| | 3,500 kg technically permissible maximum laden mass |
| - | 2,907 kg real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg) |
| - | 3*75 kg mass of the passengers |
| - | 325 kg optional equipment (maximum permissible value) |
| = | 43 kg actual load capacity (< minimum pay-mass of 100 kg) |

In order to avoid such a situation, Sunlight further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may

arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Sunlight will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

| | |
|---|---|
| | 3,500 kg technically permissible maximum laden mass |
| - | 2,907 kg real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg) |
| - | 3*75 kg mass of the passengers |
| - | 150 kg optional equipment ordered for the specific vehicle |
| = | 218 kg actual load capacity |

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.



United Kingdom & Ireland

Made in Germany

General Information

Price list for Sunlight Motorhomes version 07/2025, valid from 01.08.2025.

All previous price lists become invalid with the issuance of this price list. Prices in EURO may vary across Europe. This is the result of differing standard configurations depending on the country as well as varying VAT and luxury tax rates. Copy-right held by Sunlight GmbH. Errors and misprints regarding prices and technical data are possible. We reserve the right to amend prices and technical data. All of the images in this Sunlight catalogue may depict alternative designs or special equipment for which additional costs apply. Deviations in color are possible for technical printing reasons.

A company of the ERWIN HYMER GROUP