


Camper Vans 2026

Technical Sales Manual

valid from August 1st, 2025



Dethleffs Plus Factors –

Explanation of symbols

The Dethleffs Camper Vans are packed with intelligent ideas and comfort features as standard. Here we briefly present the most important ones with the corresponding symbols that you will find on the vehicle pages. More detailed information and explanations can also be found at www.dethleffs.com/plus-factors

Added equipment



Overhead locker: all-round overhead lockers (also in the rear) provide extra storage space



Kitchen worktop: for added convenience, the kitchen offers an extendable worktop



Storage space kitchen: spacious kitchen with extra large, spacious and handle-free drawers



Pull-down bed for maximum flexibility in the rear storage compartment. An additional bed under the pull-down bed offers two additional sleeping berths if required



Storage space in the rear – perfect for easily accessible storage of luggage and accessories when travelling

Added comfort



Folding instead of stacking: Convenient, simple conversion and storage of the mattresses



With the practical swivel wall, the wash basin and toilet can be easily folded away when showering to save space



Center bath: double use of living space through spacious bathroom as a center bath



Ergonomic beauty sleep: the plate spring base adapts individually and precisely to the spine

Added safety



With a clear view: the flush-fitting windows provide security and stability

IMPORTANT INFORMATION FOR THE SELECTION OF YOUR MOTORHOMES

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Dethleffs specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.



Low Profile model overview

| | | Model 1 | Model 2 |
|----------------------------------------------------|----|------------------------|------------------------|
| Standard chassis | | Fiat Ducato | Fiat Ducato |
| Emission standards | | Euro 6d Final | Euro 6d Final |
| Overall length, approx. | cm | 599 | 695 |
| Overall width, approx. | cm | 220 | 220 |
| Overall height, approx. | cm | 281 | 281 |
| technically permissible maximum laden mass | kg | 3499 | 3499 |
| Mass in running order | kg | 2.890 (2.746 - 3.035)* | 2.982 (2.833 - 3.131)* |
| Permitted number of seats (including driver) | | 4 | 4 |
| Manufacturer-specified mass for optional equipment | kg | 245 | 149 |

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is $\pm 5\%$. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the “Legal Information” section.

3. The permitted number of seats (including driver)...

...is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section



Low Profile model overview

| | | Model 1 | Model 2 |
|----------------------------------------------------|----|------------------------|------------------------|
| Standard chassis | | Fiat Ducato | Fiat Ducato |
| Emission standards | | Euro 6d Final | Euro 6d Final |
| Overall length, approx. | cm | 599 | 695 |
| Overall width, approx. | cm | 220 | 220 |
| Overall height, approx. | cm | 281 | 281 |
| technically permissible maximum laden mass | kg | 3499 | 3499 |
| Mass in running order | kg | 2.890 (2.746 - 3.035)* | 2.982 (2.833 - 3.131)* |
| Permitted number of seats (including driver) | | 4 | 4 |
| Manufacturer-specified mass for optional equipment | kg | 245 | 149 |

4. The manufacturer-specified mass for optional equipment...

... is a value set by Dethleffs per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

Optional extra

| | | Price € | Additional weight | Code | Model 1 | Model 2 |
|--------------------------------------------------------------------------------------------|---|---------|-------------------|------|---------|---------|
| Bathroom | | | | | | |
| Shower grid | — | 359,- | 9 | 1385 | — | ○ |
| Additional window in bathroom | — | 269,- | 5 | 9845 | ○ | ○ |
| Multimedia | | | | | | |
| Automatic HD satellite system 65 Twin | — | 549,- | 15 | 713 | ○ | — |
| Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel | — | 238,- | 1.5 | 1657 | ○ | ● |

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment."



INDEX CAMPER VANS

| | |
|------------------------------|----------------------------------------------|
| IMPORTANT INFORMATION | FOR THE SELECTION OF YOUR MOTORHOMES 2 |
| Globetrail | Globetrail (Fiat)..... 5 |
| Globetrail Active | Globetrail Active (Fiat)..... 24 |
| Globetrail Active | Globetrail Active (Citroen) 33 |
| Globetrail | Globetrail Performance (VW)..... 43 |
| LEGAL INFORMATION | ON WEIGHT-RELATED DATA 52 |

Globetrail (Fiat)



Dethleffs' many years of experience in the construction of leisure vehicles is reflected in the Globetrail on Fiat Ducato: quality, ambience and many well thought-out solutions make it stand out from the crowd of camper vans. The attractive price/performance ratio and a large selection of different vehicle concepts from compact to spacious round off the range and make the Globetrail the perfect match for camper van enthusiasts and newcomers.

Technical info

| | |
|-------------------------------------|--------------|
| Overall length, approx. | 541 - 636 cm |
| Overall width, approx. | 205 cm |
| Overall width with mirrors, approx. | 265 cm |
| Overall height, approx. | 265 / 278 cm |
| Headroom in living area, approx. | 189 cm |

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Camino



+ Upholstery Scandi

○

Wood décor



+ Wood décor Noce Nagano, additional decor Web pebble grey



+ Wood décor Amberes Oak, skirting board finish Trace Dark Grey ○

○ optionally available

Plus factors

- + Excellent chassis equipment: 16-inch aluminium wheels, leather steering wheel, air conditioning, cruise control, electric parking brake, captain's chairs, blackout blinds and much more.
- + Disc spring sleep system with full-length disc springs for high comfort, fold-up step for accessing the bed and optional stair access. Single beds can be extended to form a family bed.
- + Modern, ergonomic interior design with handleless, optional backlit overhead locker doors and an inviting, illuminated shelf at the entrance.
- + Easy loading of the rear garage thanks to fold-up beds
- + Large, spacious drawers with soft-close in the kitchen
- + Extensive standard equipment including fly screen door, window in the bathroom, rear shelf, all-round overhead lockers in the bedroom and much more.



Globetrail (Fiat)

Technical info



| Globetrail (Fiat) | | 540 DR | 600 DK | 600 DS | 600 DR | 600 ER |
|--------------------------------------------------------------------------------|----|----------------------|----------------------|----------------------|----------------------|----------------------|
| Standard chassis | | Fiat Ducato | Fiat Ducato | Fiat Ducato | Fiat Ducato | Fiat Ducato |
| Standard engine | | Multijet 3 | Multijet 3 | Multijet 3 | Multijet 3 | Multijet 3 |
| kW (bhp) | | 103 (140) | 103 (140) | 103 (140) | 103 (140) | 103 (140) |
| Emission standards | | Euro 6e-bis | Euro 6e-bis | Euro 6e-bis | Euro 6e-bis | Euro 6e-bis |
| Overall length, approx. | cm | 541 | 599 | 599 | 599 | 599 |
| Overall width, approx. | cm | 205 | 205 | 205 | 205 | 205 |
| Overall width with mirrors, approx. | cm | 265 | 265 | 265 | 265 | 265 |
| Overall height, approx. | cm | 265 / 278 ○ | 265 / 278 ○ | 265 / 278 ○ | 265 / 278 ○ | 265 / 278 ○ |
| Overall height (open pop-top roof) | cm | 358 | 358 | 358 | 358 | 358 |
| Headroom in living area, approx. | cm | 189 | 189 | 189 | 189 | 189 |
| Towable load braked/unbraked | kg | 2500 / 750 | 2500 / 750 | 2500 / 750 | 2500 / 750 | 2500 / 750 |
| Wheelbase, approx. | cm | 345 | 404 | 404 | 404 | 404 |
| Bed dimension: Central / middle bed, L X W, approx. | cm | 180 x 91 ○ | 180 x 88 ○ | 180 x 88 ○ | 180 x 88 ○ | 180 x 88 ○ |
| Bed dimension: Rear bed, L x W, approx. | cm | 197 x 132 - 118 | 197 x 157 - 140 | 197 x 157 - 140 | 197 x 157 | 191 - 176 x 197 |
| Bed dimension: pop-up roof, L X W, approx. | cm | 209 x 143 ○ | 209 x 143 ○ | 209 x 143 ○ | 209 x 143 ○ | 209 x 143 ○ |
| Sleeping berths standard / max. | | 2 / 5 ○ | 2 / 5 ○ | 2 / 5 ○ | 2 / 5 ○ | 2 / 5 ○ |
| Mass in running order (+/-5%)* | kg | 2740 (2603 to 2877)* | 2880 (2736 to 3024)* | 2880 (2736 to 3024)* | 2880 (2736 to 3024)* | 2880 (2736 to 3024)* |
| Manufacturer-specified mass for optional equipment* | kg | 438 | 292 | 292 | 292 | 292 |
| Technically permissible maximum laden mass* | kg | 3499 | 3499 | 3499 | 3499 | 3499 |
| Permitted number of seats (including driver)* | | 4 | 4 | 4 | 4 | 4 |
| Waste water tank, approx. | l | 90 | 90 | 90 | 90 | 90 |
| Fresh water tank capacity, total/ Fresh water tank capacity at driving filling | l | 100 / 20 | 100 / 20 | 100 / 20 | 100 / 20 | 100 / 20 |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Globetrail (Fiat)

Technical info



| Globetrail (Fiat) | | 640 EK | 640 ER | 640 ES | 640 HR |
|--------------------------------------------------------------------------------|----|----------------------|----------------------|----------------------|-------------------------------------|
| Standard chassis | | Fiat Ducato | Fiat Ducato | Fiat Ducato | Fiat Ducato |
| Standard engine | | Multijet 3 | Multijet 3 | Multijet 3 | Multijet 3 |
| kw (bhp) | | 103 (140) | 103 (140) | 103 (140) | 103 (140) |
| Emission standards | | Euro 6e-bis | Euro 6e-bis | Euro 6e-bis | Euro 6e-bis |
| Overall length, approx. | cm | 636 | 636 | 636 | 636 |
| Overall width, approx. | cm | 205 | 205 | 205 | 205 |
| Overall width with mirrors, approx. | cm | 265 | 265 | 265 | 265 |
| Overall height, approx. | cm | 265 / 278 ○ | 265 / 278 ○ | 265 / 278 ○ | 265 / 278 ○ |
| Overall height (open pop-top roof) | cm | 358 | 358 | 358 | 358 |
| Headroom in living area, approx. | cm | 189 | 189 | 189 | 189 |
| Towable load braked/unbraked | kg | 2500 / 750 | 2500 / 750 | 2500 / 750 | 2500 / 750 |
| Wheelbase, approx. | cm | 404 | 404 | 404 | 404 |
| Bed dimension: Central / middle bed, L X W, approx. | cm | 180 x 88 ○ | 180 x 88 ○ | 180 x 88 ○ | 180 x 88 ○ |
| Bed dimension: Rear bed, L x W, approx. | cm | 195 - 179 x 197 | 194 - 190 x 197 | 195 - 179 x 197 | 200 - 186 x 156 / 204 - 190 x 155 ○ |
| Bed dimension: pop-up roof, L X W, approx. | cm | 209 x 143 ○ | 209 x 143 ○ | 209 x 143 ○ | 209 x 143 ○ |
| Sleeping berths standard / max. | | 2 / 5 ○ | 2 / 5 ○ | 2 / 5 ○ | 2 / 7 ○ |
| Mass in running order (+/-5%)* | kg | 2980 (2831 to 3129)* | 2980 (2831 to 3129)* | 2980 (2831 to 3129)* | 2980 (2831 to 3129)* |
| Manufacturer-specified mass for optional equipment* | kg | 189 | 189 | 189 | 189 |
| Technically permissible maximum laden mass* | kg | 3499 | 3499 | 3499 | 3499 |
| Permitted number of seats (including driver)* | | 4 | 4 | 4 | 4 |
| Waste water tank, approx. | l | 90 | 90 | 90 | 90 |
| Fresh water tank capacity, total/ Fresh water tank capacity at driving filling | l | 100 / 20 | 100 / 20 | 100 / 20 | 100 / 20 |

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

| | 540 DR | 600 DK | 600 DS | 600 DR | 600 ER | 640 EK | 640 ER | 640 ES | 640 HR |
|--------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Base vehicle Fiat | | | | | | | | | |
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg | ● | — | — | — | — | — | — | — | — |
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg | — | ● | ● | ● | ● | — | — | — | — |
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg | — | — | — | — | — | ● | ● | ● | ● |
| Base vehicle equipment Fiat | | | | | | | | | |
| 16" alloy wheels in black (light) ¹⁾ | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 90 litre diesel tank | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| All-weather tyres M+S* Camping Snowflake | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Cab air conditioning | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Captain Chair and Traction+ (Traction+ not for 540 lengths) | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Cruise control | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Cup Holder | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Driver/passenger seat in living area fabric | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Electric parking brake | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Electrical preparation for trailer coupling | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Electrically adjustable and heated exterior mirrors | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Fix & Go puncture repair kit: tyre inflation kit and towing eye | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Headlight frame black | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| High-load ESP (for models with 540 length) | ● | — | — | — | — | — | — | — | — |
| Leather-trimmed steering wheel and gear knob | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Maxi/automatic chassis: 16" bicolour alloy wheels ²⁾ | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Passenger airbag | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Tablet holder, DAB aerial in the mirror, loudspeakers, steering wheel radio controls | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Techno Trim | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| USB socket (B+C) | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Exterior colours Fiat | | | | | | | | | |
| White | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Exterior equipment | | | | | | | | | |
| Electric entry step | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Exterior stickers Classic | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Flush fitting windows | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Flyscreen door | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds | — | ● | ● | ● | ● | ● | ● | ● | ● |
| Skylight in the bathroom with integrated fly screen | — | ● | ● | — | — | ● | — | ● | — |
| Window in the bathroom | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Windows with fly screen and blackout blind in rear doors | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Windows with fly screens and blackout blinds in the kitchen and at the seating area | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Interior design / living area | | | | | | | | | |
| 2-burner stove and sink combination with electric ignition | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Access ladder for pull-down bed | — | — | — | — | — | — | — | — | ● |
| Centre bathroom with fixed sink, big mirror and cassette toilet | — | — | — | ● | — | — | ● | — | ● |
| Centre bathroom with swivel washbasin, black designer fittings and cassette toilet | ● | — | — | — | ● | — | — | — | — |
| Circumferential overhead lockers in the rear | ● | ● | ● | ● | ● | ● | ● | ● | — |
| Comfortable seating group with high-quality side wall panelling | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Compact bathroom (tambour door) with fixed sink and cassette toilet | — | ● | — | — | — | ● | — | — | — |
| Compressor refrigerator 84 l incl. freezer compartment 6.1 l | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Ergonomically arranged kitchen with generous work surface | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Ergonomically shaped pads for more sitting comfort | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Folding privacy screen in driver's cab: side windows | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Folding privacy screen in driver's cab: windscreen | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Front with spacious storage above the driver's cab | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Generous storage space and storage options | ● | ● | ● | ● | ● | ● | ● | ● | ● |

Standard equipment

| | 540 DR | 600 DK | 600 DS | 600 DR | 600 ER | 640 EK | 640 ER | 640 ES | 640 HR |
|--------------------------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Generous storage space in the bathroom | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Multifunctional rail on the kitchen back panel (for matching accessories) | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Open storage space under the roof cabinets, left side of the bed | ● | ● | ● | ● | ● | ● | ● | ● | — |
| Partition wall with fold-down comfort step for rear bed (with lengthways beds, incl. variable bed extension) | ● | ● | ● | ● | ● | ● | ● | ● | — |
| Platform of the seating group with integrated storage compartment | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Pull-down bed with an enormous amount of storage space in the rear | — | — | — | — | — | — | — | — | ● |
| Rear bed with folding disc spring frame | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Rear storage space with 4 integrated lashing eyes | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Storage shelf under the rear bed | ● | ● | ● | ● | ● | ● | ● | ● | — |
| Storage space under the seating area | ● | — | — | — | ● | — | — | — | — |
| Swivel bath with roller shutter door, swivelling wall in frosted glass look and cassette toilet | — | — | ● | — | — | — | — | ● | — |
| Three roomy drawers with Servosoft pull-out | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Upholstery Camino | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Variably extendable work surface | — | — | — | ● | — | — | ● | — | ● |
| Wardrobe in bed base on the left | — | ● | ● | ● | — | ● | ● | ● | — |
| Wood décor Noce Nagano, additional decor Web pebble grey | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Heating | | | | | | | | | |
| Board control panel with indication of all fill levels and battery capacities | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Hot air heating 4 kW with hot water boiler | ● | ● | ● | ● | ● | ● | ● | ● | — |
| Standard control panel for CP Classic heater, analogue | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Water supply | | | | | | | | | |
| Water tank 100l, waste water tank 90l | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Gas supply | | | | | | | | | |
| Gas shut-off valves easily accessible and centrally located | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Storage space for gas cylinders with 11 kg filling weight each: 2 pcs. | ● | ● | ● | ● | ● | ● | ● | ● | — |
| Storage space in the kitchen for a gas cylinder with a filling weight of 2.8 kg | — | — | — | — | — | — | — | — | ● |
| Electrical installation | | | | | | | | | |
| 1x 230 V socket in the kitchen, 1x double USB socket in the rear right-hand side | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| CEE exterior socket for 230 V with circuit breaker | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Electric charger for body and vehicle battery 12 V / 18 A (trickle charge) | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Flexible light strip, surface mounted spot freely positionable | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Light switch optimally placed in the vehicle, e.g. directly at the entrance | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Platform of the seating group with indirect lighting with automatic door opening system | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Powerful, maintenance-free battery (95 Ah) | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Pre-wiring for rear view camera | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Rear storage compartment lighting | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| TV preparation 12V and TV socket, SAT connection | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Safety | | | | | | | | | |
| 10-year leakage guarantee | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Isofix for one seat | — | ● | ● | ● | — | ● | ● | ● | ● |

PACKAGES GLOBETRAIL (FIAT)

| Package | 95 years package (540 DR) (15543) | 95 years package (600 ER) (15542) | 95 years package (600 DK / DS / DR) (15542) | 95 years package (640 EK / ES / ER / HR) (15542) |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------------------------------------|---------------------------------------------------|--------------------------------------------------------|
| Pack Easy Driving Plus (New Pack Safety, bumpers in body colour, black skid plate, front fog lights, ACC adaptive cruise control) | x | x | x | x |
| Pack Vision Level 2 (folding side mirrors, parking sensors rear, blind spot assistant) | x | x | x | x |
| Automatic air conditioning | x | x | x | x |
| Digital rear view camera | x | x | x | x |
| Digital cockpit | x | x | x | x |
| Radio navigation with 10" display | x | x | x | x |
| Wireless Phone Charger | x | x | x | x |
| Exterior stickers Full | x | x | x | x |
| Awning light | x | x | x | x |
| Indirect lighting | x | x | x | x |
| LED light tube in the kitchen | x | x | x | x |
| Pre-wiring solar system | x | x | x | x |
| Truma CP Plus control panel | x | x | x | x |
| 230V socket in wall unit, front left (seating group) | x | x | x | x |
| 12V socket in the rear area, bottom left | x | x | x | x |
| Additional double USB socket in the front left | x | x | x | x |
| Swivelling plate table extension | x | x | | |
| Sliding window with fly screen and blackout blind at the rear left | x | | | |
| Awning 3,25 m (540) | x | | | |
| Window with fly screen and blackout blind in rear left | | x | x | x |
| Awning 3,75 m (600) | | x | x | |
| Swivelling plate table extension | | | x | x |
| Awning 4,00 m (640) | | | | x |
| Additional weight (kg)* | △ | △ | △ | △ |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

| Package | Chassis Package (14420) | Chassis Package ACC (15532) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------------------|
| New Pack Safety (emergency brake assistant with pedestrian detection, rain and light sensors, lane departure warning, traffic sign recognition, drowsiness detection, intelligent speed assistant) | x | |
| Pack Vision Level 2 (folding side mirrors, parking sensors rear, blind spot assistant) | x | x |
| Full LED headlights | x | x |
| Bumpers in body colour, skid plate in black, fog lights | x | |
| Pack Easy Driving Plus (New Pack Safety, bumpers in body colour, black skid plate, front fog lights, ACC adaptive cruise control) | | x |
| Additional weight (kg)* | △ | △ |

| Package | Comfort Package (540 DR) (15195) | Comfort Package (600 ER) (15194) | Comfort Package (600 DK / DS / DR) (15194) | Comfort Package (640 EK / ES / ER) (15194) | Comfort Package (640 HR) (15196) |
|--------------------------------------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|--------------------------------------------|----------------------------------|
| Sliding window with fly screen and blackout blind at the rear left | x | | | | |
| Innovative pull-out under the rear bed | x | x | x | x | |
| Swivelling plate table extension | x | x | | | |
| Window with fly screen and blackout blind in rear left | | x | x | x | x |
| Swivelling plate table extension | | | x | x | x |
| Additional weight (kg)* | 31.1 | 32 | 31.3 | 31.3 | 8.3 |

| Electric Package (15510) | |
|------------------------------------------------------|------|
| Awning light | |
| Additional double USB socket in the front left | |
| 12V socket in the rear area, bottom left | |
| 230V socket in wall unit, front left (seating group) | |
| Indirect lighting | |
| LED light tube in the kitchen | |
| Pre-wiring solar system | |
| Additional weight (kg)* | 6.42 |

| Digital Package (14379+14380) | |
|-----------------------------------|------|
| Digital rear view camera | |
| Automatic air conditioning | |
| Wireless Phone Charger | |
| Radio navigation with 10" display | |
| Digital cockpit | |
| Additional weight (kg)* | 22.6 |

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*

| | Included in package | Additional weight (kg)* | Code | 540 DR | 600 DK | 600 DS | 600 DR | 600 ER | 640 EK | 640 ER | 640 ES | 640 HR |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Base vehicle Fiat | | | | | | | | | | | | |
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg - automatic transmission | — | 60 | 15358 | ○ | — | — | — | — | — | — | — | — |
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg - automatic transmission | — | 60 | 15361 | — | ○ | ○ | ○ | ○ | — | — | — | — |
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg - automatic transmission | — | 60 | 15367 | — | — | — | — | — | ○ | ○ | ○ | ○ |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 HP / 103 kW) Heavy Duty - 4,250 kg - automatic transmission | — | 60 | 14984 | — | — | — | — | — | ○ | ○ | ○ | ○ |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg | — | 40 | 15363 | — | ○ | ○ | ○ | ○ | — | — | — | — |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg | — | 40 | 15369 | — | — | — | — | — | ○ | ○ | ○ | ○ |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg - automatic transmission | — | 60 | 15364 | — | ○ | ○ | ○ | ○ | — | — | — | — |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg - automatic transmission | — | 60 | 15370 | — | — | — | — | — | ○ | ○ | ○ | ○ |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) Heavy Duty - 4,250 kg - automatic transmission | — | 60 | 15489 | — | ○ | ○ | ○ | ○ | — | — | — | — |
| Fiat Ducato Multijet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission | — | 60 | 15359 | ○ | — | — | — | — | — | — | — | — |
| Fiat Ducato Multijet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission | — | 60 | 15362 | — | ○ | ○ | ○ | ○ | — | — | — | — |
| Fiat Ducato Multijet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission | — | 60 | 15368 | — | — | — | — | — | ○ | ○ | ○ | ○ |
| Fiat Ducato Multijet 180 Maxi (2.2 l / 180 HP / 132 kW) Heavy Duty - 4,250 kg - automatic transmission | — | 60 | 14985 | — | — | — | — | — | ○ | ○ | ○ | ○ |
| Fiat Ducato Multijet 180 Maxi (2.2 l / 180 hp / 132 kW) - 3,500 kg - automatic transmission | — | 60 | 15365 | — | ○ | ○ | ○ | ○ | — | — | — | — |
| Fiat Ducato Multijet 180 Maxi (2.2 l / 180 hp / 132 kW) - 3,500 kg - automatic transmission | — | 60 | 15371 | — | — | — | — | — | ○ | ○ | ○ | ○ |
| Fiat Ducato Multijet 180 Maxi (2.2 l / 180 hp / 132 kW) Heavy Duty - 4,250 kg - automatic transmission | — | 60 | 15490 | — | ○ | ○ | ○ | ○ | — | — | — | — |
| Base vehicle equipment Fiat | | | | | | | | | | | | |
| Full LED headlights ³⁾ | — | △ | 12089 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Exterior colours Fiat | | | | | | | | | | | | |
| Black Metallic | — | 2.5 | 1333 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Expedition Grey | — | 0 | 9741 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Grigio Ferro Metallic | — | 2.5 | 046 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Lanzarote Grey | — | 0 | 12084 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Exterior equipment | | | | | | | | | | | | |
| Awning 3,25 m (540) | — | 32.4 | 1646 | ○ | — | — | — | — | — | — | — | — |
| Awning 3,75 m (600) | — | 38.3 | 1646 | — | ○ | ○ | ○ | ○ | — | — | — | — |
| Awning 4,00 m (640) | — | 41.5 | 1646 | — | — | — | — | — | ○ | ○ | ○ | ○ |
| Exterior stickers Full | — | △ | 530 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Front with panorama window ⁴⁾ | — | 3.35 | 6432 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Pop-up roof black, opens completely at the front incl. electric closing assistant, fly screen, gooseneck light and USB socket, with high-quality mattress ⁴⁾ | — | 145.5 | 10306 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Window with flyscreen and blackout blind in the rear right-hand side | — | 5.9 | 1909 | — | — | — | — | ○ | ○ | ○ | ○ | ○ |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

| | Included in package | Additional weight (kg)* | Code | 540 DR | 600 DK | 600 DS | 600 DR | 600 ER | 640 EK | 640 ER | 640 ES | 640 HR |
|-----------------------------------------------------------------------------|---------------------|-------------------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Interior design / living area | | | | | | | | | | | | |
| Access steps for rear longitudinal bed incl. storage compartments | — | △ | 14475 | — | — | — | — | ○ | ○ | ○ | ○ | — |
| Additional bed in the rear (204/190 cm x 155 cm) | — | 25.1 | 7109 | — | — | — | — | — | — | — | — | ○ |
| Guest bed across the living area | — | 12.6 | 1944 | — | — | — | — | — | — | — | — | ○ |
| Guest bed across the living area | — | 12.6 | 1944 | — | ○ | — | — | — | — | — | — | — |
| Guest bed across the living area | — | 12.6 | 1944 | — | — | — | — | — | ○ | — | — | — |
| Guest bed across the living area | — | 12.8 | 1944 | ○ | — | — | — | — | — | — | — | — |
| Guest bed across the living area | — | 12.6 | 1944 | — | — | ○ | — | — | — | — | — | — |
| Guest bed across the living area | — | 11.2 | 1944 | — | — | — | ○ | — | — | — | — | — |
| Guest bed across the living area | — | 12.8 | 1944 | — | — | — | — | ○ | — | — | — | — |
| Guest bed across the living area | — | 12.6 | 1944 | — | — | — | — | — | — | — | ○ | — |
| Guest bed across the living area | — | 11.2 | 1944 | — | — | — | — | — | — | ○ | — | — |
| Lashing rails in the rear floor | — | 5 | 1618 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Swivelling plate table extension | — | 3.1 | 1900 | ○ | — | — | — | ○ | — | — | — | — |
| Swivelling plate table extension | — | 2.4 | 1900 | — | ○ | ○ | ○ | — | ○ | ○ | ○ | ○ |
| Upholstery Scandi ⁵⁾ | — | 0 | 13167 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Wood décor Amberes Oak, skirting board finish Trace Dark Grey ⁵⁾ | — | 0 | 11827 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Heating | | | | | | | | | | | | |
| Combi 6DE diesel electric heater incl. Truma CP Plus control panel | — | 5 | 330+1617 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | — |
| Combi 6E gas-electric heater incl. Truma CP Plus control panel | — | 3 | 995+330 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | — |
| Diesel heater Combi 6D | — | 4 | 1617 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ● |
| Electric heating 230V incl. Truma CP Plus control panel | — | 1 | 330 | — | — | — | — | — | — | — | — | ○ |
| Truma CP Plus control panel ⁶⁾ | — | 0 | 6622 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Water supply | | | | | | | | | | | | |
| Waste water tank insulated and heated | — | 14.4 | 665+642 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Gas supply | | | | | | | | | | | | |
| Automatic gas cylinder switchover incl. crash sensor and EisEx | — | 2.5 | 1577 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | — |
| Electrical installation | | | | | | | | | | | | |
| Second habitation battery 140 Ah (lithium-ion 5 cells) | — | △ | 13968 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Second habitation battery 95 Ah | — | 27 | 830 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Wi-Fi router incl. roof antenna ⁷⁾ | — | △ | 14899 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Packages | | | | | | | | | | | | |
| 95 years package (540 DR) ⁸⁾ | — | △ | 15543 | ○ | — | — | — | — | — | — | — | — |
| 95 years package (600 DK / DS / DR) ⁸⁾ | — | △ | 15542 | — | ○ | ○ | ○ | — | — | — | — | — |
| 95 years package (600 ER) ⁸⁾ | — | △ | 15542 | — | — | — | — | ○ | — | — | — | — |
| 95 years package (640 EK / ES / ER / HR) ⁸⁾ | — | △ | 15542 | — | — | — | — | — | ○ | ○ | ○ | ○ |
| Chassis Package | — | △ | 14420 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Chassis Package ACC | — | △ | 15532 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Comfort Package (540 DR) | — | 31.1 | 15195 | ○ | — | — | — | — | — | — | — | — |
| Comfort Package (600 DK / DS / DR) | — | 31.3 | 15194 | — | ○ | ○ | ○ | — | — | — | — | — |
| Comfort Package (600 ER) | — | 32 | 15194 | — | — | — | — | ○ | — | — | — | — |
| Comfort Package (640 EK / ES / ER) | — | 31.3 | 15194 | — | — | — | — | — | ○ | ○ | ○ | — |
| Comfort Package (640 HR) | — | 8.3 | 15196 | — | — | — | — | — | — | — | — | ○ |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

| | Included in package | Additional weight (kg)* | Code | 540 DR | 600 DK | 600 DS | 600 DR | 600 ER | 640 EK | 640 ER | 640 ES | 640 HR |
|-------------------------------------|---------------------|-------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Digital Package | — | 22.6 | 14379+14380 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Electric Package | — | 6.42 | 15510 | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Miscellaneous | | | | | | | | | | | | |
| Registration documents (CoC papers) | — | 0 | 15152 | ◆ | ◆ | ◆ | ◆ | ◆ | ◆ | ◆ | ◆ | ◆ |

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



*** INFO**
The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Selling points

- + Optimal use of space thanks to a spacious bathroom that can be used as a multifunctional room with a flexibly swivelling washbasin. Stylish accents thanks to matt black fittings + door blinds
- + Large transverse bed with thick mattress for maximum comfort. The foldable disc spring construction makes stacking unnecessary.
- + Generous compressor refrigerator (84l incl. 6l freezer compartment), optimally accessible from the inside as well as from the outside
- + Spacious drawers with soft-close runners and high-quality metal push-lock handles.
- + Compact 4-person vehicle

Important notes

- + Small centre bathroom, as CV with short length. Black fittings and roller blind
- + Smaller seating area, as the CV is shorter, seating area: 11mm narrower, 30mm less deep, table: 50mm narrower, platform: 70mm narrower
- + No Isofix
- + Heating in the bed on the left, instead of wardrobe
- + Open axis of view
- + Centre bathrooms without a skylight in the bathroom
- + Window in bathroom: no fly screen/blind due to lack of space
- + No Mini-Heki in the rear, as there is no room in the back. Hence the midi-heki at the front with forced ventilation

600 DK

Selling points

- + Open designed kitchen with extra-large, spacious soft-close drawers and high-quality metal push-lock handles.
- + Generous compressor refrigerator (84l incl. 6l freezer compartment), optimally accessible from the inside as well as from the outside
- + Enormous sense of space due to good room layout and with plenty of space for showering
- + Large transverse bed with thick mattress for maximum comfort. The foldable disc spring construction makes stacking unnecessary.

Important notes

- + Tambour door in bathroom
- + Isofix as standard
- + Open axis of view

Selling points

- + Optimum usability of the living space by partitioning to the centre bathroom
- + Large transverse bed with thick mattress for maximum comfort. The foldable disc spring construction makes stacking unnecessary.
- + Generous compressor refrigerator (84l incl. 6l freezer compartment)
- + Spacious kitchen with extra-large, roomy soft-close drawers and high-quality metal push-lock handles.
- + For more convenience, the kitchen offers an expandable folding countertop
- + Full storage cabinet under the fridge

Important notes

- + Tall cupboard next to kitchen
- + Isofix as standard
- + Centre bathrooms without a skylight in the bathroom

Selling points

- + Spacious bathroom with swivel wall for plenty of freedom of movement when showering without taking up space in the washbasin position
- + Large transverse bed with maximum lying comfort and thick mattress
- + Generous compressor refrigerator (84l incl. 6l freezer compartment), optimally accessible from the inside as well as from the outside
- + Open designed kitchen with extra-large, spacious soft-close drawers and high-quality metal push-lock handles

Important notes

- + Tambour door in bathroom
- + Open axis of view
- + Isofix as standard

Selling points

- + Optimal use of space thanks to a spacious bathroom that can be used as a multifunctional room with a flexibly swivelling washbasin. Stylish accents thanks to matt black fittings + door blinds
- + Large lengthways bed with thick mattress for maximum comfort – ideal for small families.
- + No unnecessary stacking of the bed frame, as it can be folded away
- + Optional: stairway to the rear bed with easily accessible storage space.
- + Generous compressor refrigerator (84l incl. 6l freezer compartment), optimally accessible from the inside as well as from the outside
- + Spacious drawers with soft-close runners and high-quality metal push-lock handles.

Important notes

- + No Isofix
- + Seating group: 11 mm narrower, 30 mm less deep, table: 50 mm narrower, platform: 70 mm narrower.
- + Open axis of view
- + Heating in bed on left, instead of wardrobe
- + Small centre bathroom, as CV with short length. Black fittings and roller blind
- + Centre bathrooms without a skylight in the bathroom
- + Bathroom window: No fly screen/roller blind due to lack of space

Selling points

- + Open designed kitchen with extra-large, spacious drawers, with soft-close, with high-quality handles (metal push locks)
- + Generous compressor refrigerator (84l incl. 6l freezer compartment), optimally accessible from the inside as well as from the outside
- + Enormous sense of space due to good room layout and with plenty of space for showering
- + Large lengthways bed with maximum comfort and thick mattress
- + No unnecessary stacking of the bed frame, as it can be folded away
- + Optional: stairway to the rear bed with easily accessible storage space.

Important notes

- + Tambour door in bathroom
- + Isofix as standard
- + Open axis of view

Selling points

- + Optimal usability of the living space by partitioning to the centre bathroom
- + Large longitudinal bed with thick mattress for maximum comfort – ideal sleeping space for small families.
- + No unnecessary stacking of the bed frame, as it can be folded away
- + Optional: stairway to the rear bed with easily accessible storage space.
- + Generous compressor refrigerator (84l incl. 6l freezer compartment)
- + Spacious kitchen with extra-large, roomy soft-close drawers and high-quality metal push-lock handles.
- + For more convenience, the kitchen offers an expandable folding countertop
- + Full storage cabinet under the fridge

Important notes

- + Tall cupboard next to kitchen
- + Isofix as standard
- + Centre bathrooms without a skylight in the bathroom

Selling points

- + Spacious bathroom with swivel screen for plenty of freedom of movement when showering, without taking up space from the bathroom in the washbasin position
- + Large lengthways bed with thick mattress for maximum comfort – ideal for small families.
- + No unnecessary stacking of the bed frame, as it can be folded away
- + Generous compressor refrigerator (84l incl. 6l freezer compartment), optimally accessible from the inside as well as from the outside
- + Open-plan kitchen with extra-large, spacious and handle-free drawers
- + Optional: stairway to the rear bed with easily accessible storage space.

Important notes

- + Tambour door in bathroom
- + Open axis of view
- + Isofix as standard

Selling points

- + Practical pull-down bed in the rear
- + Additional double bed in the rear (optional) for up to 2 additional beds
- + Diesel heating: cosy warmth on the road and more space in the rear
- + Double use of the living space with a spacious bathroom as an open-centre bathroom

Important notes

- + Large gas cylinder at the back is no longer necessary. Only 2.8kg of gas is needed in the kitchen
- + No transverse overhead locker at rear due to height of pull-down bed
- + The pull-down bed is operated manually.
- + Rear storage compartment height, pull-down bed lower position: installation channel (to the floor) 360 mm / the installation channel (raised floor in the front area of the rear) 300 mm
- + Rear storage compartment height, pull-down bed upper position: installation channel (to the floor) 1300 mm / installation channel (raised floor in the front area of the rear) 1240 mm
- + Dimensions of the rear storage area: Length: 2036 mm (up to the refrigerator wall), 1899 mm (up to the bulkhead), 1611 mm (up to the storage cupboard on the left), width: 1232 mm (rear hi.),

Globetrail Active (Fiat)



Saving made easy!

The new Globetrail ACTIVE on Fiat Ducato offers you first-class equipment and genuine quality from the Allgäu region – at a bargain price! With everything you need for your next adventure, it's ready to go. And if you want even more, the smart ACTIVE equipment package adds a whole host of useful features – and with impressive savings. Ready to get started?

Upholstery



+ Upholstery Saturn

Wood décor



+ Wood décor finish Noce Nagano, Decorative trim Linum

Technical info

| | |
|-------------------------------------|--------------|
| Overall length, approx. | 599 - 636 cm |
| Overall width, approx. | 205 cm |
| Overall width with mirrors, approx. | 265 cm |
| Overall height, approx. | 265 / 278 cm |
| Headroom in living area, approx. | 189 cm |

Maximum values partly not possible for all models or only in connection with certain options.

Plus factors

- + Excellent price-performance ratio in market comparison
- + Ready-to-Roadtrip: Clever complete package for immediate freedom on four wheels
- + Modern bathroom with swivel wall for optimum space utilisation
- + Modern and cosy design with a combination of wood and neutral colours, as well as user-friendly, ergonomic operation
- + Flush-fitting windows for better protection against break-ins and improved appearance
- + Robust dining table with enough space



Globetrail Active (Fiat)

Technical info



| Globetrail Active (Fiat) | | 600 DS Active | 600 KS Active | 640 ES Active |
|--------------------------------------------------------------------------------|----|----------------------|-----------------------------|----------------------|
| Standard chassis | | Fiat Ducato | Fiat Ducato | Fiat Ducato |
| Standard engine | | Multijet 3 | Multijet 3 | Multijet 3 |
| kw (bhp) | | 103 (140) | 103 (140) | 103 (140) |
| Emission standards | | Euro 6e-bis | Euro 6e-bis | Euro 6e-bis |
| Overall length, approx. | cm | 599 | 599 | 636 |
| Overall width, approx. | cm | 205 | 205 | 205 |
| Overall width with mirrors, approx. | cm | 265 | 265 | 265 |
| Overall height, approx. | cm | 265 / 278 ○ | 265 / 278 ○ | 265 / 278 ○ |
| Overall height (open pop-top roof) | cm | 358 | 358 | 358 |
| Headroom in living area, approx. | cm | 189 | 189 | 189 |
| Towable load braked/unbraked | kg | 2500 / 750 | 2500 / 750 | 2500 / 750 |
| Wheelbase, approx. | cm | 404 | 404 | 404 |
| Bed dimension: Central / middle bed, L X W, approx. | cm | 180 x 88 ○ | 180 x 88 ○ | 180 x 88 ○ |
| Bed dimension: Rear bed, L x W, approx. | cm | 197 x 157 - 140 | 183 x 157 - 140 / 187 x 114 | 195 - 179 x 197 |
| Bed dimension: pop-up roof, L X W, approx. | cm | 209 x 143 ○ | 209 x 143 ○ | 209 x 143 ○ |
| Sleeping berths standard / max. | | 2 / 5 ○ | 4 / 7 ○ | 2 / 5 ○ |
| Mass in running order (+/-5%)* | kg | 2880 (2736 to 3024)* | 2880 (2736 to 3024)* | 2980 (2831 to 3129)* |
| Manufacturer-specified mass for optional equipment* | kg | 292 | 292 | 189 |
| Technically permissible maximum laden mass* | kg | 3499 | 3499 | 3499 |
| Permitted number of seats (including driver)* | | 4 | 4 | 4 |
| Waste water tank, approx. | l | 90 | 90 | 90 |
| Fresh water tank capacity, total/ Fresh water tank capacity at driving filling | l | 100 / 20 | 100 / 20 | 100 / 20 |

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

600 DS Active
600 KS Active
640 ES Active

| Base vehicle Fiat | | | |
|-------------------------------------------------------------------------------------|---|---|---|
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg | ● | ● | — |
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg | — | — | ● |
| Base vehicle equipment Fiat | | | |
| 90 litre diesel tank | ● | ● | ● |
| All-weather tyres M+S* Camping Snowflake | ● | ● | ● |
| Cab air conditioning | ● | ● | ● |
| Captain Chair and Traction+ (Traction+ not for 540 lengths) | ● | ● | ● |
| Cruise control | ● | ● | ● |
| Cup Holder | ● | ● | ● |
| Driver/passenger seat in living area fabric | ● | ● | ● |
| Electrically adjustable and heated exterior mirrors | ● | ● | ● |
| Fix & Go puncture repair kit: tyre inflation kit and towing eye | ● | ● | ● |
| Headlight frame black | ● | ● | ● |
| Passenger airbag | ● | ● | ● |
| Tyres: 15-inch steel rims (light) 16-inch steel rims (maxi/automatic) | ● | ● | ● |
| USB socket (B+C) | ● | ● | ● |
| Exterior colours Fiat | | | |
| White | ● | ● | ● |
| Exterior equipment | | | |
| Exterior stickers Classic | ● | ● | ● |
| Flush fitting windows | ● | ● | ● |
| Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds | ● | ● | ● |
| Skylight in the bathroom with integrated fly screen | ● | ● | ● |
| Windows with fly screen and blackout blind in rear doors | ● | ● | ● |
| Windows with fly screens and blackout blinds in the kitchen and at the seating area | ● | ● | ● |
| Interior design / living area | | | |
| 2-burner stove and sink combination with electric ignition | ● | ● | ● |
| Compressor refrigerator 84 l incl. freezer compartment 6.1 l | ● | ● | ● |
| Ergonomically arranged kitchen with generous work surface | ● | ● | ● |
| Ergonomically shaped pads for more sitting comfort | ● | ● | ● |
| Front with spacious storage above the driver's cab | ● | ● | ● |
| Generous storage space and storage options | ● | ● | ● |
| Generous storage space in the bathroom | ● | ● | ● |
| Multifunctional rail on the kitchen back panel (for matching accessories) | ● | ● | ● |
| Open storage at the rear, transverse | ● | ● | ● |
| Partition wall incl. steps to enter the rear double bed | ● | ● | ● |
| Platform of the seating group with integrated storage compartment | ● | ● | ● |
| Rear bed with removable bed plate, mattress incl. knitted fabric | ● | ● | ● |
| Rear storage space with 4 integrated lashing eyes | ● | ● | ● |
| Removable bunk bed, incl. ladder | — | ● | — |
| Roof cabinet on the left and right at the rear | ● | — | ● |
| Roof cabinet on the left in the rear | — | ● | — |
| Spacious drawers with soft-close and push locks in the kitchen block | ● | ● | ● |
| Swivel bath with wooden door, swivel wall and cassette toilet | ● | ● | ● |
| Upholstery Saturn | ● | ● | ● |
| Wardrobe in bed base on the left | ● | ● | ● |
| Wood décor finish Noce Nagano, Decorative trim Linum | ● | ● | ● |
| Heating | | | |
| Board control panel with indication of all fill levels and battery capacities | ● | ● | ● |
| Hot air heating 4 kW with hot water boiler | ● | ● | ● |
| Water supply | | | |
| Water tank 100l, waste water tank 90l | ● | ● | ● |

Standard equipment


| | 600 DS Active | 600 KS Active | 640 ES Active |
|--------------------------------------------------------------------------------------------|---------------|---------------|---------------|
| Gas supply | | | |
| Gas shut-off valves easily accessible and centrally located | ● | ● | ● |
| Storage space for gas cylinders with 11 kg filling weight each: 2 pcs. | ● | — | ● |
| Storage space for gas cylinders with 5 kg filling weight each: 2 pcs. | — | ● | — |
| Electrical installation | | | |
| 1x 230 V socket in the kitchen, 1x double USB socket in the rear right-hand side | ● | — | ● |
| 1x 230V socket in the kitchen, 1x double USB socket at the rear left | — | ● | — |
| CEE exterior socket for 230 V with circuit breaker | ● | ● | ● |
| Electric charger for body and vehicle battery 12 V / 18 A (trickle charge) | ● | ● | ● |
| Flexible light strip, surface mounted spot freely positionable | ● | ● | ● |
| Light strip on the underside of the upper bunk bed, on both sides (switch on the D-pillar) | — | ● | — |
| Powerful, maintenance-free battery (95 Ah) | ● | ● | ● |
| Rear storage compartment lighting | ● | ● | ● |
| Safety | | | |
| 10-year leakage guarantee | ● | ● | ● |
| Isofix for one seat | ● | ● | ● |

PACKAGES GLOBETRAIL ACTIVE (FIAT)

| Active Package (Fiat) (15213) | |
|------------------------------------------------------------------------------------------------------------------------|---|
| 16" alloy wheels, leather steering wheel, Techno Trim (manual transmission: black rims, automatic/maxi: bicolour rims) | |
| Leather-trimmed steering wheel and gear knob | |
| Techno Trim | |
| Tablet holder, DAB aerial in the mirror, loudspeakers, steering wheel radio controls | |
| Folding privacy screen in driver's cab: windscreen | |
| Folding privacy screen in driver's cab: side windows | |
| Flyscreen door | |
| Electric entry step | |
| Window in the bathroom | |
| Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds | |
| Swivelling plate table extension | |
| Pre-wiring for rear view camera | |
| Pre-wiring solar system | |
| TV preparation 12V and TV socket, SAT connection | |
| LED light tube in the kitchen | |
| 230V socket in wall unit, front left (seating group) | |
| 12V socket in the rear area, bottom left | |
| Additional double USB socket in the front left | |
| Additional weight (kg)* | △ |

| Off-road package (15593) | |
|-------------------------------------|---|
| 18" Borbet rims with off-road tyres | |
| Special foiling | |
| Additional weight (kg)* | △ |

△ Not known at the time of publication

 * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*

| | Included in package | Additional weight (kg)* | Code | 600 DS Active | 600 KS Active | 640 ES Active |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------|----------|---------------|---------------|---------------|
| Base vehicle Fiat | | | | | | |
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg - automatic transmission | — | 60 | 15361 | ○ | ○ | — |
| Fiat Ducato Multijet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg - automatic transmission | — | 60 | 15367 | — | — | ○ |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 HP / 103 kW) Heavy Duty - 4,250 kg - automatic transmission | — | 60 | 14984 | — | — | ○ |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg | — | 40 | 15363 | ○ | ○ | — |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg | — | 40 | 15369 | — | — | ○ |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg - automatic transmission | — | 60 | 15364 | ○ | ○ | — |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg - automatic transmission | — | 60 | 15370 | — | — | ○ |
| Fiat Ducato Multijet 140 Maxi (2.2 l / 140 hp / 103 kW) Heavy Duty - 4,250 kg - automatic transmission | — | 60 | 15489 | ○ | ○ | — |
| Fiat Ducato Multijet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission | — | 60 | 15362 | ○ | ○ | — |
| Fiat Ducato Multijet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission | — | 60 | 15368 | — | — | ○ |
| Fiat Ducato Multijet 180 Maxi (2.2 l / 180 HP / 132 kW) Heavy Duty - 4,250 kg - automatic transmission | — | 60 | 14985 | — | — | ○ |
| Fiat Ducato Multijet 180 Maxi (2.2 l / 180 hp / 132 kW) - 3,500 kg - automatic transmission | — | 60 | 15365 | ○ | ○ | — |
| Fiat Ducato Multijet 180 Maxi (2.2 l / 180 hp / 132 kW) - 3,500 kg - automatic transmission | — | 60 | 15371 | — | — | ○ |
| Fiat Ducato Multijet 180 Maxi (2.2 l / 180 hp / 132 kW) Heavy Duty - 4,250 kg - automatic transmission | — | 60 | 15490 | ○ | ○ | — |
| Exterior colours Fiat | | | | | | |
| Black Metallic | — | 2.5 | 1333 | ○ | ○ | ○ |
| Expedition Grey | — | 0 | 9741 | ○ | ○ | ○ |
| Grigio Ferro Metallic | — | 2.5 | 046 | ○ | ○ | ○ |
| Lanzarote Grey | — | 0 | 12084 | ○ | ○ | ○ |
| Exterior equipment | | | | | | |
| Awning 3,75 m (600) | — | 38.3 | 1646 | ○ | ○ | — |
| Awning 4,00 m (640) | — | 41.5 | 1646 | — | — | ○ |
| Pop-up roof black, opens completely at the front incl. electric closing assistant, fly screen, gooseneck light and USB socket, with high-quality mattress | — | 145.5 | 10306 | ○ | ○ | ○ |
| Window with fly screen and blackout blind in rear left | — | 5.9 | 354 | ○ | ○ | ○ |
| Interior design / living area | | | | | | |
| Guest bed across the living area | — | 12.6 | 1944 | ○ | ○ | — |
| Guest bed across the living area | — | 12.6 | 1944 | — | — | ○ |
| Heating | | | | | | |
| Combi 4E gas-electric heater incl. Truma CP Plus control panel | — | 3 | 750+330 | ○ | ○ | ○ |
| Combi 6DE diesel electric heater incl. Truma CP Plus control panel | — | 5 | 330+1617 | ○ | ○ | ○ |
| Diesel heater Combi 6D | — | 4 | 1617 | ○ | ○ | ○ |
| Gas supply | | | | | | |
| Automatic gas cylinder switchover incl. crash sensor and EisEx | — | 2.5 | 1577 | ○ | ○ | ○ |
| Electrical installation | | | | | | |
| Second habitation battery 95 Ah | — | 27 | 830 | ○ | ○ | ○ |
| Packages | | | | | | |
| Active Package (Fiat) | — | △ | 15213 | ○ | ○ | ○ |
| Off-road package | — | △ | 15593 | ○ | ○ | ○ |
| Miscellaneous | | | | | | |
| Registration documents (CoC papers) | — | 0 | 15152 | ◆ | ◆ | ◆ |

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

600 DS Active

Selling points

- + Plenty of storage space thanks to a spacious rear garage, large roof and storage cupboards, and additional shelves
- + Comfortable sleep thanks to well-ventilated, thick mattresses and a removable bed base for additional storage space
- + Practical cooking with an easily accessible fridge and large drawers with a soft-close mechanism

Important notes

- + Always order the Active package. This way, the CV is ready to go.
- + Advantages in this price range: pleated blind instead of curtain, bathroom with swivel wall, flush-fitting window, usable bathroom window, large drawers, more spotlights, stable swivel wall,
- + Dining table more stable and larger than many competitors
- + Pre-drilled holes for rear pull-out (DOZ) available
- + Bed plate not foldable, as with the Globetrail
- + Known decors: Noce Nagano wood decor (from Interior Cos), Linum grey heel decor (from Interior Hygge)

600 KS Active

Selling points

- + Two double beds in the rear - standard: ideal for families in a compact space: 3-4 full-size sleeping berths without the need for a pop-top roof
- + More flexibility: both beds are removable – for extra storage space, e.g. for bikes or luggage.
- + Practical cooking with an easily accessible fridge and large drawers with a soft-close mechanism

Important notes

- + Double bed at the bottom: 183 x 157/140 cm, 11 cm mattress with ventilated mesh, access height 53.5 cm, 58 cm clearance to slatted frame. Top children's bed: 187 x 114 cm, max. 100 kg.
- + Upper bunk bed: 187 x 114 cm, max. 100 kg, 8 cm mattress, 55 cm space to roof.
- + Roof cupboard on the left becomes less high
- + Overhead locker on the right not applicable (headroom)
- + Rear shelf crossbar omitted (headroom)
- + USB-A/C connection and storage net installed in the left-hand (instead of the previous right-hand) overhead locker.

640 ES Active

Selling points

- + Plenty of storage space thanks to a spacious rear garage, large overhead and storage cupboards and additional shelves
- + Comfortable sleep thanks to well-ventilated, thick mattresses and a removable bed base for additional storage space
- + Practical cooking with an easily accessible fridge and large drawers with a soft-close mechanism

Important notes

- + Always order the Active Package. Then your CV is ready to go.
- + Advantages in this price range: pleated blind instead of curtain, bathroom with swivel wall, flush-fitting window, usable bathroom window, large drawers, more spotlights, stable swivel wall,
- + Dining table more stable and larger than many competitors
- + Pre-drilled holes for rear pull-out (DOZ) available
- + Bed base cannot be folded down, as with the Globetrail
- + Known decors: Noce Nagano wood decor (from Interior Cos), Linum grey heel decor (from Interior Hygge)

Globetrail Active (Citroen)



Saving made easy!

The new Globetrail ACTIVE on Citroen Jumper offers you first-class equipment and genuine quality from the Allgäu region – at a bargain price! With everything you need for your next adventure, it's ready to go. And if you want even more, the smart ACTIVE equipment package adds a whole host of useful features – and with impressive savings. Ready to get started?

Upholstery



+ Upholstery Saturn

Wood décor



+ Wood décor finish Noce Nagano, Decorative trim Linum

Technical info

| | |
|-------------------------------------|--------------|
| Overall length, approx. | 599 - 636 cm |
| Overall width, approx. | 205 cm |
| Overall width with mirrors, approx. | 265 cm |
| Overall height, approx. | 265 / 278 cm |
| Headroom in living area, approx. | 189 cm |

Maximum values partly not possible for all models or only in connection with certain options.

Plus factors

- + Excellent price-performance ratio in market comparison
- + Ready-to-Roadtrip: Clever complete package for immediate freedom on four wheels
- + Modern bathroom with swivel wall for optimum space utilisation
- + Modern and cosy design with a combination of wood and neutral colours, as well as user-friendly, ergonomic operation
- + Flush-fitting windows for better protection against break-ins and improved appearance
- + Robust dining table with enough space

Globetrail Active (Citroen)

Technical info



| Globetrail Active (Citroen) | | 600 DS Active | 600 KS Active | 640 ES Active |
|--------------------------------------------------------------------------------|----|----------------------|-----------------------------|----------------------|
| Price (incl. VAT) | € | 51.999,- | 52.999,- | 53.999,- |
| Standard chassis | | Citroën Jumper | Citroën Jumper | Citroën Jumper |
| Standard engine | | 2.2 BlueHDi | 2.2 BlueHDi | 2.2 BlueHDi |
| kW (bhp) | | 103 (140) | 103 (140) | 103 (140) |
| Emission standards | | Euro 6e-bis | Euro 6e-bis | Euro 6e-bis |
| Overall length, approx. | cm | 599 | 599 | 636 |
| Overall width, approx. | cm | 205 | 205 | 205 |
| Overall width with mirrors, approx. | cm | 265 | 265 | 265 |
| Overall height, approx. | cm | 265 / 278 ○ | 265 / 278 ○ | 265 / 278 ○ |
| Overall height (open pop-top roof) | cm | 358 | 358 | 358 |
| Headroom in living area, approx. | cm | 189 | 189 | 189 |
| Towable load braked/unbraked | kg | 2500 / 750 | 2500 / 750 | 2500 / 750 |
| Wheelbase, approx. | cm | 404 | 404 | 404 |
| Bed dimension: Central / middle bed, L X W, approx. | cm | 180 x 88 ○ | 180 x 88 ○ | 180 x 88 ○ |
| Bed dimension: Rear bed, L x W, approx. | cm | 197 x 157 - 140 | 183 x 157 - 140 / 187 x 114 | 195 - 179 x 197 |
| Bed dimension: pop-up roof, L X W, approx. | cm | 209 x 143 ○ | 209 x 143 ○ | 209 x 143 ○ |
| Sleeping berths standard / max. | | 2 / 5 ○ | 4 / 7 ○ | 2 / 5 ○ |
| Mass in running order (+/-5%)* | kg | 2880 (2736 to 3024)* | 2880 (2736 to 3024)* | 2980 (2831 to 3129)* |
| Manufacturer-specified mass for optional equipment* | kg | 292 | 292 | 189 |
| Technically permissible maximum laden mass* | kg | 3499 | 3499 | 3499 |
| Permitted number of seats (including driver)* | | 4 | 4 | 4 |
| Waste water tank, approx. | l | 90 | 90 | 90 |
| Fresh water tank capacity, total/ Fresh water tank capacity at driving filling | l | 100 / 20 | 100 / 20 | 100 / 20 |

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

600 DS Active
600 KS Active
640 ES Active

| Citroen base vehicle | | | |
|-------------------------------------------------------------------------------------|---|---|---|
| Citroën Jumper BlueHDi 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg | — | — | ● |
| Citroën Jumper BlueHDi 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg | ● | ● | — |
| Base vehicle equipment Citroen | | | |
| 90l diesel tank | ● | ● | ● |
| All-weather tyres M+S* Camping Snowflake | ● | ● | ● |
| Cab air conditioning | ● | ● | ● |
| Captain's chair and Traction+ | ● | ● | ● |
| Cruise control | ● | ● | ● |
| Cup holder | ● | ● | ● |
| Driver/passenger seat in living area fabric | ● | ● | ● |
| Electrically adjustable and heated exterior mirrors | ● | ● | ● |
| Fix & Go puncture repair kit: tire inflation kit and towing eye | ● | ● | ● |
| Headlight frame black | ● | ● | ● |
| Passenger airbag | ● | ● | ● |
| Tyres: 15-inch steel rims (light) 16-inch steel rims (maxi/automatic) | ● | ● | ● |
| USB socket (B+C) | ● | ● | ● |
| Exterior colours Citroen | | | |
| White | ● | ● | ● |
| Exterior equipment | | | |
| Exterior stickers Classic | ● | ● | ● |
| Flush fitting windows | ● | ● | ● |
| Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds | ● | ● | ● |
| Skylight in the bathroom with integrated fly screen | ● | ● | ● |
| Windows with fly screen and blackout blind in rear doors | ● | ● | ● |
| Windows with fly screens and blackout blinds in the kitchen and at the seating area | ● | ● | ● |
| Interior design / living area | | | |
| 2-burner stove and sink combination with electric ignition | ● | ● | ● |
| Compressor refrigerator 84 l incl. freezer compartment 6.1 l | ● | ● | ● |
| Ergonomically arranged kitchen with generous work surface | ● | ● | ● |
| Ergonomically shaped pads for more sitting comfort | ● | ● | ● |
| Front with spacious storage above the driver's cab | ● | ● | ● |
| Generous storage space and storage options | ● | ● | ● |
| Generous storage space in the bathroom | ● | ● | ● |
| Multifunctional rail on the kitchen back panel (for matching accessories) | ● | ● | ● |
| Open storage at the rear, transverse | ● | ● | ● |
| Partition wall incl. steps to enter the rear double bed | ● | ● | ● |
| Platform of the seating group with integrated storage compartment | ● | ● | ● |
| Rear bed with removable bed plate, mattress incl. knitted fabric | ● | ● | ● |
| Rear storage space with 4 integrated lashing eyes | ● | ● | ● |
| Removable bunk bed, incl. ladder | — | ● | — |
| Roof cabinet on the left and right at the rear | ● | — | ● |
| Roof cabinet on the left in the rear | — | ● | — |
| Spacious drawers with soft-close and push locks in the kitchen block | ● | ● | ● |
| Swivel bath with wooden door, swivel wall and cassette toilet | ● | ● | ● |
| Upholstery Saturn | ● | ● | ● |
| Wardrobe in bed base on the left | ● | ● | ● |
| Wood décor finish Noce Nagano, Decorative trim Linum | ● | ● | ● |
| Heating | | | |
| Board control panel with indication of all fill levels and battery capacities | ● | ● | ● |
| Hot air heating 4 kW with hot water boiler | ● | ● | ● |
| Water supply | | | |

Standard equipment


| | 600 DS Active | 600 KS Active | 640 ES Active |
|--------------------------------------------------------------------------------------------|---------------|---------------|---------------|
| Water tank 100l, waste water tank 90l | ● | ● | ● |
| Gas supply | | | |
| Gas shut-off valves easily accessible and centrally located | ● | ● | ● |
| Storage space for gas cylinders with 11 kg filling weight each: 2 pcs. | ● | — | ● |
| Storage space for gas cylinders with 5 kg filling weight each: 2 pcs. | — | ● | — |
| Electrical installation | | | |
| 1x 230 V socket in the kitchen, 1x double USB socket in the rear right-hand side | ● | — | ● |
| 1x 230V socket in the kitchen, 1x double USB socket at the rear left | — | ● | — |
| CEE exterior socket for 230 V with circuit breaker | ● | ● | ● |
| Electric charger for body and vehicle battery 12 V / 18 A (trickle charge) | ● | ● | ● |
| Flexible light strip, surface mounted spot freely positionable | ● | ● | ● |
| Light strip on the underside of the upper bunk bed, on both sides (switch on the D-pillar) | — | ● | — |
| Powerful, maintenance-free battery (95 Ah) | ● | ● | ● |
| Rear storage compartment lighting | ● | ● | ● |
| Safety | | | |
| 10-year leakage guarantee | ● | ● | ● |
| Isofix for one seat | ● | ● | ● |

PACKAGES GLOBETRAIL ACTIVE (CITROEN)

| Active Package (Citroen) (15214) | Price € |
|--------------------------------------------------------------------------------------|---------|
| 16" alloy wheels (manual transmission: black rims, automatic/maxi: bicolour rims) | 799,- |
| Leather-trimmed steering wheel and gear knob | 199,- |
| Techno Trim | 99,- |
| Tablet holder, DAB antenna in the mirror, loudspeaker, steering wheel radio controls | 459,- |
| Folding privacy screen in driver's cab: windscreen | 349,- |
| Folding privacy screen in driver's cab: side windows | 299,- |
| Flyscreen door | 349,- |
| Electric entry step | 399,- |
| Window in the bathroom | 249,- |
| Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds | 699,- |
| Swivelling plate table extension | 279,- |
| Pre-wiring for rear view camera | 89,- |
| Pre-wiring solar system | 159,- |
| TV preparation 12V and TV socket, SAT connection | 199,- |
| LED light tube in the kitchen | 79,- |
| 230V socket in wall unit, front left (seating group) | 129,- |
| 12V socket in the rear area, bottom left | 99,- |
| Additional double USB socket in the front left | 99,- |
| Package price | 5.032,- |
| Special price | 2.700,- |
| You save | 2.332,- |
| Additional weight (kg)* | △ |

| Off-road package (15593) | |
|-------------------------------------|---------|
| 18" Borbet rims with off-road tyres | |
| Special foiling | |
| Special price | 4.999,- |
| Additional weight (kg)* | △ |

△ Not known at the time of publication

 * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

| Included in package | Price | Additional weight (kg)* | Code | 600 DS Active | 600 KS Active | 640 ES Active |
|---------------------|-------|-------------------------|------|---------------|---------------|---------------|
|---------------------|-------|-------------------------|------|---------------|---------------|---------------|

| Citroen base vehicle | | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---|---------|-------|----------|---|---|---|
| Citroën Jumper BlueHDi 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg automatic transmission | — | 3.399,- | 60 | 15391 | — | — | ○ |
| Citroën Jumper BlueHDi 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg automatic transmission | — | 3.399,- | 60 | 15382 | ○ | ○ | — |
| Citroën Jumper BlueHDi 140 Maxi (2.2 l / 140 HP / 103 kW) Heavy Duty - 4,250 kg automatic transmission | — | 5.149,- | 60 | 14986 | — | — | ○ |
| Citroën Jumper BlueHDi 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg | — | 399,- | 40 | 15386 | ○ | ○ | — |
| Citroën Jumper BlueHDi 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg | — | 399,- | 40 | 15395 | — | — | ○ |
| Citroën Jumper BlueHDi 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg automatic transmission | — | 3.799,- | 60 | 15387 | ○ | ○ | — |
| Citroën Jumper BlueHDi 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg automatic transmission | — | 5.149,- | 60 | 15491 | ○ | ○ | — |
| Citroën Jumper BlueHDi 140 Maxi (2.2 l / 1640hp / 103 kW) - 3,500 kg automatic transmission | — | 3.799,- | 60 | 15396 | — | — | ○ |
| Citroën Jumper BlueHDi 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg automatic transmission | — | 6.499,- | 60 | 15393 | — | — | ○ |
| Citroën Jumper BlueHDi 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg automatic transmission | — | 6.499,- | 60 | 15384 | ○ | ○ | — |
| Citroën Jumper BlueHDi 180 Maxi (2.2 l / 180 HP / 132 kW) Heavy Duty - 4,250 kg automatic transmission | — | 8.249,- | 60 | 14987 | — | — | ○ |
| Citroën Jumper BlueHDi 180 Maxi (2.2 l / 180 hp / 132 kW) - 3,500 kg automatic transmission | — | 6.899,- | 60 | 15388 | ○ | ○ | — |
| Citroën Jumper BlueHDi 180 Maxi (2.2 l / 180 hp / 132 kW) Heavy Duty - 4,250 kg automatic transmission | — | 8.249,- | 60 | 15492 | ○ | ○ | — |
| Citroën Jumper BlueHDi 180Maxi (2.2 l / 180 hp / 132 kW) - 3,500 kg automatic transmission | — | 6.899,- | 60 | 15397 | — | — | ○ |
| Exterior colours Citroen | | | | | | | |
| Expedition Grey | — | 799,- | 0 | 13104 | ○ | ○ | ○ |
| Graphit Grey Metallic | — | 999,- | 2.5 | 1445 | ○ | ○ | ○ |
| Iron Grey Metallic | — | 999,- | 2.5 | 1366 | ○ | ○ | ○ |
| Thunder Grey | — | 799,- | 0 | 13103 | ○ | ○ | ○ |
| Exterior equipment | | | | | | | |
| Awning 3,75 m (600) | — | 1.299,- | 38.3 | 1646 | ○ | ○ | — |
| Awning 4,00 m (640) | — | 1.299,- | 41.5 | 1646 | — | — | ○ |
| Pop-up roof black, opens completely at the front incl. electric closing assistant, fly screen, gooseneck light and USB socket, with high-quality mattress | — | 5.999,- | 145.5 | 10306 | ○ | ○ | ○ |
| Window with fly screen and blackout blind in rear left | — | 599,- | 5.9 | 354 | ○ | ○ | ○ |
| Interior design / living area | | | | | | | |
| Guest bed across the living area | — | 499,- | 12.6 | 1944 | ○ | ○ | — |
| Guest bed across the living area | — | 499,- | 12.6 | 1944 | — | — | ○ |
| Heating | | | | | | | |
| Combi 4E gas-electric heater incl. Truma CP Plus control panel | — | 600,- | 3 | 750+330 | ○ | ○ | ○ |
| Combi 6DE diesel electric heater incl. Truma CP Plus control panel | — | 1.599,- | 5 | 330+1617 | ○ | ○ | ○ |
| Diesel heater Combi 6D | — | 999,- | 4 | 1617 | ○ | ○ | ○ |
| Gas supply | | | | | | | |
| Automatic gas cylinder switchover incl. crash sensor and EisEx | — | 499,- | 2.5 | 1577 | ○ | ○ | ○ |
| Electrical installation | | | | | | | |
| Second habitation batterv 95 Ah | — | 459,- | 27 | 830 | ○ | ○ | ○ |



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

| Included in package | Price | Additional weight (kg)* | Code | 600 DS Active | 600 KS Active | 640 ES Active |
|---------------------|-------|-------------------------|------|---------------|---------------|---------------|
|---------------------|-------|-------------------------|------|---------------|---------------|---------------|

Packages

| | | | | | | | |
|--------------------------|---|---------|---|-------|---|---|---|
| Active Package (Citroen) | — | 2.700,- | △ | 15214 | ○ | ○ | ○ |
| Off-road package | — | 4.999,- | △ | 15593 | ○ | ○ | ○ |

Miscellaneous

| | | | | | | | |
|-------------------------------------|---|-------|---|-------|---|---|---|
| Registration documents (CoC papers) | — | 189,- | 0 | 15152 | ◆ | ◆ | ◆ |
|-------------------------------------|---|-------|---|-------|---|---|---|

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

600 DS Active

Selling points

- + Plenty of storage space thanks to a spacious rear garage, large roof and storage cupboards, and additional shelves
- + Comfortable sleep thanks to well-ventilated, thick mattresses and a removable bed base for additional storage space
- + Practical cooking with an easily accessible fridge and large drawers with a soft-close mechanism

Important notes

- + Always order the Active package. This way, the CV is ready to go.
- + Advantages in this price range: pleated blind instead of curtain, bathroom with swivel wall, flush-fitting window, usable bathroom window, large drawers, more spotlights, stable swivel wall,
- + Dining table more stable and larger than many competitors
- + Pre-drilled holes for rear pull-out (DOZ) available
- + Bed plate not foldable, as with the Globetrail
- + Known decors: Noce Nagano wood decor (from Interior Cos), Linum grey heel decor (from Interior Hygge)

600 KS Active

Selling points

- + Two double beds in the rear - standard: ideal for families in a compact space: 3-4 full-size sleeping berths without the need for a pop-top roof
- + More flexibility: both beds are removable – for extra storage space, e.g. for bikes or luggage.
- + Practical cooking with an easily accessible fridge and large drawers with a soft-close mechanism

Important notes

- + Double bed at the bottom: 183 x 157/140 cm, 11 cm mattress with ventilated mesh, access height 53.5 cm, 58 cm clearance to slatted frame. Top children's bed: 187 x 114 cm, max. 100 kg.
- + Upper bunk bed: 187 x 114 cm, max. 100 kg, 8 cm mattress, 55 cm space to roof.
- + Roof cupboard on the left becomes less high
- + Overhead locker on the right not applicable (headroom)
- + Rear shelf crossbar omitted (headroom)
- + USB-A/C connection and storage net installed in the left-hand (instead of the previous right-hand) overhead locker.

640 ES Active

Selling points

- + Plenty of storage space thanks to a spacious rear garage, large overhead and storage cupboards and additional shelves
- + Comfortable sleep thanks to well-ventilated, thick mattresses and a removable bed base for additional storage space
- + Practical cooking with an easily accessible fridge and large drawers with a soft-close mechanism

Important notes

- + Always order the Active Package. Then your CV is ready to go.
- + Advantages in this price range: pleated blind instead of curtain, bathroom with swivel wall, flush-fitting window, usable bathroom window, large drawers, more spotlights, stable swivel wall,
- + Dining table more stable and larger than many competitors
- + Pre-drilled holes for rear pull-out (DOZ) available
- + Bed base cannot be folded down, as with the Globetrail
- + Known decors: Noce Nagano wood decor (from Interior Cos), Linum grey heel decor (from Interior Hygge)

Globetrail Performance (VW)



The Camper Van in a class of its own

Discover the Globetrail Performance, a high-quality camper van based on the VW Crafter. With its first-class equipment, innovative spacious bathroom and a generous transverse bed, it sets new standards in driving and living comfort. Experience camping in a new dimension.

Upholstery



+ Upholstery Scandi

Wood décor



+ Wood décor Ambers Oak

Technical info

| | |
|----------------------------------|--------|
| Overall length, approx. | 598 cm |
| Overall width, approx. | 206 cm |
| Overall height, approx. | 267 cm |
| Headroom in living area, approx. | 189 cm |

Maximum values partly not possible for all models or only in connection with certain options.

Plus factors

- + Floor-level centre bathroom with high-quality folding washbasin
- + Extra large lying surface in the 6 m vehicle of 2 m x 1.40 m
- + Bench seat with backrest tilt adjustment for optimum passenger travel comfort
- + High-quality assistance systems such as the 'Discover Media' navigation system, Light Assist, Advanced Assistance Package and much more.
- + 163 hp (120 kW) with 8-speed automatic transmission as standard
- + Textile wall covering in felt look



Globetrail Performance (VW)

Technical info



| Globetrail Performance (VW) | | 600 DR |
|--------------------------------------------------------------------------------|----|----------------------|
| Standard chassis | | VW Crafter |
| Standard engine | | 2.0 TDI SCR |
| kW (bhp) | | 120 (163) |
| Emission standards | | Euro VI-E |
| Overall length, approx. | cm | 598 |
| Overall width, approx. | cm | 206 |
| Overall height, approx. | cm | 267 |
| Headroom in living area, approx. | cm | 189 |
| Towable load braked/unbraked | kg | 3000 / 750 |
| Wheelbase, approx. | cm | 364 |
| Bed dimension: Central / middle bed, L X W, approx. | cm | 170 x 106 - 83 ○ |
| Bed dimension: Rear bed, L x W, approx. | cm | 200 x 140 |
| Sleeping berths standard / max. | | 2 / 3 ○ |
| Mass in running order (+/-5%)* | kg | 2923 (2777 to 3069)* |
| Manufacturer-specified mass for optional equipment* | kg | 252 |
| Technically permissible maximum laden mass* | kg | 3500 |
| Permitted number of seats (including driver)* | | 4 |
| Waste water tank, approx. | l | 90 |
| Fresh water tank capacity, total/ Fresh water tank capacity at driving filling | l | 100 / 20 |

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

600 DR

Basic vehicle VW

VW Crafter high roof (2,0 l / 163 HP / 120 kW) - 3.500 kg gross vehicle weight - automatic gearbox ⁹⁾

Basic vehicle equipment VW

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| "Lane Assist" lane departure warning system | ● |
| 12 V socket and 4 cup holders in the dashboard | ● |
| 12 V sockets in the driver's cab (one in the control panel, with an additional one in the left-hand seat frame for left-hand drive vehicles) | ● |
| Advanced Assistance Package: automatic distance control, speed limiter with predictive control, lane departure warning system plus Emergency Assist and traffic jam assistant ⁹⁾ | ● |
| Air conditioning with manual control in the driver's cab | ● |
| Airbag for driver and front passenger with passenger airbag deactivation | ● |
| Anti-lock braking system (ABS) | ● |
| Central locking with keyless start system "KeylessStart" | ● |
| Central locking with radio remote control, interior actuation and safe locking system | ● |
| Crosswind Assist | ● |
| Digital cockpit (medium) | ● |
| Digital radio reception (DAB+) | ● |
| Discover Media navigation system with 26 cm (10") touch colour display incl. 4 loudspeakers ⁹⁾ | ● |
| Distraction and drowsiness detection | ● |
| Electronic parking brake | ● |
| Electronic stabilisation programme and ABS | ● |
| Emergency call system eCall for Composition Audio, prepared for "We Connect" | ● |
| Engine start-stop system with brake energy regeneration | ● |
| Exterior mirror left and right, convex, with integrated LED indicator and wide-angle range | ● |
| Exterior mirrors, electrically adjustable and heated | ● |
| First aid kit, warning triangle and safety vest | ● |
| Fog lights incl. cornering light ⁹⁾ | ● |
| Front Assist with warning and braking for vehicles, pedestrians and cyclists | ● |
| Front axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) | ● |
| Front bumper in grey with painted trim in body colour | ● |
| Fuel tank with 75 l tank capacity | ● |
| Halogen twin headlamp | ● |
| High roof, exterior painted in car colour | ● |
| Hill Start Assist | ● |
| Hinges for rear wing doors with enlarged opening angle | ● |
| Laminated glass windscreen in heat insulating glazing | ● |
| Light and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and manual "Coming home" function, intermittent windscreen wiper control with light and rain sensor ⁹⁾ | ● |
| Lismore" 6.5 J x 17 alloy wheels ⁹⁾ | ● |
| Multifunction leather steering wheel, heated | ● |
| On-board tool | ● |
| ParkPilot at the front and rear | ● |
| Preparation for "We Connect" and "We Connect Plus" | ● |
| Preparation for trailer device (incl. trailer stabilization) with cable set and control unit ⁹⁾ | ● |
| Puncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant | ● |
| Radiator grille unpainted | ● |
| Rear view camera ⁹⁾ | ● |
| Region code " ECE " for radio | ● |
| Step lighting front | ● |
| Stone chip protection for the front underbody | ● |
| Storage Package 2 | ● |
| Summer tyres | ● |
| Sun visors, two folding and side-swivelling, on the passenger side with wide-angle mirror | ● |
| Suspension/damping, reinforced and stabilisation, reinforced | ● |
| Swivel seat left, with two armrests | ● |

Standard equipment

600 DR

| | |
|-------------------------------------------------------------------------------------------------------------|---|
| Swivel seat right, with two armrests | ● |
| Three-point automatic seat belts with front belt height adjuster and electric belt tensioner for the driver | ● |
| Titanium Black, instrument panel Palladium Titanium Black, floor: Pearl Grey | ● |
| Towing eye front | ● |
| Traffic Sign Recognition | ● |
| Two radio folding keys | ● |
| Tyre pressure monitoring system | ● |
| Voice assistant (for Discover Media navigation system) ⁹⁾ | ● |
| Warning buzzer and light if driver seat belt is not fastened | ● |
| Wash water level indicator | ● |
| Wireless App Connect (for Discover Media navigation system) ⁹⁾ | ● |
| Exterior colours VW | |
| Indium grey metallic ⁹⁾ | ● |
| Exterior equipment | |
| Awning light | ● |
| Electric entry step | ● |
| Exterior stickers Full | ● |
| Flush fitting windows | ● |
| Flyscreen door | ● |
| Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds | ● |
| Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds | ● |
| Sleeping extension on both sides | ● |
| Window in the bathroom | ● |
| Windows with fly screen and blackout blind in rear doors | ● |
| Interior design / living area | |
| 2-burner cooker with sink combination and fixed, surface-mounted tap | ● |
| Bench adjustable in inclination | ● |
| Centre bathroom with floor-level shower, folding sink and cassette toilet | ● |
| Circumferential overhead lockers in the rear | ● |
| Closed bathroom overhead cabinet with mirror | ● |
| Clothes rail in the bed area (overhead locker left side) | ● |
| Clothes rail on the skylight in the bathroom | ● |
| Compressor refrigerator with drawers 90 l incl. freezer compartment (7 l) | ● |
| Ergonomically arranged kitchen with generous work surface | ● |
| Ergonomically shaped pads for more sitting comfort | ● |
| Folding privacy screen in driver's cab: side windows | ● |
| Folding privacy screen in driver's cab: windscreen | ● |
| Generous storage space and storage options | ● |
| Kitchen overhead cupboard incl. open side shelf | ● |
| Multifunctional rail on the kitchen back panel (for matching accessories) | ● |
| No obstructed view due to well thought-out furniture design | ● |
| Open storage space under the roof cabinets, left side of the bed | ● |
| Overhead cupboards above the dinette, extending to the front of the cab | ● |
| Platform of the seating group with integrated storage compartment | ● |
| Pull out bed ladder | ● |
| Rear bed with folding disc spring frame | ● |
| Rear storage space with 4 integrated lashing eyes | ● |
| Rear storage space with a drawer above the gas box | ● |
| Shower equipment (pull-out shower head, shower curtain, guide rail, shower holder) | ● |
| Storage space in the wall paneling below the table | ● |
| Swivelling plate table extension | ● |
| Three roomy drawers with Servosoft pull-out | ● |
| Upholstery Scandi | ● |

Standard equipment

600 DR

| | |
|-----------------------------------------------------------------------------------------|---|
| Variably extendable work surface | ● |
| Wall / and roof covering in felt look | ● |
| Wood décor Amberes Oak | ● |
| Heating | |
| Hot air heating 4 kW with hot water boiler | ● |
| Air Conditioning | |
| Preparation air conditioning in the living room | ● |
| Water supply | |
| Waste water tank insulated and heated | ● |
| Water tank 100l, waste water tank 90l | ● |
| Gas supply | |
| Gas shut-off valves easily accessible and centrally located | ● |
| Storage space for gas cylinders with 11 kg filling weight each: 2 pcs. | ● |
| Electrical installation | |
| 4x 230V sockets, 3x double USB sockets, 1x 12V socket | ● |
| Additional dimming function for the standard ambient lighting | ● |
| CEE exterior socket for 230 V with circuit breaker | ● |
| Electric charger for body and vehicle battery 12 V / 18 A (trickle charge) | ● |
| Indirect lighting | ● |
| Installation duct at floor level | ● |
| Light switch optimally placed in the vehicle, e.g. directly at the entrance | ● |
| Platform of the seating group with indirect lighting with automatic door opening system | ● |
| Powerful, maintenance-free battery (95 Ah) | ● |
| Pre-wiring solar system | ● |
| Rear storage compartment lighting | ● |
| SCU (System Control Unit) | ● |
| TV preparation 12V and TV socket, SAT connection | ● |
| Touch spots under the overhead lockers | ● |
| Worktop lighting in the kitchen | ● |

PACKAGES GLOBETRAIL PERFORMANCE (VW)

| | |
|-------------------------------------------------------------------------|------|
| Winter Package (14247) | |
| Laminated glass front window in heat protection glazing, heatable | |
| Seat heating, left and right, separately adjustable | |
| Heated front windshield washer nozzles and washer fluid level indicator | |
| Additional weight (kg)* | 0.35 |

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

| | Included in package | Additional weight (kg)* | Code | 600 DR |
|-----------------------------------------------------------------------------------|---------------------|-------------------------|----------|--------|
| Basic vehicle equipment VW | | | | |
| "Air Care Climatronic" cab air conditioning system | — | 0.77 | 14825 | ○ |
| LED main headlights with LED daytime running lights | — | 4.73 | 13977 | ○ |
| Trailer hitch, detachable (incl. trailer stabilisation) | — | 38.99 | 13991 | ○ |
| Interior design / living area | | | | |
| Guest bed across the living area | — | 14 | 1944 | ○ |
| Heating | | | | |
| Combi 6DE diesel electric heater incl. Truma CP Plus control panel ¹⁰⁾ | — | 5 | 330+1617 | ○ |
| Combi 6E gas-electric heater incl. Truma CP Plus control panel | — | 3 | 995+330 | ○ |
| Air Conditioning | | | | |
| Air conditioning in the living room ¹¹⁾ | — | 18 | 609 | ○ |
| Gas supply | | | | |
| Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter | — | 1 | 1577 | ○ |
| Electrical installation | | | | |
| Second habitation battery 168 Ah (lithium-ion 6 cells) | — | 25 | 13391 | ○ |
| Packages | | | | |
| Winter Package | — | 0.35 | 14247 | ○ |
| Miscellaneous | | | | |
| Registration documents (CoC papers) | — | 0 | 15152 | ◆ |

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Selling points

- + Special showering comfort: floor-level bathroom with high-quality folding washbasin
- + Extra large lying area in the 6 metre vehicle measuring 2 x 1.4 m
- + 17" Lismore aluminium rims
- + Front extension with continuous overhead lockers - also transverse at the rear
- + Spacious seating group with 50 cm wide table and swivelling extension.
- + Room interior panelling in felt look ensures a noticeably pleasant room climate: sound-insulating and moisture-regulating
- + Optimum seating comfort thanks to the tilt-adjustable backrest of the bench seat
- + "Discover Media" navigation system incl. streaming & internet with four loudspeakers
- + Comprehensive assistance systems such as Light Assist, surveillance system, fog lights incl. cornering light, reversing camera and much more.
- + Dethleffs Connect app for important vehicle body control and much more.
- + Comfortable bed access thanks to sliding bulkhead and folding step
- + Pull-out kitchen extension

Important notes

- + Remove the shower inserts before use (only the gray, not the black parts)
- + Play off the size of the lying surface and table
- + Refrigerator as pull-out at the front of the kitchen
- + Open visual axis. No tall unit in the kitchen
- + Heating is located under the seating area
- + No windows possible in the rear, but the advantage of a large sleeping area
- + Hanging rails in the bathroom and kitchen for the sale of original Dethleffs accessories
- + Available via Dethleffs accessories: Textile rear storage bag incl. camping furniture set, rear pull-out also available

TECHNICAL INFORMATION / FOOTNOTES

If you order your vehicle with optional equipment, you should check whether it makes sense or is necessary to increase the vehicle's weight! The optional equipment partially replaces the standard equipment. Individual components of packages can also be ordered separately. Please note that this does not entitle you to the price advantage and may also extend the delivery time. Please contact your dealer for more information.

FOOTNOTES

- 1) If maxi chassis or automatic transmission is selected, black matt wheels are replaced by bicolor wheels.
- 2) Two-tone rims only available in combination with maxi chassis or automatic transmission
- 3) Full LED headlights (individual option) only available in combination with the 95 Years package
- 4) Front with panoramic window (6432) and pop-up roof (10306) cannot be combined
- 5) Scandi upholstery (13167) only available in combination with wood décor Amberes Oak (11827)
- 6) CP-Plus (6622) is already included in an option with electric heating.
- 7) For 5.40-metre campervans: Not in combination with pop-up roof (10306)
- 8) 95 years package not possible in combination with other packages.
- 9) Already included in the market launch edition of Performance
- 10) Diesel heater and parking heater cannot be combined
- 11) If the roof air conditioning system is ordered, the standard roof bonnet in the rear is omitted

IMPORTANT INFORMATION FOR THE SELECTION OF YOUR MOTORHOMES

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Dethleffs specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.



Low Profile model overview

| | | Model 1 | Model 2 |
|----------------------------------------------------|----|------------------------|------------------------|
| Standard chassis | | Fiat Ducato | Fiat Ducato |
| Emission standards | | Euro 6d Final | Euro 6d Final |
| Overall length, approx. | cm | 599 | 695 |
| Overall width, approx. | cm | 220 | 220 |
| Overall height, approx. | cm | 281 | 281 |
| technically permissible maximum laden mass | kg | 3499 | 3499 |
| Mass in running order | kg | 2.890 (2.746 - 3.035)* | 2.982 (2.833 - 3.131)* |
| Permitted number of seats (including driver) | | 4 | 4 |
| Manufacturer-specified mass for optional equipment | kg | 245 | 149 |

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is $\pm 5\%$. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the “Legal Information” section.

3. The permitted number of seats (including driver)...

...is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section



Low Profile model overview

| | | Model 1 | Model 2 |
|----------------------------------------------------|----|------------------------|------------------------|
| Standard chassis | | Fiat Ducato | Fiat Ducato |
| Emission standards | | Euro 6d Final | Euro 6d Final |
| Overall length, approx. | cm | 599 | 695 |
| Overall width, approx. | cm | 220 | 220 |
| Overall height, approx. | cm | 281 | 281 |
| technically permissible maximum laden mass | kg | 3499 | 3499 |
| Mass in running order | kg | 2.890 (2.746 - 3.035)* | 2.982 (2.833 - 3.131)* |
| Permitted number of seats (including driver) | | 4 | 4 |
| Manufacturer-specified mass for optional equipment | kg | 245 | 149 |

4. The manufacturer-specified mass for optional equipment...

... is a value set by Dethleffs per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

Optional extra

| | | Price € | Additional weight | Code | Model 1 | Model 2 |
|--------------------------------------------------------------------------------------------|---|---------|-------------------|------|---------|---------|
| Bathroom | | | | | | |
| Shower grid | — | 359,- | 9 | 1385 | — | ○ |
| Additional window in bathroom | — | 269,- | 5 | 9845 | ○ | ○ |
| Multimedia | | | | | | |
| Automatic HD satellite system 65 Twin | — | 549,- | 15 | 713 | ○ | — |
| Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel | — | 238,- | 1.5 | 1657 | ○ | ● |

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment."

General Information

The information on the scope of delivery, appearance, performance, dimensions and weights of the vehicles corresponds to the knowledge available at the time of going to press and to the European homologation regulations.

Technical changes in design and equipment as well as errors excepted.
This Technical Sales Manual is valid from August 1st, 2025.

Vehicle illustrations in this document may contain optional equipment subject to an extra charge. We expressly reserve the right to make changes. With the publication of this Technical Information, all previous technical documents lose their validity.

Different Euro prices may apply throughout Europe. This is due to different country-specific standard equipment and different VAT and luxury tax rates.