

# **HYMER CAMPER VANS 2026**

Dealer Price information & Technical data valid from 01.08.2025 for the UK & Ireland





# CONTENT

	Important notes when choosing your campervan	2
	THE STREET CONTRACTOR OF THE STREET	
FIAT	HYMER Redwood	4
		产业生产
FIAT	HYMER CamperVans Fiat	10
	以《西·西·西·西·西·西·西·西·西·西·西·西·西·西·西·西·西·西·西·	
Mercedes-Benz	HYMER Grand Canyon S	18
		华州(林)
Mercedes-Benz	HYMER Grand Canyon S CrossOver	25
		-
		4
Mercedes-Renz	HYMER Grand Canyon S Xperience	33
Mercedes-Benz	HYMER Grand Canyon S Xperience	33
Mercedes-Benz		- M
Mercedes-Benz	HYMER Grand Canyon S Xperience	- M

Important notes

# IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

#### 1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. HYMER specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

	ML-T 570	ML-T 580
Standard chassis	Mercedes-Benz Sprinter 415 CDI	Mercedes-Benz Sprinter 415 CDI
Drive	Rear Wheel Drive / All Wheel Drive O	Rear Wheel Drive / All Wheel Drive O
kW (hp)	110 (150)	110 (150)
Length / Width / Height (cm)	674 / 222 / 290 <sup>1)</sup>	698 / 222 / 290 1)
Body width / Internal width (cm)	212/205	212 / 205
Standing height in living area (cm)	198	198
Wheelbase (mm)	3665	3665
Mass in running order (kg)*	2960 (2812 - 3108)*	2980 (2831 - 3129)*
Manufacturer-specified mass for optional equipment (kg)*	182	160
Technically permissible maximum laden mass (kg)*	3500	3500
Technically permissible maximum towable mass (kg)*	2000 2)	2000 2)
Permitted number of seats (including driver)*	4 3)	4 3)

#### 2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is  $\pm$  5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, HYMER weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

## IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

#### 3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information"

	ML-T 570	ML-T 580
Standard chassis	Mercedes-Benz Sprinter 415 CDI	Mercedes-Benz Sprinter 415 CDI
Drive	Rear Wheel Drive / All Wheel Drive O	Rear Wheel Drive / All Wheel Drive O
kW (hp)	110 (150)	110 (150)
Length / Width / Height (cm)	674/222/290 1)	698/222/290 <sup>1)</sup>
Body width / Internal width (cm)	212/205	212/205
Standing height in living area (cm)	198	198
Wheelbase (mm)	3665	3665
Mass in running order (kg)*	2960 (2812 - 3108)*	2980 (2831 - 3129)*
Manufacturer-specified mass for optional equipment (kg)*	182	160
Technically permissible maximum laden mass (kg)*	3500	3500
Technically permissible maximum towable mass (kg)*	2000 2)	2000 2)
Permitted number of seats (including driver)*	4 3)	4 3)

#### 4. The manufacturer-specified mass for optional equipment...

... is a value set by HYMER per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

		Price €	ML-T 570	ML-T 580	Excess weight (kg)*
Chassis	Mercedes-Benz Sprinter 3.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E	990	0	0	0
	Mercedes-Benz Sprinter 3.5 t - 419 CDI - 140 KW/190 hp - Euro VI-E 4)	4.990,-	0	0	14
V201103880	Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)	260,-	0	0	0
V201104100	Weight variant 4,100 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)	260,-	0	0	0
Style package			F	rice	E
Chrome grill					350,-
Bumper, attacl	hment parts and grill frame painted in vehicle color				790,-
Fog lights with	cornering light				290,-
Package price				1	.430,-
Special price				1	.190,-
You save					240,-
Excess weight	t (kg)*				2

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.

#### PRICES AND TECHNICAL DATA HYMER REDWOOD





	Redwood 600	Redwood 601
Price a) £	63,970	63,970
Standard chassis	Fiat Ducato	Fiat Ducato
Drive	Front Wheel Drive	Front Wheel Drive
kW (hp)	103 (140)	103 (140)
Tyre size	225/75 R 16 C	225/75 R 16 C
Length / Width / Height (cm)	$599^{1)} / 208 / 260^{2)}$	$599^{1)} / 208 / 260^{2)}$
Roof type	Sleeping roof O	Sleeping roof O
Standing height in living area (cm)	190	190
Wheelbase (mm)	4035	4035
Mass in running order (-/+ 5%) (kg)*	2903 (2758 - 3048)*	2923 (2777 - 3069)*
Manufacturer-specified mass for optional equipment (kg)*	252	232
Technically permissible maximum laden mass (kg)*	3500	3500
Technically permissible maximum towable mass (kg)*	2000 O <sup>3)</sup>	2000 O <sup>3)</sup>
Permitted number of seats (including driver)*	4 <sup>4)</sup>	4 <sup>4)</sup>
Bed dimension: Front bed L x W (cm)	185 x 105 - 88 O	185 x 105 - 88 O
Bed dimension: Rear bed L x W (cm)	195 x 157 - 150	195 x 157 - 150
Bed dimension: Sleeping roof L x W (cm)	209 x 143 O	209 x 143 O
Berths	2-40	2 - 4 O
Fridge volume (freezer compartment) (I)	90 (6,5)	90 (6,5)
Standard heating	Warm air, 4 kW	Warm air, 4 kW
Gas bottle storage (Filling weight)	2 x 11kg 1 x 6kg ()	2 x 11kg 1 x 6kg ()
Total fresh water tank capacity (I)	100	100
Fresh water tank in driving filling level (I)	20	20
Warm water tank (I)	Gas boiler 11 l	Gas boiler 11 l
Waste water tank (I)	90	90
Standard habitation battery	95 Ah (AGM)	95 Ah (AGM)
Sockets: 230 V/12 V/USB	2/1/6	2/1/6

Standard equipment
 Optional equi
 On request (no extra cost)
 Not possible

O Optional equipment A Mandatory

▲ Mandatory

☐ Available in package

 $\triangle$  Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\,\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

## STANDARD EQUIPMENT HYMER REDWOOD

Redwood 600 Redwood 601

iat Ducato 3.5 t - 2.2 MultiJet - 103 KW/140 hp - Er	uro 6eBis - 6-gear manual transmission <sup>5)</sup>
asis	
astel: Grigio Campovolo	•
G manual transmission	•
00 I fuel tank	•
9 I AdBlue tank	•
xterior mirror electrically adjustable / heated	•
xterior mirror, electrically foldable	
leadlights with black frame	•
Bumper painted in vehicle colour	
og lights with cornering light	•
SKID PLATE in glossy black	
Daytime Running Light integrated in headlights	
6" alloy wheels with 225/75 R16 tyres (Fiat Ducato	
A+S All Season tyres (225/75/R16C/6J with snowfl	ake symbol)
x Twin USB socket in cab	•
Dashboard with aluminium-coloured applications	•
Outside temperature display	•
Tool kit	•
Digital display with on-board computer	•
lectric cab windows	•
lectric immobilizer	•
Priver and passenger airbag	•
upholder in the centre of the dashboard	•
Belt warning device "Unfastened seat belt"	•
Glovebox, passenger side, with cooling compartme	nt lid for 1.5 litre bottle
Coaxial steering wheel adjustment	•
eather steering wheel and gear knob lever	
Manual AirCon with pollen filter	•
Breakdown kit (air compressor with additional valve	e) •
OAB radio and audio pre-installation	•
eat base panelling	•
Power steering	•
tart-Stop-System incl. intelligent alternator	•
ensor for water in diesel fuel	•
oor storage boxes with integrated bottle holder fo	or 1.5 liter bottles
Central locking with internal operation and remote ESC with Brake Assist (HBA), ABS, ASR, LAC, MSR, Braking System	control , Hill Start Assist, Traction+, Crosswind Assist, Trailer Stability Control and Post Collision
Oriver Assistance System: Emergency Brake, Lane	Keeping & Intelligent Speed Assist, Rain & Light sensor incl. High Beam Assist, Traffic sign
ecognition as well as Driver Fatigue Detection	<u> </u>
ark Pilot - audible warning of obstacles in the rear	area
ruise Control	•
yre pressure sensors	•
Body	
lectric entrance step	•
xpandable rear door opening	•
Black gutter above the sliding door with integrated	
ptimal heat and noise insulation thanks to 15 mm	open-cell foam in the wall and 16 mm XPS insulation in the roof area
nsulated floor	•
kylight in bathroom, 28 x 28 cm	•
kylight in bedroom, 40 x 40 cm	•
Skylight in living room, 70 x 50 cm	•
pening window incl. blackout blind and mosquito r	net, LH side, rear
nsulated aluminium framed windows	•
nsulated aluminium framed bathroom window	•
isulated aluminium framed bathroom window	

	0 ;	7
	Redwood 600	Redwood 601
	00	00
	, Š	ğ
	~ u	<u>~</u>
"Travel Lounge" bench with adjustable inclination	•	•
Cab blinds		
Cab seats, swivelling, with armrests, height- and tilt adjustable	• (	•
Cab seats, armrests and seat bench upholstered in living area fabric		•
Mosquito net pleated blind for sliding door		•
Pedestal containing large storage compartment		•
Gas bottle compartment for 2 gas bottles		•
Embedded lashing eyes for ideal fixation located in floor and rear bed		
ISOFIX (child seat fixation for seat bench) 6)		
Blackout living room with pleated blinds and mosquito net Pull-out bed climb incl. load compartment partition		
Innovative sleeping comfort mattress with integrated disc spring system		
Living and bedroom + lighting		
LED reading lights with touch control		
Side wall paneling in bedroom with high-quality, heat- and noise-insulating fabric lamination		
Ambient lighting in living room and kitchen		•
LED lighting	•	•
Living style collection "HOME" (2 cushions as well as utensil bag at rear bed)		•
Kitchen		
Deep drawers with Premium pull-outs incl. self-closing	•	•
Pull-out spice rack	•	•
90 I compressor fridge (12 V or 230 V) incl. freezer compartment with excellent cooling performance and silent night mode	• (	•
		_
Expandable kitchen worktop	•	•
Expandable kitchen worktop  Hob-sink combination with glass cover (2-burner hob)		•
·		•
Hob-sink combination with glass cover (2-burner hob)		•
Hob-sink combination with glass cover (2-burner hob)  Bathroom		•
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder		•
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door		•
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall		•
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology		•
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor		•
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor  Indoor temperature sensor  LCD keypad for heating		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor  Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 l warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger  Charging booster for safe charging of the habitation battery while driving (up to 45 A)		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger  Charging booster for safe charging of the habitation battery while driving (up to 45 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger  Charging booster for safe charging of the habitation battery while driving (up to 45 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  Additional sockets: 2 x 230 V / 2 x USB-A		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger  Charging booster for safe charging of the habitation battery while driving (up to 45 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  Additional sockets: 2 x 230 V / 2 x USB-A  100 I fresh water tank, internal (20 I in driving position)		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger  Charging booster for safe charging of the habitation battery while driving (up to 45 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  Additional sockets: 2 x 230 V / 2 x USB-A  100 I fresh water tank, internal (20 I in driving position)  90 I waste water tank (fitted underfloor)		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger  Charging booster for safe charging of the habitation battery while driving (up to 45 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  Additional sockets: 2 x 230 V / 2 x USB-A  100 I fresh water tank, internal (20 I in driving position)  90 I waste water tank (fitted underfloor)  Electric waste water drainage		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder Shower tray with circular gutter Cassette toilet with level indicator Compact bathroom with folding door Variable bathroom with folding door Variable bathroom with swivel wall Installation & Technology 4 kW gas warm air heating incl. 10 I warm water boiler Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor LCD keypad for heating Gas bottle compartment (2 x 11 gas bottles) 95 Ah AGM habitation battery with charger Charging booster for safe charging of the habitation battery while driving (up to 45 A) 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Additional sockets: 2 x 230 V / 2 x USB-A 100 I fresh water tank, internal (20 I in driving position) 90 I waste water tank (fitted underfloor) Electric waste water drainage 7" touch display for convenient control and monitoring of smart vehicle features		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder Shower tray with circular gutter Cassette toilet with level indicator Compact bathroom with folding door Variable bathroom with swivel wall  Installation & Technology 4 kW gas warm air heating incl. 10 I warm water boiler Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor LCD keypad for heating Gas bottle compartment (2 x 11 gas bottles) 95 Ah AGM habitation battery with charger Charging booster for safe charging of the habitation battery while driving (up to 45 A) 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Additional sockets: 2 x 230 V / 2 x USB-A 100 I fresh water tank, internal (20 I in driving position) 90 I waste water tank (fitted underfloor) Electric waste water drainage 7" touch display for convenient control and monitoring of smart vehicle features HYMER Connect to control and monitor smart vehicle features with HYMER Connect App. 7)		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder Shower tray with circular gutter Cassette toilet with level indicator Compact bathroom with folding door Variable bathroom with swivel wall Installation & Technology 4 kW gas warm air heating incl. 10 I warm water boiler Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor LCD keypad for heating Gas bottle compartment (2 x 11 gas bottles) 95 Ah AGM habitation battery with charger Charging booster for safe charging of the habitation battery while driving (up to 45 A) 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Additional sockets: 2 x 230 V / 2 x USB-A 100 I fresh water tank, internal (20 I in driving position) 90 I waste water tank (fitted underfloor) Electric waste water drainage 7" touch display for convenient control and monitoring of smart vehicle features HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. <sup>7)</sup> Automatic gas bottle changeover system with crash sensor and IceEx		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger  Charging booster for safe charging of the habitation battery while driving (up to 45 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  Additional sockets: 2 x 230 V / 2 x USB-A  100 I fresh water tank, internal (20 I in driving position)  90 I waste water tank (fitted underfloor)  Electric waste water drainage  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  Automatic gas bottle changeover system with crash sensor and IceEx  Fabrics & Furniture finishes		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger  Charging booster for safe charging of the habitation battery while driving (up to 45 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  Additional sockets: 2 x 230 V / 2 x USB-A  100 I fresh water tank, internal (20 I in driving position)  90 I waste water tank (fitted underfloor)  Electric waste water drainage  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  Automatic gas bottle changeover system with crash sensor and IceEx  Fabrics & Furniture finishes  Furniture finish: Native Bamboo		
Hob-sink combination with glass cover (2-burner hob)  Bathroom Shower head holder Shower tray with circular gutter Cassette toilet with level indicator Compact bathroom with folding door Variable bathroom with svivel wall Installation & Technology 4 kW gas warm air heating incl. 10 I warm water boiler Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor LCD keypad for heating Gas bottle compartment (2 x 11 gas bottles) 95 Ah AGM habitation battery with charger Charging booster for safe charging of the habitation battery while driving (up to 45 A) 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Additional sockets: 2 x 230 V / 2 x USB-A 100 I fresh water tank, internal (20 I in driving position) 90 I waste water drainage 7" touch display for convenient control and monitoring of smart vehicle features HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7) Automatic gas bottle changeover system with crash sensor and IceEx Fabrics & Furniture finish: Native Bamboo Fabric combination: Rio		
Hob-sink combination with glass cover (2-burner hob)  Bathroom  Shower head holder  Shower tray with circular gutter  Cassette toilet with level indicator  Compact bathroom with folding door  Variable bathroom with swivel wall  Installation & Technology  4 kW gas warm air heating incl. 10 I warm water boiler  Mono-Control CS gas pressure regulator with crash sensor Indoor temperature sensor  LCD keypad for heating  Gas bottle compartment (2 x 11 gas bottles)  95 Ah AGM habitation battery with charger  Charging booster for safe charging of the habitation battery while driving (up to 45 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  Additional sockets: 2 x 230 V / 2 x USB-A  100 I fresh water tank, internal (20 I in driving position)  90 I waste water tank (fitted underfloor)  Electric waste water drainage  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  Automatic gas bottle changeover system with crash sensor and IceEx  Fabrics & Furniture finishes  Furniture finish: Native Bamboo		

#### **EQUIPMENT LINES HYMER REDWOOD**

**Equipment Line: Trail** Equipment Line: Explorer **Equipment Line: Sport** Pastel: Grigio Campovolo Fabric combination: Rio • Fog lights with cornering light SKID PLATE in glossy black 6 kW Diesel warm air heating with 10 I warm 0 0 water boiler and 1,800 W electric bar heater **HYMER Smart Battery System 2.0:** Habitation battery module 80 Ah LFP incl. 0 0 additional 18 A charger instead of 95 Ah AGM Waste water tank, insulated and heated 0 0 Pre-installation for solar modules 0 0 Metallic: Storm blue SKID PLATE storm blue metallic Grill frame, black Fabric combination: Peru 16" alloy wheels, black matt Pastel: Lanzarote grey Fabric combination: Caldera Excess weight Equipment line (kg)\* 0 0 -19 Package price (incl. VAT) £ 2,650.-3,270.-

•	Standard equipment	O Optional equipment	▲ Mandatory	$\Delta$ Not known at the time of publication
4	On request (no extra cost)	<ul> <li>Not possible</li> </ul>	☐ Available in package	



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

#### PACKS HYMER REDWOOD

#### Driving Comfort Package

Fiat Infotainmentsystem with 10" Touchscreen, integrated SatNav, DAB+, Apple Car Play, Google Android Auto incl. reversing camera

Fully digital cockpit with integrated 7" display

Shelf for smartphones incl. wireless charging with charge level indicator

Automatic AirCon with pollen filter

Electric parking brake

Multifunctional steering wheel

Package price (incl. VAT)	3,420
Excess weight (kg)*	-5

Autonomy pack	Price £
6 kW Diesel warm air heating with 10 l warm water boiler and 1,800 W electric bar heater	1,360
HYMER Smart Battery System 2.0: Habitation battery module 80 Ah LFP incl. additional 18 A charger instead of 95 Ah AGM	1,280
Waste water tank, insulated and heated	460
Pre-wiring for solar modules	170
Package price (incl. VAT)	3,270
Excess weight (kg)*	-20.5

 $\triangle$  Not known at the time of publication

•	Standard equipment	O Optional equipment	▲ Mandatory
4	On request (no extra cost)	<ul> <li>Not possible</li> </ul>	☐ Available in nackage

\*

\* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

### OPTIONAL EQUIPMENT HYMER REDWOOD

		Price £	Redwood 600	Redwood 601	Excess weight (
Chassis / Weig		2.420	_		60
	Fiat Ducato 3.5 t - 2.2 MultiJet - 103 KW/140 hp - Euro 6eBis - 8-gear automatic transmission <sup>5)</sup>	3,420		0	60
	Fiat Ducato 3.5 t - 2.2 Multijet - 132 KW/180 hp - Euro 6eBis - 8-gear automatic transmission 5)	7,110		0	60
	Fiat Ducato Maxi 3.5 t - 2.2 Multijet - 103 KW/140 hp - Euro VI-E - 6-gear manual transmission <sup>5)</sup> Fiat Ducato Maxi 3.5 t - 2.2 Multijet - 132 KW/180 hp - Euro 6eBis - 8-gear automatic transmission <sup>5)</sup>	340 7,450		0	40 60
	Fiat Ducato Maxi 4 t - 2.2 Multijet - 103 KW/140 hp - Euro 6eBis - 8-gear automatic transmission	4,490		0	105
Basis	Flat Ducato Maxi 4 t - 2.2 Multijet - 103 KW/140 np - Euro Gebis - 8-gear automatic transmission	4,490		$\stackrel{\cup}{=}$	105
V2021049	Studded tyres (All Terrain) 8)	1,920		0	13
V2021043 V2077113	LED headlights incl. LED Daytime Running Light	1,020		0	0
V2077113	Heated windscreen	240		0	1
V2007111	Trailer hitch, removable ball head (max. 3.0 t) <sup>9)</sup>	810		0	28
V2064511	Electric parking brake	390	-		-9
V20610J	Multifunctional steering wheel	250			0
V20855J	Seat heating for cab seats, adjustable separately	620		0	0
V2098510	Blind Spot Assist incl. Rear Cross Path Detection	590	0	0	1
Body					
V3016010	Sleeping roof in black (Maxi double bed with skylight and electric locking mechanism) 10)	4,280	0	0	140
V30522140	Awning with adapter, anthracite housing, 375 x 250 cm	1,020	0	0	28
V30522140	Awning with special adapter for sleeping roof, anthracite housing, 375 x 250 cm	930	0	0	37
V3005010	Backrack+ 11)	680	0	0	9
Outfitting					
V30490J	2 folding chairs and table, incl. fixation	270	0	0	13
Living and bed	room + lighting				
V60280J	Bed conversion for seating group incl. additional cushion <sup>12)</sup>	340	0	0	5
Bathroom					
V40210J	Shower insert floor made from high-quality bamboo	100	0	0	2
Installation &					
V5028021	6 kW Diesel warm air heating with 10 I warm water boiler and 1,800 W electric bar heater <sup>13)</sup>	1,360		0	-5
V5026013	Automatic gas bottle changeover system with crash sensor and IceEx	320	0	0	0.5
V5012514	HYMER Smart Battery System 2.0: Habitation battery module 80 Ah LFP incl. additional 18 A charger instead of 95 Ah AGM	1,280	0	0	-18
V5012515	HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity) <sup>14)</sup>	1,450	0	0	10.5
V5002014	Waste water tank, insulated and heated	460		0	2
V5047010	Pre-installation for solar modules	170	0	0	2
Multimedia	45140				
V50403J	TV pre-installation (living area) <sup>15)16)</sup>	250		0	3
V5054513	22" Smart-LED-TV with built-in speakers, remote control <sup>17)</sup>	830	0	0	4
Packages			Ţ		جَدَد
V8006620	Equipment Line: Sport	2,650		0	0
V8006630	Equipment Line: Explorer	3,270		0	-19
V8040020	Driving Comfort Package	3,420		0	-5
V8007110	Autonomy pack 18)	3,270	O	O	-20.5

	_				
(	Standard equipment	O Optional equipment	▲ Mandatory	△ Not known at the time of publication	Further information from p. 42
4	On request (no extra cost)	<ul> <li>Not possible</li> </ul>	☐ Available in package		



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

#### PRICES AND TECHNICAL DATA HYMER CAMPERVANS FIAT











	Ayers Rock	Grand Canvon	Yellowstone 601	Yosemite	Yellowstone 640
	,				
Price a) £	71,700	73,070	73,070	73,070	74,010
Standard chassis	Fiat Ducato				
Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive
kW (hp)	103 (140)	103 (140)	103 (140)	103 (140)	103 (140)
Tyre size	215/70 R15 C				
Length / Width / Height (cm)	$541^{1)} / 208 / 260^{2)}$	$599^{1)} / 208 / 260^{2)}$	$599^{1)} / 208 / 260^{2)}$	$599^{1)} / 208 / 260^{2)}$	$636^{1)} / 208 / 260^{2)}$
Roof type	Sleeping roof O				
Standing height in living area (cm)	190	190	190	190	190
Wheelbase (mm)	3450	4035	4035	4035	4035
Mass in running order (-/+ 5%) (kg)*	2788 (2649 - 2927)*	2916 (2770 - 3062)*	2918 (2772 - 3064)*	2901 (2756 - 3046)*	2977 (2828 - 3126)*
Manufacturer-specified mass for optional equipment (kg)*	383	249	247	264	184
Technically permissible maximum laden mass (kg)*	3500	3500	3500	3500	3500
Technically permissible maximum towable mass (kg)*	3000 O <sup>3)</sup>				
Permitted number of seats (including driver)*	4 <sup>4)</sup>				
Bed dimension: Rear bed L x W (cm)	196 x 140 - 125	196 x 152 - 140	196 x 152 - 140	200 x 119 / 182 x 77	190 x 119 / 188 x 77
Bed dimension: Central bed L x W (cm)	174 x 71 - 42 O	179 x 80 - 55 O	179 x 80 - 55 O	174 x 71 - 42 O	174 x 71 - 42 O
Bed dimension: Sleeping roof L x W (cm)	209 x 143 O				
Berths	2-40	2-40	2-40	2-40	2-40
Fridge volume (freezer compartment) (I)	70 (7,5)	90 (6,5)	90 (6,5)	70 (7,5)	90 (6,5)
Standard heating	Warm air, 4 kW	Gas warm air, 6 kW			
Gas bottle storage (Filling weight)	2 x 11kg 1 x 6kg O				
Total fresh water tank capacity (I)	110	110	110	110	110
Fresh water tank in driving filling level (I)	20	20	20	20	20
Warm water tank (I)	Gas boiler 11 l	Gas boiler 11 I			
Waste water tank (I)	95	95	95	95	95
Sockets: 230 V/12 V/USB	5/1/6	5/1/6	5/1/6	5/1/6	5/1/6

Standard equipment
 O Optional equ
 On request (no extra cost)
 Not possible

O Optional equipment 

Mandatory

▲ Mandatory

☐ Available in package

 $\triangle$  Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\,\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

## STANDARD EQUIPMENT HYMER CAMPERVANS FIAT

STANDARD EQUIPMENT TITMEN CAMPERVANS FIF	7.1				-
		_	501		Yellowstone 640
	¥	Grand Canyon	Yellowstone 601		ne (
	Ayers Rock	Car	sto	ite	sto
	ers	pu	<u>o</u>	Yosemite	<u>8</u>
	Ą	Gra	Yel	√os	Yel
Chassis / Weight variants					
Fiat Ducato 3.5 t - 2.2 Multijet - 103 KW/140 hp - Euro VI-E - 6-gear manual transmission <sup>5)</sup>	•	_	_	_	_
Fiat Ducato 3.5 t - 2.2 MultiJet - 103 KW/140 hp - Euro 6eBis - 6-gear manual transmission <sup>5)</sup>	_	•	•	•	•
Basis					
Exterior colour: White <sup>19)</sup>	•	•	•	•	•
90 I fuel tank	•	•	•	•	•
19   AdBlue tank					
Exterior mirror, electrically foldable  Electrically adjustable and best devices mirrors					
Electrically adjustable and heated exterior mirrors  Electric parking brake					
Electric immobilizer					
Daytime Running Light integrated in headlights					•
15" steel rims (16" for Maxi chassis)	•	•	•	•	•
M+S All Season tyres (225/75/R16C/6J with snowflake symbol)	•	•	•	•	•
Tool kit	•	•	•		•
Digital display with on-board computer	•	•	•	•	•
Electric cab windows	•	•	•	•	•
Driver and passenger airbag	•	•	•	•	•
Cupholder in the centre of the dashboard	•	•	•	•	•
Belt warning device "Unfastened seat belt"	•	•	•	•	•
Glovebox, passenger side, with cooling compartment lid for 1.5 litre bottle	•	•		•	•
Coaxial steering wheel adjustment	•	•	•	•	
Manual AirCon with pollen filter	•	•	•	•	•
Breakdown kit (air compressor with additional valve)	•	•	•		
DAB radio and audio pre-installation incl. speaker in the rear					
Sensor for water in diesel fuel  Power steering					
Seat base panelling					
Start-Stop-System incl. intelligent alternator					
Door storage boxes with integrated bottle holder for 1.5 liter bottles	•	•	•	•	•
Central locking with internal operation and remote control	•	•	•	•	•
Outside temperature display	•	•	•	•	•
ESC with Brake Assist (HBA), ABS, ASR, LAC, MSR, Hill Start Assist, Traction+, Crosswind Assist, Trailer Stability Control and Post Collision Braking System	•	•	•	•	•
Driver Assistance System: Emergency Brake, Lane Keeping & Intelligent Speed Assist, Rain & Light sensor incl. High Beam Assist, Traffic sign recognition as well as Driver Fatigue Detection	•	•	•	•	•
Park Pilot - audible warning of obstacles in the rear area					
Cruise Control	•	•	•	•	•
Body					
Electric entrance step	•	•	•	•	•
Expandable rear door opening	•	•	•	•	•
Black gutter above the sliding door with integrated LED lighting	•	•	•	•	•
Optimal heat and noise insulation thanks to 16 mm closed-cell polyethylene foam in the wall area and 23 mm XPS insulation in the roof area	•	•	•	•	•
Insulated floor	•	•	•	•	•
Cab interior in felt optics	•	•	•	•	•
Dark tinted windows in the living area	•	•	•	•	•
Skylight in bathroom, 40 x 40 cm	•	•		•	•
Skylight in bedroom, 40 x 40 cm					
Skylight in living room, 70 x 50 cm Insulated aluminium framed windows					
Outfitting	Ť			Š	Š
Cab seats, swivelling, with armrests, height- and tilt adjustable		•	•		<b>₹</b>
Cab seats, armrests and seat bench upholstered in living area fabric	•	•	•	•	•
Mosquito net pleated blind for sliding door	•	•	•	•	•
Pedestal with two storage compartments	•	•	•	•	•
Gas bottle compartment for 2 gas bottles	•	•	•	•	•
Pull-out bed climb incl. load compartment partition	•	•	•		•
Folding table with possibility to enlarge	•	•	•	•	•
Pleated blackout cab blinds for front and side windows	•		•	•	

			1		0
		5	Yellowstone 601		Yellowstone 640
	쑹	nyo	one	-	one
	S <sub>o</sub>	Ca	/stc	nite	/stc
	Ayers Rock	Grand Canyon	ò	Yosemite	<u> </u>
	Ā	Ŝ	≺e	δ,	≺e
"Travel Lounge" bench with adjustable inclination	•	•	•	•	•
Mirror cabinet incl. magnetic vanity mirror	•	•	•	•	•
Comfort push locks with genuine leather loops on flaps and drawers	•	•	•	•	•
Wall panel with multifunctional rail system at the seating group and kitchen for multiple use	•	•	•	•	
Lashing rails with 4 adjustable eyelets	•	•	•	•	•
Living and bedroom + lighting					
Side panelling in the bedroom with premium heat and sound-absorbing fabric lamination	•	•	•	•	•
Innovative sleeping comfort mattress with integrated disc spring system		•	•	•	
LED illumination, dimmable with touch control	•	•	•	•	•
LED reading spotlights with touch control (living area)	•	•	•	•	•
Kitchen					
Deep drawers with Premium pull-outs incl. self-closing	•	•		•	
Large 2-piece cutlery insert	•	•	•	•	•
70 I compressor fridge with 2-way opening		_	_		_
90 I compressor fridge (12 V or 230 V) incl. freezer compartment with excellent cooling performance and silent night mode	_	•	•	_	
Expandable kitchen worktop		•	•	•	•
Cooking/sink combination with glass cover (2-burner gas hob) and high-quality single-lever mixer tap	<u> </u>	•	•	<u>•</u>	<u>•</u>
Bathroom					
Compact bathroom with Lamella door	•	•	_	•	_
Design folding washbasin (made of solid surface)		•	_	•	_
Mirror cabinet with vanity mirror	•	•	_	•	_
Variable bathroom with swivel wall		_	•	_	•
Shower head holder with suction cup	•	•	•	•	•
Shower tray with circular gutter		•	•	•	•
Cassette toilet with level indicator		•	•	<u> •                                   </u>	_
Installation & Technology		_	_		
4 kW gas warm air heating incl. 10 I warm water boiler					_
6 kW gas warm air heating with 10 I warm water boiler			_		
Gas bottle compartment (2 x 11 gas bottles)					
7" touch display for convenient control and monitoring of smart vehicle features					
HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)					
Indoor temperature sensor  LCD keypad for heating					
Patented insulated underfloor battery tray					
HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)					
Charging booster for safe charging of the habitation battery while driving (up to 70 A)					
230 V external connection with earth leakage circuit breaker for 230 V & 12 V					
110 I fresh water tank (fitted underfloor) with service lid in walking floor					
95 I waste water tank (fitted underfloor)					
Fresh and waste water tank, insulated and heated					
Level indicator for fresh water as well as waste water tank					
Electric waste water drainage					
Heat conduction concept at the rear bed for optimum heat distribution				•	•
Automatic gas bottle changeover system with crash sensor and IceEx		•	•	•	•
Multimedia					
DAB Radio pre-installation		•	•	•	
Fabrics & Furniture finishes					
Furniture finish: Ivy Green		•	•	•	•
Fabric combination: Indiana	•	•		•	•
Packages	الأبي				
Character and any low and	_				一

Standard equipment

 $\ensuremath{\Delta}$  Not known at the time of publication

## **EQUIPMENT LINES HYMER CAMPERVANS FIAT**

	Standard equipment	Equipment Line Plus
Manual AirCon with pollen filter	•	LIMI =
Electric parking brake	•	•
Cruise Control	•	•
DAB Radio pre-installation	•	•
16" alloy wheels with 225/75 R16 tyres (Fiat Ducato Light chassis only)	0	•
Automatic AirCon with pollen filter	_	•
Leather steering wheel and gear knob lever	_	•
Fully digital cockpit with integrated 7" display	-	•
Shelf for smartphones incl. wireless charging with charge level indicator	-	•
Dashboard with aluminium-coloured applications	-	•
Fiat Infotainmentsystem with 10" Touchscreen, integrated SatNav, DAB+, Apple Car Play, Google Android Auto incl. reversing camera	_	•
Multifunctional steering wheel	<del>-</del>	•
Excess weight Equipment line (kg)*	0	22
Package price (incl. VAT) £		4,310

<ul> <li>Standard equipment</li> </ul>	O Optional equipment	▲ Mandatory	▲ Not known at the time of publication
On request (no extra cost)	<ul> <li>Not possible</li> </ul>	$\square$ Available in package	



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

#### PACKS HYMER CAMPERVANS FIAT

Package	Autonomy package LFP (Ayers Rock - standard roof)	Autonomy package LFP (standard roof)	Autonomy package LFP (sleeping roof)
HYMER Smart Battery System 2.0: extension habitation battery module with 2x 80 Ah LFP (overall 240 Ah)		•	•
Inverter 12 V to 230 V, 1,600 VA, 2,800 Watt peak power incl. 70 A additional charger	•	•	•
Water filter for fresh water system	•	•	•
Solar panel with solar charge controller (MPPT) and display, 1 x 95 W	•	_	_
Solar panel with solar charge controller (MPPT) and display, 2 x 95 W	_	•	_
Solar panel with solar charge controller (MPPT) and display for sleeping roof, 2 x 85 W	_	ı	•
Sum package £	4,990	5,590	5,590
Package price (incl. VAT) £	4,530	5,130	5,130
You save £	460	460	460
Excess weight (kg)*	40	48	48

Style package	
SKID PLATE in glossy black	
Fog lights with cornering light	
Bumper painted in vehicle colour	
Package price (incl. VAT)	510
Excess weight (kg)*	2

Living Comfort package	Price £
Skyview cab window incl. blackout blind	850
Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination	330
Living style collection "HOME" (2 cushions as well as utensil bag)	80
Fitted sheets made to measure for rear beds individually adapted to mattress	170
Shower insert floor with cork surface	100
Sum package	1,530
Package price (incl. VAT)	1,410
You save	120
Excess weight (kg)*	25

(	Standard equipment	O Optional equipment	▲ Mandatory	▲ Not known at the time of publication
4	On request (no extra cost)	<ul> <li>Not possible</li> </ul>	$\square$ Available in package	



\* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

### OPTIONAL EQUIPMENT HYMER CAMPERVANS FIAT

		Price £	Ayers Rock	Grand Canyon	Yellowstone 601	Yosemite	Yellowstone 640	Excess weight (k
Chassis / Weig	int variants Fiat Ducato 3.5 t - 2.2 MultiJet - 103 KW/140 hp - Euro 6eBis - 8-gear automatic transmission		_	_	_	_	_	
	5)	3,420	0	0	0	0	0	60
	Fiat Ducato 3.5 t - 2.2 Multijet - 132 KW/180 hp - Euro 6eBis - 8-gear automatic transmission $^{5)}$	7,110	-	0	0	0	0	60
	Fiat Ducato Maxi 3.5 t - 2.2 Multijet - 103 KW/140 hp - Euro VI-E - 6-gear manual transmission	340	_	0	0	0	_	40
	Fiat Ducato Maxi 3.5 t - 2.2 Multijet - 103 KW/140 hp - Euro 6eBis - 6-gear manual transmission <sup>5)</sup>	340	_	_	_	_	0	40
	Fiat Ducato Maxi 3.5 t - 2.2 Multijet - 132 KW/180 hp - Euro 6eBis - 8-gear automatic transmission <sup>5)</sup>	7,450	_	0	0	0	0	60
	Fiat Ducato Maxi 4 t - 2.2 Multijet - 103 KW/140 hp - Euro 6eBis - 8-gear automatic transmission	4,490	-	0	0	0	-	105
	Fiat Ducato Maxi 4 t - 2.2 Multijet - 132 KW/180 hp - Euro 6eBis - 8-gear automatic transmission	8,180	_	_	_	_	0	105
Basis		_						
V20250163	Pastel: Lanzarote grey	640		0	0	0	0	0
V20250145	Pastel: Grigio Campovolo	640		0	0	0	0	0
V20250164	Metallic: Artense grey <sup>19)</sup>	850		0	0	0	0	0
V20250104	Metallic: Fer grey	850		0	0	0	0	0
V20250110	Metallic: Black	850		0	0	0	0	0
V20250151	Metallic: Storm blue <sup>20) 19)</sup> Bumper painted in storm blue metallic <sup>21)</sup>	2,130		0	0	0	0	0
V3051010 V2007111	Trailer hitch, removable ball head (max. 3.0 t) 9)	430 810		0	0	0	0	0 28
V2007111 V2077113	LED headlights incl. LED Daytime Running Light	1,020		0	0	0		0
V2077113 V2074010	Tyre pressure sensors <sup>22)</sup>	1,020		0	0	0	0	0.5
V2074010 V20391J	Heated windscreen	330		0	0	0	0	0.5
V203313 V2021030	16" alloy wheels with 225/75 R16 tyres (Fiat Ducato Light chassis only)	730		0	0	0	0	0
V2021030	Studded tyres (All Terrain) <sup>23)</sup>	1,920		0	0	0	0	13
V20855J	Seat heating for cab seats, adjustable separately	620		0	0	0	0	0
V2091026	Active Distance Assist Stop & Go incl. lane centring & traffic jam assistant <sup>24)</sup>	1,060		0	0	0	0	0
V2098510	Blind Spot Assist incl. Rear Cross Path Detection	590		0	0	0	0	1
V2051060	60 I fuel tank	40		0	0	0	0	-25
Body				Ť				
V3016010	Sleeping roof in vehicle colour (maxi double bed with skylight and electric locking mechanism) 25) 26)	4,280	0	0	0	0	0	140
V3016010	Sleeping roof in black (Maxi double bed with skylight and electric locking mechanism) <sup>27)</sup> <sup>26)</sup>	4,280	0	0	0	0	0	140
V30522120	Awning with adapter, anthracite housing, 325 x 250 cm	930	0	_	_	_	_	24
V30522110	Awning with special adapter for sleeping roof, anthracite housing, 315 x 250 cm	850	0	_	_	_	_	32
V30522140	Awning with adapter, anthracite housing, 375 x 250 cm	1,020	_	0	0	0	0	28
V30522140	Awning with special adapter for sleeping roof, anthracite housing, 375 x 250 cm	930	_	0	0	0	_	37
V30522150	Awning with special adapter for sleeping roof, anthracite housing, 400 x 250 cm	1,020	_	_	_	_	0	41
V70030117	Design graphics: Carbonline (Carbon black filling)	310	0	0	0	0	0	0
V7003216	Design graphics: Window filling Carbon (full-surface foiling surrounding side windows, LH and RH side as well as rear doors)	810	0	0	0	0	0	1
V3005010	Backrack+ <sup>28)</sup>	680		0	0	0	0	9
V20227411	Rocker panel for front bumper, Black matt	460	0	0	0	0	0	5
V3028011	Opening window incl. blackout blind and mosquito net, LH side, rear <sup>29)</sup>	360		0	0	0	0	4
V3028010	Opening window incl. blackout blind and mosquito net, RH side, rear <sup>29)</sup>	360		0	0	0	0	4
V3011012	Skylight in bedroom, double-glazed, 70 x 50 cm <sup>30)</sup>	420		0	0	0	0	5
V3007010	Skyview cab window incl. blackout blind	850						19
Outfitting								



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

		Price £	Ayers Rock	Grand Canyon	Yellowstone 601	Yosemite	Yellowstone 640	Excess weight (kg)*
V4036611	Omission of rear transverse overhead lockers		•	•	•	•	•	-6
V4052010	Lowerable seating group table variant for bed conversion		•	•	•	<b>♦</b>	<b>♦</b>	1.5
V3037510	ISOFIX (child seat fixation for seat bench) 31)	220	0	0	0	0	0	3.5
V50100J	External shower (located at the rear of the vehicle)	250	0	0	0	0	0	1
V30490J	2 folding chairs and table, incl. fixation	270	0	0	0	0	0	13
Living and bedr								
V60280J	Bed conversion for seating group incl. additional cushion <sup>12) 32)</sup>	340		0	0	0	0	5
V60170J	Fitted sheets made to measure for rear beds individually adapted to mattress	170						1
V8037011	Living style collection "HOME" (2 cushions as well as utensil bag)	80						2.5
V5013614	Light package (Multifunctional pendant lamp as well as 2 ambient reading lights for multifunctional walls) <sup>33) 34)</sup>	220	0	0	0	0	0	1
V5013615	Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination	330						1
Bathroom								
V40210J	Shower insert floor with cork surface	100						2
V5053010	Ceramic toilet	420	0	0	0	0	0	10
Installation & T	echnology							
V5028011	4 kW gas warm air heating with 10 I warm water boiler and 1,800 W electric bar heater	340	0	0	0	0	0	1
V5028021	6 kW Diesel warm air heating with 10 l warm water boiler, 1,800 W electric bar heater as well as compact gas bottle compartment for one 6 kg gas bottle and 3 storage drawers	1,360	0	0	0	0	0	-6.5
V5028110	Sleeping roof heating - Thermal blanket, 12 V (155 x 60 cm)	90	0	0	0	0	0	1
V30325J	Gas bottle slide out <sup>35) 36)</sup>	430	0	0	0	0	0	10
V50250J	Gas filter for automatic gas bottle changeover <sup>35)</sup>	170	0	0	0	0	0	0
V50230J	External gas socket with shut-off valve	170	0	0	0	0	0	1
V5012515	HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity)	1,450	0	0	0	0	0	10.5
V5047010	Pre-wiring for solar modules	170	0	0	0	0	0	0.5
V5047030	Solar panel with solar charge controller (MPPT) and display, 1 x 95 W <sup>37)</sup>	850		_	_	_	_	8
V5047029	Solar panel with solar charge controller (MPPT) and display, 2 x 95 W <sup>37)</sup>	1,450	_					16
V5047031	Solar panel with solar charge controller (MPPT) and display for sleeping roof, 2 x 85 W	1,450						16
V5033017	Roof AirCon, 1,700 W <sup>38) 39)</sup>	1,790	0	0	0	0	0	27
V5005010	Security system (alarm system)	340	0	0	0	0	0	2
V5069710	Water filter for fresh water system	210						1
Multimedia								
V50400115	Multimedia SatNav System with 9" Touchscreen incl. motorhome software, DAB+, Apple Car Play, Google Android Auto and reversing camera <sup>40)</sup> <sup>41)</sup>	2,050	0	0	0	0	0	7
V5073014	HYMER Premium Sound system incl. subwoofer	850	0	0	0	0	0	10.5
V5071511	5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included) <sup>26)</sup>	1,710	0	0	0	0	0	1.5
V50403J	TV pre-installation (living area) <sup>15) 16) 33)</sup>	250	0	0	0	0	0	2
V5054513	22" Smart-LED-TV with built-in speakers, remote control 17)	830	0	0	0	0	0	6
Fabrics & Furni	ture finishes							
V100904124	Furniture finish: Pearl Grey		<b>♦</b>	<b>♦</b>	<b>♦</b>	<b>♦</b>	<b>♦</b>	0
V100704162	Fabric combination: Bogota		•	•	•	•	<b>•</b>	0
V100704171	Textile leather-/ fabric combination: Valletta	640	0	0	0	0	0	4
V100704126	Leather / fabric combination: Moreno	1,710	0	0	0	0	0	5
V100704090	Leather: Grigio	1,710	0	0	0	0	0	6.5
V602104011	Carpet: Laguna	340	0	0	0	0	0	5
Packages								
V8006432	Equipment Line Plus	4,310	0	0	0	0	0	22
V8028924	Style package	510	0	0	0	0	0	2
V8007115	Autonomy package LFP (Ayers Rock - standard roof) 37) 42)	4,530	0	_	_	_	_	40
V8007115	Autonomy package LFP (standard roof) 37) 42)	5,130	_	0	0	0	0	48
V8007115	Autonomy package LFP (sleeping roof) 43) 42)	5,130	0	0	0	0	0	48



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

Excess weight (kg)\* Yellowstone 640 Yellowstone 601 **Grand Canyon** Ayers Rock Yosemite Price £ 1,410.-0 0 0 25

Living Comfort package V8039020

O Optional equipment 

Mandatory  $\Delta$  Not known at the time of publication Further information from p. 42 ◆ On request (no extra cost) — Not possible ☐ Available in package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

#### PRICES AND TECHNICAL DATA HYMER GRAND CANYON S





	GCS 600	GCS 700
Price a) £	88,340	94,110
Standard chassis	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 417 CDI
Drive	Rear Wheel Drive / All Wheel Drive O	Rear Wheel Drive / All Wheel Drive O
kW (hp)	110 (150)	125 (170)
Emission standards	Euro VI-E	Euro VI-E
Tyre size	235/65 R16 C	235/65 R16 C
Length / Width / Height (cm)	593 <sup>1)</sup> / 206 / 276 <sup>2)</sup>	697 <sup>1)</sup> / 206 / 276 <sup>2)</sup>
Roof type	Sleeping roof O	Sleeping roof O
Standing height in living area (cm)	192	192
Wheelbase (mm)	3665	4325
Mass in running order (-/+ 5%) (kg)*	2857 (2714 - 3000)*	3160 (3002 - 3318)*
Manufacturer-specified mass for optional equipment (kg)*	303	365
Technically permissible maximum laden mass (kg)*	3500	3880
Technically permissible maximum towable mass (kg)*	3500 O <sup>3)</sup>	3500 ○ <sup>3)</sup>
Permitted number of seats (including driver)*	4 <sup>4)</sup>	4 <sup>4)</sup>
Bed dimension: Rear bed L x W (cm)	195 x 135	200 x 168
Bed dimension: Central bed L x W (cm)	156 x 74 - 43 O	156 x 74 - 43 O
Bed dimension: Sleeping roof L x W (cm)	200 x 122 O	200 x 122 O
Berths	2 - 4 O	2-40
Fridge volume (freezer compartment) (I)	90 (6,5)	90 (6,5)
Standard heating	Diesel warm air, 6 kW	Diesel warm air, 6 kW
Gas bottle storage (Filling weight)	1x6kg	1 x 6kg
Total fresh water tank capacity (I)	100	100
Fresh water tank in driving filling level (I)	20	20
Warm water tank (I)	101	10
Waste water tank (I)	85	85
Sockets: 230 V/12 V/USB	4/3/2	4/3/2

Standard equipment
 Optional equ
 On request (no extra cost)
 Not possible

O Optional equipment A Mandatory

▲ Mandatory

☐ Available in package

 $\triangle$  Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\,\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

## STANDARD EQUIPMENT HYMER GRAND CANYON S

		GCS 700
Chassis / Waight varients	<u> </u>	5
Chassis / Weight variants  Mercedes-Benz Sprinter 3.5 t - 315 CDI - 110 KW/150 hp - Euro VI-E 44)		
Mercedes-Benz Sprinter 3.88 t - 417 CDI - 125 KW/170 hp - Euro VI-E		•
Basis		
Exterior colour: Arctic white	•	<del>-</del>
6-speed manual transmission ECO Gear	•	•
93 I fuel tank		•
22 I AdBlue tank	•	•
Adaptive Brake Light	•	•
Automatic headlight control	•	•
Exterior mirror electrically foldable		•
Electrically adjustable and heated exterior mirrors	•	•
Halogen H7 headlights in clear glass technology		
Comfort suspension chassis (vibration absorbers, stabilisers, shock absorbers)	•	
Side indicators in exterior mirrors		
Daytime Running Light integrated in headlights		
Trailer hitch pre-installation		•
Reinforced front axle		
Heat-insulating glass with tinting strip on windscreen  Windscreen made of laminated glass		
Windscreen made of laminated glass  16" steel rims (silver) with wheel hub cover and All Season tyres		
16" steel rims (sliver) with wheel hub cover and All Season tyres Electric cab windows		•
Electric cab windows  Electric parking brake		
Electric immobilizer		•
Driver and passenger airbag		•
Belt warning device "Unfastened seat belt"		•
Semi-automatic climate control TEMPMATIC		•
Grab handle for entry, sliding door		•
Keyless Start (start-stop button for comfortable engine start)		•
Hinged lid for central storage compartment on the dashboard	•	•
Steering wheel, height and tilt adjustable	•	•
Multifunctional steering wheel	•	•
Open shelf cockpit passenger side		•
Parameterisable special module for controlling retrofitted electronic add-on parts	•	•
Sun visor for cab seats, swivelling		•
Warm air auxiliary heating, electric	•	•
Central locking with remote control		•
ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program)	•	•
Active Brake Assist		
Active Lane Keeping Assist	•	
Attention Assist		•
Outside temperature display		) -
Hill Start Assist		•
ECO Start-Stop feature		
Headlight range adjustment Rain sensor		•
Crosswind Assist		
Power steering		
Cruise Control incl. steering wheel multifunction buttons		
Body		
Electric entrance step		=
Optimal heat and noise insulation thanks to 16 mm closed-cell polyethylene foam in the wall area and 23 mm XPS insulation in the roof area		
Insulated floor		•
Expandable rear door opening		
Skylight in bathroom, 28 x 28 cm		•
Skylight in bedroom, 40 x 40 cm	• (	
Skylight in kitchen, 40 x 40 cm		
Skylight in living room, 70 x 50 cm	•	•
Insulated aluminium framed windows		
Opening windows with blackout blind and mosquito net, LH and RH side, rear		•

	_	
	GCS 600	700
	CS	. SOD
Decign graphics: Window filling Carbon (full curface failing around rear windows)	9	9
Design graphics: Window filling Carbon (full-surface foiling around rear windows)  Outfitting		
Mercedes-Benz Comfort seat in living area fabric, height- and tilt adjustable, rotating, with 2 armrests and integral look	•	
Front seating group with 2 integrated 3-point belts	•	•
All overhead lockers with Soft-Close feature	•	
Comfort push locks with genuine leather loops on flaps and drawers	•	•
Folding table with possibility to enlarge	•	•
Pull-out bed climb incl. load compartment partition	•	•
Mosquito net pleated blind for sliding door	•	•
Pleated blackout cab blinds for front and side windows	•	•
Mosquito net and blackout blinds on all windows in the body construction (except bathroom)	•	•
Wall panel with multifunctional rail system at the seating group and kitchen for multiple use		
Lashing rails with 4 adjustable eyelets		
Living and bedroom + lighting  Side panelling in the bedroom with premium heat and sound-absorbing fabric lamination		
Innovative sleeping comfort mattress with integrated disc spring system		
Partitioning curtain between bed- and living room		
LED illumination, dimmable with touch control	•	•
LED reading lights with touch control (living area)		
Kitchen		
Cooking/sink combination with glass cover (2-burner gas hob) and high-quality single-lever mixer tap	•	•
Deep drawers with Premium pull-outs incl. self-closing	•	•
Kitchen drawer with Soft close feature and cutlery insert	•	•
Expandable kitchen worktop	•	•
90 I compressor fridge (12 V or 230 V) incl. freezer compartment with excellent cooling performance and silent night mode	•	•
Bathroom Commont bethreen with door		
Compact bathroom with door Variable bathroom with swivel wall	_	
Variable bathroom with swivel wall	_	•
Variable bathroom with swivel wall Design folding washbasin (made of solid surface)	-	•
Variable bathroom with swivel wall	• •	•
Variable bathroom with swivel wall Design folding washbasin (made of solid surface) Shower head holder with suction cup Cassette toilet with level indicator	•	•
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup	• • • •	•
Variable bathroom with swivel wall Design folding washbasin (made of solid surface) Shower head holder with suction cup Cassette toilet with level indicator Mirror cabinet with vanity mirror	• • •	- • • •
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit)  Indoor temperature sensor	•	- • • •
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 l warm water boiler as well as atmospheric pressure sensor (altitude kit)  Indoor temperature sensor  LCD keypad for heating	•	•
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit)  Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)	•	•
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit)  Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)	•	•
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit)  Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V	•	•
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 l warm water boiler as well as atmospheric pressure sensor (altitude kit)  Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features	- - - - - - - - - - - -	•
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 l warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. <sup>7)</sup>		•
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)		
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)  85 I waste water tank (fitted underfloor)	- 0 0 0 0 0	
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)		•
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)  85 I waste water tank (fitted underfloor)  Level indicator for fresh water as well as waste water tank		
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit)  Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)  85 I waste water tank (fitted underfloor)  Level indicator for fresh water as well as waste water tank  Waste water tank, insulated and heated		
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)  85 I waste water tank (fitted underfloor)  Level indicator for fresh water as well as waste water tank  Waste water tank, insulated and heated  Electric waste water drainage with dashboard switch		
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit)  Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)  85 I waste water tank (fitted underfloor)  Level indicator for fresh water as well as waste water tank  Waste water tank, insulated and heated  Electric waste water drainage with dashboard switch  Multimedia  10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen  Audio pre-installation with 4 speakers		
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module – 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)  85 I waste water tank (fitted underfloor)  Level indicator for fresh water as well as waste water tank  Waste water tank, insulated and heated  Electric waste water drainage with dashboard switch  Multimedia  10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen  Audio pre-installation with 4 speakers  DAB Radio		
Variable bathroom with swivel wall Design folding washbasin (made of solid surface) Shower head holder with suction cup Cassette toilet with level indicator Mirror cabinet with vanity mirror Installation & Technology 6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor LCD keypad for heating HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) 230 V external connection with earth leakage circuit breaker for 230 V & 12 V 7" touch display for convenient control and monitoring of smart vehicle features HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7) 100 I fresh water tank, internal (20 I in driving position) 85 I waste water tank (fitted underfloor) Level indicator for fresh water as well as waste water tank Waste water tank, insulated and heated Electric waste water drainage with dashboard switch Multimedia 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen Audio pre-installation with 4 speakers DAB Radio Fabrics & Furniture finishes		
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)  85 I waste water tank (fitted underfloor)  Level indicator for fresh water as well as waste water tank Waste water tank, insulated and heated  Electric waste water drainage with dashboard switch  Multimedia  10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen  Audio pre-installation with 4 speakers  DAB Radio  Fabrics & Furniture finishes  Furniture finish: Ivy Green		
Variable bathroom with swivel wall Design folding washbasin (made of solid surface) Shower head holder with suction cup Cassette toilet with level indicator Mirror cabinet with vanity mirror Installation & Technology 6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor LCD keypad for heating HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah) Charging booster for safe charging of the habitation battery while driving (up to 70 A) 230 V external connection with earth leakage circuit breaker for 230 V & 12 V 7" touch display for convenient control and monitoring of smart vehicle features HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7) 100 I fresh water tank, internal (20 I in driving position) 85 I waste water tank (fitted underfloor) Level indicator for fresh water as well as waste water tank Waste water tank, insulated and heated Electric waste water drainage with dashboard switch Multimedia 10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen Audio pre-installation with 4 speakers DAB Radio Fabrics & Furniture finishes Furniture finish: Ivy Green Fabric combination: Indiana		
Variable bathroom with swivel wall  Design folding washbasin (made of solid surface)  Shower head holder with suction cup  Cassette toilet with level indicator  Mirror cabinet with vanity mirror  Installation & Technology  6 kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) Indoor temperature sensor  LCD keypad for heating  HYMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)  Charging booster for safe charging of the habitation battery while driving (up to 70 A)  230 V external connection with earth leakage circuit breaker for 230 V & 12 V  7" touch display for convenient control and monitoring of smart vehicle features  HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)  100 I fresh water tank, internal (20 I in driving position)  85 I waste water tank (fitted underfloor)  Level indicator for fresh water as well as waste water tank  Waste water tank, insulated and heated  Electric waste water drainage with dashboard switch  Multimedia  10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen  Audio pre-installation with 4 speakers  DAB Radio  Fabrics & Furniture finishes  Furniture finish: Ivy Green		

 $<sup>\</sup>ensuremath{\Delta}$  Not known at the time of publication

## **EQUIPMENT LINES HYMER GRAND CANYON S**

	Standard equipment	Equipment Line Plus	Equipment Line Premium
Reinforced front axle			O Line Co
Heat-insulating glass with tinting strip on	•		•
windscreen	•	•	•
Electric parking brake	•	•	•
Semi-automatic climate control TEMPMATIC	•	•	-
10.25" MBUX Multimedia system with reversing camera, Voice recognition and Touchscreen	•	•	•
Multifunctional steering wheel	•	•	•
Mercedes-Benz instrument cluster with colour display	•	•	•
Mercedes-Benz acoustics package	•	•	•
Active Lane Keeping Assist	•	•	•
Attention Assist	•	•	•
Cruise Control incl. steering wheel multifunction buttons	•	•	•
Rain sensor	•	•	•
DAB Radio	•	•	•
9G-TRONIC automatic transmission incl. Hold function	-	•	•
SatNav & Smartpone integration for Mercedes-Benz MBUX	-	•	•
Traffic Sign Assist	_	•	•
Leather steering wheel (automatic transmission only)	-	•	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	-	•	•
Weight saving with x19 engine and automatic transmission (- 9 kg)	-	•	<b>*</b>
Blind Spot Assist	_	0	•
Fully automatic climate control THERMOTRONIC	_	_	•
Shelf for smartphones incl. wireless charging with charge level indicator	<del>-</del>	_	•
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	-	-	•
LED High-Performance headlights	_	_	•
Parking package with 360° camera	_	_	•
Excess weight Equipment line (kg)*	0	40	45
Package price (incl. VAT) £		5,490	9,770

•	Standard equipment	O Optional equipment	▲ Mandatory	$\Delta$ Not known at the time of publication
4	On request (no extra cost)	<ul> <li>Not possible</li> </ul>	☐ Available in package	



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

#### PACKS HYMER GRAND CANYON S

Package	Autonomy package LFP (GCS 600)	Autonomy package LFP (GCS 600 - sleeping roof)	Autonomy package LFP (GCS 700)
HYMER Smart Battery System 2.0 - additional 3 x 80 Ah LFP (overall capacity 320 Ah)		•	•
Inverter 12 V to 230 V, 1,600 VA, 2,800 Watt peak power incl. 70 A additional charger		•	•
Solar panel with solar charge controller (MPPT) and display, 1 x 95 W	•	_	_
Solar panel with solar charge controller (MPPT) and display for sleeping roof, 2 x 95 W	<b>—</b>	•	_
Solar panel with solar charge controller (MPPT) and display, 2 x 95 W	_	_	•
Package price (incl. VAT) £	6,260	6,770	6,770
Excess weight (kg)*	48	56	56

#### Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

Package price (incl. VAT)	1,190
Excess weight (kg)*	3

#### Style package

Front bumper as well as grill frame painted in vehicle colour

Chrome grill

Fog lights with cornering light

Package price (incl. VAT)	1,190
Excess weight (kg)*	0

#### Living Comfort package GCS

Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination

Living style collection "HOME" (2 cushions as well as utensil bag)

Fitted sheets made to measure for rear beds individually adapted to mattress

Shower insert floor with cork surface

Package price (incl. VAT)	550
Excess weight (kg)*	6.5

◆ Standard equipment
 ◆ O Optional equipment
 ▲ Mandatory
 △ Not known at the time of publication
 → On request (no extra cost)
 — Not possible
 □ Available in package



\* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

### OPTIONAL EQUIPMENT HYMER GRAND CANYON S

		Price £	GCS 600	GCS 700	Excess weight (kg
Chassis / Weig			_		
	Mercedes-Benz Sprinter 3.5 t - 317 CDI - 125 KW/170 hp - Euro VI-E 44)	980		_	0
	Mercedes-Benz Sprinter 3.5 t - 319 CDI - 140 KW/190 hp - Euro VI-E <sup>44)</sup>	4,650		_	14
	Mercedes-Benz Sprinter 3.88 t - 415 CDI - 110 KW/150 hp - Euro VI-E	1,320	0	_	0
	Mercedes-Benz Sprinter 3.88 t - 417 CDI - 125 KW/170 hp - Euro VI-E	2,170		_	0
	Mercedes-Benz Sprinter 3.88 t - 419 CDI - 140 KW/190 hp - Euro VI-E	5,850		_	14
V20110 4100	Mercedes-Benz Sprinter 3.88 t - 419 CDI - 140 KW/190 hp - Euro VI-E	3,680	_	0	14
V201104100	Weight variant 4,100 kg	220	0	0	0
V201103500	Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)		•		0
Basis V20250167	Doobal Chana avay	000	_		
	Pastel: Stone grey	680		0	0
V20250137	Pastel: Steel blue	680		0	0
V20250143	Pastel: Blue grey	680		0	0
V20250140	Pastel: Jupiter red	680		0	0
V20250119	Metallic: Obsidian black	1,710		0	0
V20250136	Metallic: Canvasite blue	1,710		0	0
V20250172	Metallic Hightech silver	1,710		0	0
V20250144	Metallic: Tenorite grey  Permanent All Wheel Drive incl. LED rear lights 45) 46) 47) 48) 49)	1,710		0	127
V2006810		6,420		0	137
V20420A	Weight saving with x19 engine and automatic transmission (- 9 kg) 71 I fuel tank <sup>50)</sup>	00	~	•	-9 24
V2051071 V2007111	Trailer hitch, removable ball head (max. 2 t) <sup>51)</sup>	90 1,450		0	-24 28
V2007111 V2007114	Trailer hitch, fix ball head (max. 2.8 t) <sup>52)</sup>	1,450		0	25
V2007114 V2007115	Trailer hitch, fix ball head (max. 3.5 t) (not available in combination with All Wheel Drive) <sup>53) 50)</sup>	1,620 1,710		_	
V2007115 V2115010	Mercedes-Benz engine compartment insulation for noise reduction <sup>54)</sup>			0	25 10
V2113010 V2062111	Fog lights with cornering light	250 300			0
V2002111 V20391J	Heated windscreen	390		0	0
V203911 V2113010	Wet Wiper System (windscreen wiper with integrated spray nozzles) 55)	90			0
V2113010 V2021025	16" alloy wheels (silver) with All Season tyres <sup>46)</sup>	1,190		0	4
V2021023 V2021041	17" alloy wheels (silver) with summer tyres <sup>50)</sup>	1,410		0	8
V2021041 V2021025	16" alloy rims (silver) with summer tyres <sup>56)</sup>	1,190		0	4
V2021023 V2021032	16" steel rim (black) with studded tyres (All Terrain) <sup>56) 57)</sup>	1,710		0	18
V2021032 V20410J	Cupholder instead of storage compartment	60		0	0
V2049011	Electric sliding door incl. remote control, RH side <sup>58)</sup>	1,110		0	10
V2049010	Electric closing aid for sliding door, RH side	390		0	5
V2054512	Leather steering wheel and gear knob lever (manual transmission only)	250		0	0
V20855J	Seat heating and lumbar support for Original Mercedes-Benz seats <sup>55)</sup>	620			2
V2103210	Warm water auxiliary heating (auxiliary parking heating)	930		0	7
V2103211	Remote control for warm water auxiliary heating	420		0	0
V21055J	Auxiliary heating (supports heating when heating up the vehicle) <sup>59)</sup>	730		0	7
V2022210	Downhill Speed Regulation (Offroad mode) <sup>56)</sup>	510		0	0
V2037810	High Beam Assist	330		0	0
V2098510	Blind Spot Assist <sup>60)</sup>	540			0
Body				Ü	
V3016010	Sleeping roof in vehicle colour (Maxi double bed with Sleeping Comfort system) 61)	4,280		0	120
V3016010	Sleeping roof in white (Maxi double bed with Sleeping Comfort system) <sup>61)</sup>	3,850		0	120
V30522120	Awning (anthracite) with dimmable LED illumination and adapter, 325 x 250 cm <sup>62)</sup>	1,190		_	25
V30522110	Awning (anthracite) with dimmable LED-illumination and special adapter, 300 x 250 cm <sup>62)</sup>	1,110		_	24
V30522155	Awning (anthracite) with dimmable LED-illumination and adapter, 425 x 250 cm <sup>62)</sup>	1,280		0	36
V30522150	Awning (anthracite) with dimmable LED-illumination and special adapter, 400 x 250 cm <sup>62)</sup>	1,190	_	0	42



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

		Price £	GCS 600	GCS 700	Excess weight (kg)
V3020014	Engine / Underride protection <sup>54) 56)</sup>	250	0	0	16
	Electric off-road step ( retractable) for more ground clearance	810	0	0	2
V3011012	Skylight in bedroom, double-glazed, 70 x 50 cm <sup>30) 63)</sup>	420	0	0	5
V3028011 (	Opening window incl. blackout blind and mosquito net, LH side, rear <sup>29)</sup>	360	0	_	4
V70030117	Design graphics: Carbonline (Carbon black filling)	310	0	0	0
V7003216	Design graphics: Window filling Carbon (full-surface foiling surrounding the side windows, LH and RH side)	640	0	_	1
V7003212	Design graphics: Window filling Black (full-surface foiling around windows, LH and RH windows as well as rear doors) <sup>64)</sup>	640	_	0	1
Outfitting					
	Lowerable seating group table variant for bed conversion		<b>*</b>	<b>♦</b>	1.5
	Omission of rear transverse overhead lockers		•	•	-8
V3037510 I	ISOFIX (child seat fixation for seat bench) 31)	220	Ô	0	3.5
	2 folding chairs and table, incl. fixation	270	_	0	13
	External shower (located at the rear of the vehicle)	250	_		1
Living and bedro					
V5012614	Light package (Multifunctional pendant lamp as well as 2 ambient reading lights for multifunctional walls) 33) 34)	220	0	0	1
V60280J E	Bed conversion for seating group incl. additional cushion <sup>32)</sup>	340	0	0	10
Installation & Ted					
V5028021 1	1,800 W electric bar heater (for 6 kW Diesel warm air heating)	500	0	0	1.5
	Sleeping roof heating - Thermal blanket, 12 V (155 x 60 cm)	90		0	1
	External gas socket with shut-off valve	170	-	0	1
	HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional				_
V5012515	charger (160 Ah overall capacity)  HYMER Smart Battery System 2.0 - extension: 3rd habitation battery module 80 Ah LFP (overall capacity)	1,450	0	0	10.5
V5012515	240 Ah) <sup>65)</sup>	1,450		0	10.5
	Pre-wiring for solar modules	170	_	0	0.5
	Solar panel with solar charge controller (MPPT) and display, 1 x 95 W <sup>37)</sup>	850		_	8
	Solar panel with solar charge controller (MPPT) and display for sleeping roof, 2 x 95 W	1,450		_	16
	Solar panel with solar charge controller (MPPT) and display, 2 x 95 W	1,450		므	16
	Water filter for fresh water system	210	0	0	1
Multimedia					
	5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included)	1,710		0	1.5
	TV pre-installation (living area) <sup>33) 15) 16)</sup>	250		0	2
	22" Smart-LED-TV with built-in speakers, remote control <sup>17) 33)</sup>	830	0	0	6
Fabrics & Furnitu					
	Furniture finish: Pearl Grey		<b>♦</b>	<b>♦</b>	0
	Fabric combination: Bogota		<b>•</b>	•	0
V100704171	Textile leather-/ fabric combination: Valletta	640	0	0	4
V100704126 L	Leather / fabric combination: Moreno	1,710		0	5
V100704090 L	Leather: Grigio	1,710	0	0	6.5
V602104011 (	Carpet: Laguna	340	0	0	5
Packages					
V8006434	Equipment Line Plus	5,490	0	0	40
V8006435	Equipment Line Premium	9,770	0	0	45
V8007115	Autonomy package LFP (GCS 600) <sup>37) 42)</sup>	6,260	0	_	48
V8007115	Autonomy package LFP (GCS 600 - sleeping roof) <sup>42)</sup>	6,770	0	_	56
	Autonomy package LFP (GCS 700) 42)	6,770		0	56
	Winter package <sup>48)</sup>	1,190	0	0	3
V8031022 \		,			_
	Style package <sup>66)</sup>	1,190		0	0

O Optional equipment 

Mandatory  $\boldsymbol{\Delta}$  Not known at the time of publication  $\,$  Further information from p. 42 ◆ On request (no extra cost) — Not possible ☐ Available in package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

\*(8

## PRICES AND TECHNICAL DATA HYMER GRAND CANYON S CROSSOVER



	Grand Canyon S CrossOver
Price a) £	119,950
Standard chassis	Mercedes-Benz Sprinter 419 CDI
Drive	All Wheel Drive
kW (hp)	140 (190)
Emission standards	Euro VI-E
Tyre size	245/75 R16 C
Length / Width / Height (cm)	593 <sup>1)</sup> / 206 / 285 <sup>2)</sup>
Roof type	Sleeping roof O
Standing height in living area (cm)	192
Wheelbase (mm)	3665
Mass in running order (-/+ 5%) (kg)*	3194 (3034 - 3354)*
Manufacturer-specified mass for optional equipment (kg)*	351
Technically permissible maximum laden mass (kg)*	3880
Technically permissible maximum towable mass (kg)*	2800 O <sup>3)</sup>
Permitted number of seats (including driver)*	$4^{4)}$
Bed dimension: Rear bed L x W (cm)	195 x 135
Bed dimension: Central bed L x W (cm)	156 x 74 - 43 O
Bed dimension: Sleeping roof L x W (cm)	200 x 122 O
Berths	2-40
Fridge volume (freezer compartment) (I)	90 (6,5)
Standard heating	Diesel warm air, 6 kW
Gas bottle storage (Filling weight)	1 x 6kg
Total fresh water tank capacity (I)	100
Fresh water tank in driving filling level (I)	20
Waste water tank (I)	85
Battery capacity (Ah)	4x80 Ah (LFP)
Sockets: 230 V/12 V/USB	4/3/2

Standard equipment
 O Optional equipment
 Mandatory
 Not known at the time of publication
 A Vailable in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\,\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

# STANDARD EQUIPMENT HYMER GRAND CANYON S CROSSOVER

Grand Canyon S CrossOver

Chassis / Weight variants	
Mercedes-Benz Sprinter 3.88 t - 419 CDI - 140 KW/190 hp - Euro VI-E	┰
Basis	
Permanent All Wheel Drive incl. LED rear lights	~
9G-TRONIC automatic transmission incl. Hold function (x19 CDI)	
93 I fuel tank	
22 I AdBlue tank	
Adaptive Brake Light	
Exterior mirror electrically foldable	
Electrically adjustable and heated exterior mirrors	
Electric closing aid for sliding door, RH side	
Comfort suspension chassis (vibration absorbers, stabilisers, shock absorbers)	
Chrome grill	
LED High-Performance headlights	
Fog lights with cornering light	
Front bumper as well as grill frame painted in vehicle colour	
LED Daytime Running Light integrated in headlights	
Reinforced front axle	
Heat-insulating glass with tinting strip on windscreen	
Windscreen made of laminated glass Heated windscreen	
16" steel rim (black) with studded tyres (All Terrain)	
Electric cab windows  The desired state of the desi	
Electric parking brake	
Electric immobilizer	
Driver and passenger airbag	
Belt warning device "Unfastened seat belt"	
Grab handle for entry, sliding door	•
Trailer hitch pre-installation	
Fully automatic climate control THERMOTRONIC	•
Shelf for smartphones incl. wireless charging with charge level indicator	
Keyless Start (start-stop button for comfortable engine start)	•
Hinged lid for central storage compartment on the dashboard	
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	•
Leather steering wheel (automatic transmission only)	•
Steering wheel, height and tilt adjustable	•
Multifunctional steering wheel	•
Open shelf cockpit passenger side	•
Parameterisable special module for controlling retrofitted electronic add-on parts	
Sun visor for cab seats, swivelling	•
Warm air auxiliary heating, electric	•
Central locking with remote control	•
120 km/h speed limit (MD3)	•
ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program)	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	•
Outside temperature display	•
Attention Assist	•
Hill Start Assist	•
ESP with Brake Assist (BAS), ABS, ASR, EBV	•
High Beam Assist	•
Headlight range adjustment	•
Rain sensor	•
Crosswind Assist	•
Power steering	•

	er
	Ő
	ross
	SC
	/on
	San
	Grand Canyon S CrossOver
	Gra
Cruise Control incl. steering wheel multifunction buttons	•
Blind Spot Assist	•
Traffic Sign Assist	•
Metallic: Tenorite grey	•
Body Control of the state of th	
Optimal heat and noise insulation thanks to 16 mm closed-cell polyethylene foam in the wall area and 23 mm XPS insulation in the roof area	
Insulated floor Expandable rear door opening	
Awning (anthracite) with dimmable LED illumination and adapter, 325 x 250 cm	
Skylight in bathroom, 28 x 28 cm	•
Skylight in bedroom, 40 x 40 cm	•
Skylight in living room, 70 x 50 cm	•
Insulated aluminium framed windows	
Design graphics: CrossOver	•
Electric off-road step ( retractable) for more ground clearance  44" LED Light bar above cab	
Engine / Underride protection	
Outfitting	
Mercedes-Benz Comfort seat in living area fabric, height- and tilt adjustable, rotating, with 2 armrests and integral look	•
Front seating group with 2 integrated 3-point belts	•
All overhead lockers with Soft-Close feature	•
Comfort push locks with genuine leather loops on flaps and drawers	
Folding table with possibility to enlarge Pull-out bed climb incl. load compartment partition	
Mosquito net pleated blind for sliding door	
Pleated blackout cab blinds for front and side windows	•
Mosquito net and blackout blinds on all windows in the body construction (except bathroom)	•
Wall panel with multifunctional rail system at the seating group and kitchen for multiple use	•
Lashing rails with 4 adjustable eyelets	
2 folding chairs and table, incl. fixation  Tool set (folding spade, axe) in rear storage compartment	
Living and bedroom + lighting	
Side panelling in the bedroom with premium heat and sound-absorbing fabric lamination	•
Innovative sleeping comfort mattress with integrated disc spring system	•
Partitioning curtain between bed- and living room	•
LED reading spotlights with touch control (living area)	•
Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination	•
Fitted sheets made to measure for rear beds individually adapted to mattress	•
Living style collection "HOME" (2 cushions as well as utensil bag)	•
Kitchen	
Cooking/sink combination with glass cover (2-burner gas hob) and high-quality single-lever mixer tap	•
Deep drawers with Premium pull-outs incl. self-closing	
Kitchen drawer with Soft close feature and cutlery insert  Expandable kitchen worktop	
90 I compressor fridge (12 V or 230 V) incl. freezer compartment with excellent cooling performance and silent night mode	
Bathroom	
Compact bathroom with door	•
Design folding washbasin (made of solid surface)	•
Shower head holder with suction cup	
Cassette toilet with level indicator  Mirror cabinet with vanity mirror	
Shower insert floor with cork surface	
Mirror cabinet	•
Second toilet cassette incl. bracket	•
Installation & Technology	
6 kW Diesel warm air heating with 10 l warm water boiler, atmospheric pressure sensor (altitude kit) and 1,800 W electric bar heater	•
Indoor temperature sensor	

LCD keypad for heating	Grand Canyon S CrossOver
HYMER Smart Battery System 2.0 - additional 3 x 80 Ah LFP (overall capacity 320 Ah)	
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	
230 V external connection with earth leakage circuit breaker for 230 V & 12 V	•
7" touch display for convenient control and monitoring of smart vehicle features	•
HYMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)	•
100 I fresh water tank, internal (20 I in driving position)	•
85 I waste water tank (fitted underfloor)	•
Level indicator for fresh water as well as waste water tank	•
Waste water tank, insulated and heated	•
Electric waste water drainage with dashboard switch	•
Water filter for fresh water system	•
Solar panel with solar charge controller (MPPT) and display, 1 x 95 W	•
Multimedia	
Audio pre-installation with 4 speakers	•
DAB Radio pre-installation	•
Parking package with 360° camera	•
SatNav & Smartpone integration for Mercedes-Benz MBUX	•
Fabrics & Furniture finishes	
Furniture finish: Ivy Green	•
Fabric combination: Indiana	•
Packages	
CrossOver package Grand Canyon S	

## **EQUIPMENT LINES HYMER GRAND CANYON S CROSSOVER**



Mercedes-Benz Sprinter 3.88 t - 419 CDI -	•
140 KW/190 hp - Euro VI-E	•
Metallic: Tenorite grey	
Permanent All Wheel Drive incl. LED rear lights	•
9G-TRONIC automatic transmission incl. Hold function (x19 CDI)	•
Chrome grill	•
LED High-Performance headlights	•
Engine / Underride protection	•
Fog lights with cornering light	•
Front bumper as well as grill frame painted in vehicle colour	•
16" steel rim (black) with studded tyres (All Terrain)	•
Electric closing aid for sliding door, RH side	•
Shelf for smartphones incl. wireless charging with charge level indicator	•
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	•
Fully automatic climate control THERMOTRONIC	•
Leather steering wheel (automatic	<u>_</u>
transmission only)	
Heated windscreen	•
SatNav & Smartpone integration for Mercedes-Benz MBUX	•
Parking package with 360° camera	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	•
High Beam Assist	•
Blind Spot Assist	•
Traffic Sign Assist	•
Electric off-road step (retractable) for more ground clearance	•
44" LED Light bar above cab	•
Design graphics: CrossOver	•
6 kW Diesel warm air heating with 10 l warm water boiler, atmospheric pressure sensor (altitude kit) and 1,800 W electric bar heater	•
HYMER Smart Battery System 2.0 - additional 3 x 80 Ah LFP (overall capacity 320 Ah)	•
Water filter for fresh water system	•
Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination	•



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

	CrossOver package Grand Canyon S		
Fitted sheets made to measure for rear beds individually adapted to mattress	•		
Living style collection "HOME" (2 cushions as well as utensil bag)	•		
Shower insert floor with cork surface	•		
Second toilet cassette incl. bracket	•		
2 folding chairs and table, incl. fixation	•		
Tool set (folding spade, axe) in rear storage compartment	•		
Excess weight Equipment line (kg)*	0		
Package price (incl. VAT) £			

•	Standard equipment	O Optional equipment	▲ Mandatory	$\Delta$ Not known at the time of publication
4	On request (no extra cost)	<ul> <li>Not possible</li> </ul>	☐ Available in package	



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

#### PACKS HYMER GRAND CANYON S CROSSOVER

#### Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

1,190.-Package price (incl. VAT)

Excess weight (kg)\*

Standard equipment

O Optional equipment 

Mandatory ◆ On request (no extra cost) — Not possible

☐ Available in package

 $\triangle$  Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

## OPTIONAL EQUIPMENT HYMER GRAND CANYON S **CROSSOVER**

Price

	Grand Canyon S Cross
	0
	S
	ō
	<u>E</u>
	ပိ
£	Þ
L	ਕੁ
	Ö

		a)	Gra	Exc
Chassis / Weig	ht variants			
V201104100	Weight variant 4,100 kg	220	0	0
V201103500	Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)		•	0
Basis				
V2007111	Trailer hitch, removable ball head (max. 2 t) 51)	1,450	0	28
V2007114	Trailer hitch, fix ball head (max. 2.8 t) <sup>52)</sup>	1,620	0	25
V20855J	Seat heating and lumbar support for Original Mercedes-Benz seats <sup>55)</sup>	620		2
V2113010	Wet Wiper System (windscreen wiper with integrated spray nozzles) 55)	90		0
V2022210	Downhill Speed Regulation (Offroad mode)	510	0	0
V2051071	71 I fuel tank	90	0	-24
V20410J	Cupholder instead of storage compartment	60	0	0
Body				
V3016010	Sleeping roof in vehicle colour (Maxi double bed with Sleeping Comfort system)	4,280	0	120
V30522110	Awning with dimmable LED lighting and special adapter, anthracite housing, 300 x 250 cm <sup>67)</sup>		•	-1
V3028011	Opening window incl. blackout blind and mosquito net, LH side, rear	360	0	4
Outfitting				
V4052010	Lowerable seating group table variant for bed conversion		<b>♦</b>	1.5
V4036611	Omission of rear transverse overhead lockers		•	-8
V3037510	ISOFIX (child seat fixation for seat bench) 31)	220	0	3.5
Living and bed	room + lighting			
V5013614	Light package (Multifunctional pendant lamp as well as 2 ambient reading lights for multifunctional walls) 33)	220	0	1
V60280J	Bed conversion for seating group incl. additional cushion <sup>32)</sup>	340	0	10
Installation & T	echnology			
V5028110	Sleeping roof heating - Thermal blanket, 12 V (155 x 60 cm)	90	0	1
V5047029	Solar panel with solar charge controller (MPPT) and display, 2 x 95 W <sup>67)</sup>	850	0	6
V5048014	Inverter 12 V to 230 V, 1,600 VA, 2,800 Watt peak power incl. 70 A additional charger <sup>42)</sup>	1,020	0	10
Multimedia				
V5071511	5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included)	1,710	0	1.5
V50403J	TV pre-installation (living area) <sup>15) 33) 16)</sup>	250	0	2
V5054513	22" Smart-LED-TV with built-in speakers, remote control <sup>17) 33)</sup>	830	0	6
Fabrics & Furn	iture finishes			
V100704146	Leather combination: Lund	1,710	0	6.5
V602104011	Carpet: Laguna	340	0	5
Packages				
V8031022	Winter package	1,190	0	3





The factory installation of optional equipment increases the actual mass of the whicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

## PRICES AND TECHNICAL DATA HYMER GRAND CANYON S **XPERIENCE**



	GCS 600 Xperience
Price a) £	101,590
Standard chassis	Mercedes-Benz Sprinter 417 CDI
Drive	Rear Wheel Drive
kW (hp)	125 (170)
Emission standards	Euro VI-E
Tyre size	235/65 R16 C
Length / Width / Height (cm)	593 <sup>1)</sup> / 206 / 276 <sup>2)</sup>
Roof type	Sleeping roof O
Standing height in living area (cm)	192
Wheelbase (mm)	3665
Mass in running order (-/+ 5%) (kg)*	2928 (2782 - 3074)* <sup>68)</sup>
Manufacturer-specified mass for optional equipment (kg)*	230
Technically permissible maximum laden mass (kg)*	3500
Technically permissible maximum towable mass (kg)*	3500 O <sup>3)</sup>
Permitted number of seats (including driver)*	4 <sup>4)</sup>
Bed dimension: Rear bed L x W (cm)	195 x 135
Bed dimension: Sleeping roof L x W (cm)	200 x 122 Q
Berths	2-40
Fridge volume (freezer compartment) (I)	90 (6,5)
Standard heating	Diesel warm air, 6 kW
Gas bottle storage (Filling weight)	1 x 6 kg
Total fresh water tank capacity (I)	100
Fresh water tank in driving filling level (I)	20
Warm water tank (I)	101
Waste water tank (I)	85
Sockets: 230 V/12 V/USB	4/3/2

 Standard equipment ◆ On request (no extra cost) — Not possible

O Optional equipment 🔺 Mandatory

 $\square$  Available in package

△ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm\,5\,\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturerspecified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factoryfitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

# STANDARD EQUIPMENT HYMER GRAND CANYON S XPERIENCE

GCS 600 Xperience

Chassis / Weight variants	
Mercedes-Benz Sprinter 3.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E	<u> </u>
Basis	
Metallic: Tenorite grey	▔
9G-TRONIC automatic transmission incl. Hold function	
93 I fuel tank	
22   AdBlue tank	
Adaptive Brake Light	
Automatic headlight control	
Exterior mirror electrically foldable	
Electrically adjustable and heated exterior mirrors	
Halogen H7 headlights in clear glass technology	
Comfort suspension chassis (vibration absorbers, stabilisers, shock absorbers)	
Chrome grill	
Fog lights with cornering light	
Side indicators in exterior mirrors	
Front bumper as well as grill frame painted in vehicle colour	
Daytime Running Light integrated in headlights	
Reinforced front axle	
Trailer hitch pre-installation	
Heat-insulating glass with tinting strip on windscreen	•
Windscreen made of laminated glass	•
16" alloy wheels (black matt) with all season tyres	•
Electric cab windows	•
Electric parking brake	
Electric immobilizer	•
Driver and passenger airbag	
Belt warning device "Unfastened seat belt"	•
Semi-automatic climate control TEMPMATIC	
Grab handle for entry, sliding door	•
Keyless Start (start-stop button for comfortable engine start)	
Hinged lid for central storage compartment on the dashboard	•
Leather steering wheel (automatic transmission only)	•
Steering wheel, height and tilt adjustable	•
Multifunctional steering wheel	•
Open shelf cockpit passenger side	•
Parameterisable special module for controlling retrofitted electronic add-on parts	•
Sun visor for cab seats, swivelling	•
Warm air auxiliary heating, electric	•
Central locking with remote control	•
ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program)	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	•
Active Brake Assist	•
Active Lane Keeping Assist	•
Attention Assist	•
Outside temperature display	•
Hill Start Assist	•
ECO Start-Stop feature	•
Headlight range adjustment	•
Rain sensor	•
Crosswind Assist	
Power steering	•
Cruise Control incl. steering wheel multifunction buttons	•
Traffic Sign Assist	

	õ
	ē
	GCS 600 Xperience
	X 00
	S 60
	GC.
ody	
esign graphics Xperience	•
wning (anthracite) with dimmable LED illumination and adapter, 325 x 250 cm <sup>62)</sup>	•
lectric entrance step	•
Isulated floor	•
kylight in bathroom, 28 x 28 cm kylight in bedroom, 40 x 40 cm	
kylight in living room, 70 x 50 cm	•
isulated aluminium framed windows	•
utfitting	
ab seats, armrests and seat bench upholstered in living area fabric	•
lercedes-Benz Comfort seat in living area fabric, height- and tilt adjustable, rotating, with 2 armrests and integral look	•
leated blackout cab blinds for front and side windows	•
lackout living room with pleated blinds and mosquito net	•
losquito net pleated blind for sliding door	-
lultifunctional wall panels with aluminium profiles (in bamboo look) olding table with possibility to enlarge	
ull-out bed climb incl. load compartment partition	•
ertically adjustable cup-slatted bed frame for rear bed(s)	•
ashing rails with 4 adjustable eyelets	•
iving and bedroom + lighting	
ide panelling in the bedroom with premium heat and sound-absorbing fabric lamination	•
itted sheets made to measure for rear beds individually adapted to mattress	•
artitioning curtain between bed- and living room	•
iving style collection "HOME" (2 cushions as well as utensil bag)	
mbient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as tmospheric base illumination	•
ED illumination, dimmable with touch control	•
ED reading lights with touch control (living area)	•
itchen	
ooking/sink combination with glass cover (2-burner gas hob) and high-quality single-lever mixer tap	•
eep drawers with Premium pull-outs incl. self-closing	•
xpandable kitchen worktop	•
arge 2-piece cutlery insert	
0 I compressor fridge (12 V or 230 V) incl. freezer compartment with excellent cooling performance and silent night mode athroom	Š
esign folding washbasin (made of solid surface)	▔
hower head holder with suction cup	•
hower insert floor with cork surface	•
assette toilet with level indicator	•
ompact bathroom with door	•
lirror cabinet with vanity mirror	•
estallation & Technology	
kW diesel warm air heating with 10 I warm water boiler as well as atmospheric pressure sensor (altitude kit) door temperature sensor	
CD keypad for heating	•
YMER Smart Battery System 2.0: Habitation battery module - 80 Ah LFP (overall capacity 80 Ah)	•
harging booster for safe charging of the habitation battery while driving (up to 70 A)	•
30 V external connection with earth leakage circuit breaker for 230 V & 12 V	•
touch display for convenient control and monitoring of smart vehicle features	•
YMER Connect to control and monitor smart vehicle features via the HYMER Connect App. 7)	•
00 I fresh water tank, internal (20 I in driving position)	•
5 I waste water tank (fitted underfloor)	•
evel indicator for fresh water as well as waste water tank  /asto water tank insulated and heated	
/aste water tank, insulated and heated lectric waste water drainage with dashboard switch	
YMER Connect sensor package incl. 1x gas level sensor, 1x temperature sensor and 2x contact sensor	•
lultimedia	

DAB Radio	GCS 600 Xperience
Audio pre-installation with 4 speakers	•
5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included)	•
SatNav & Smartpone integration for Mercedes-Benz MBUX	•
Fabrics & Furniture finishes	
Furniture finish: Ivy Green	•
Fabric combination: Indiana	•
Packages	
Xperience Edition package	•

# **EQUIPMENT LINES HYMER GRAND CANYON S XPERIENCE**

#### Xperience Edition package



Metallic: Tenorite grey	
9G-TRONIC automatic transmission incl. Hold function	•
Design graphics Xperience	•
Chrome grill	•
Fog lights with cornering light	•
Front bumper as well as grill frame painted in vehicle colour	•
16" alloy wheels (black matt) with all season tyres	•
SatNav & Smartpone integration for Mercedes-Benz MBUX	•
Leather steering wheel (automatic transmission only)	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	•
Traffic Sign Assist	•
Living style collection "HOME" (2 cushions as well as utensil bag)	•
Fitted sheets made to measure for rear beds individually adapted to mattress	•
Ambient light system: Multiple level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination	•
Shower insert floor with cork surface	•
HYMER Connect sensor package incl. 1x gas level sensor, 1x temperature sensor and 2x contact sensor	•
5G WiFi router with external antenna and Dual-SIM card slot (SIM card not included)	•
Excess weight Equipment line (kg)*	0
Package price (incl. VAT) £	

•	Standard equipment	O Optional equipment	▲ Mandatory	$\Delta$ Not known at the time of publication
4	On request (no extra cost)	<ul> <li>Not possible</li> </ul>	☐ Available in package	



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

## PACKS HYMER GRAND CANYON S XPERIENCE

Package	Autonomy package LFP (GCS 600)	Autonomy package LFP (GCS 600 - sleeping roof)
HYMER Smart Battery System 2.0 - additional 3 x 80 Ah LFP (overall capacity 320 Ah)		•
Inverter 12 V to 230 V, 1,600 VA, 2,800 Watt peak power incl. 70 A additional charger	•	•
Solar panel with solar charge controller (MPPT) and display, 1 x 95 W	•	_
Solar panel with solar charge controller (MPPT) and display for sleeping roof, 2 x 95 W	_	•
Package price (incl. VAT) £	6,260	6,770
Excess weight (kg)*	48	56

#### **Equipment Line Premium**

LED High-Performance headlights

Rear lights partly in LED technology

Shelf for smartphones incl. wireless charging with charge level indicator

Parking package with 360° camera

Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)

Fully automatic climate control THERMOTRONIC

Blind Spot Assist

Package price (incl. VAT)	4,520
Excess weight (kg)*	5

#### Winter package

Seat heating and lumbar support for Original Mercedes-Benz seats

Wet Wiper System (windscreen wiper with integrated spray nozzles)

Steering wheel heating

Heat insulating cab

Package price (incl. VAT)	1,190
Excess weight (kg)*	3

<ul> <li>Standard equipment</li> </ul>	O Optional equipment	▲ Mandatory	△ Not known at the time of publication
On request (no extra cost)	<ul> <li>Not possible</li> </ul>	$\square$ Available in package	



\* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# OPTIONAL EQUIPMENT HYMER GRAND CANYON S XPERIENCE

e GCS 600 Xperience

xcess weight (kg)\*

ر	r	İC	e	i
١				

		u)	Ö	Ĕ
Chassis / Weig	tht variants			
	Mercedes-Benz Sprinter 3.5 t - 419 CDI - 140 KW/190 hp - Euro VI-E	3,680	0	5
V201103880	Weight variant 3,880 kg		<b>♦</b>	0
V201104100	Weight variant 4,100 kg	220	0	0
Basis				
V2051071	71 I fuel tank	90	0	-24
V2007111	Trailer hitch, removable ball head (max. 2 t) 51)	1,450	0	28
V2007114	Trailer hitch, fix ball head (max. 2.8 t) <sup>52)</sup>	1,620	0	25
V2007115	Trailer hitch, fix ball head (max. 3.5 t) (not available in combination with All Wheel Drive) 69)	1,710	0	25
V2115010	Mercedes-Benz engine compartment insulation for noise reduction	250	0	10
V20391J	Heated windscreen	390	0	0
V2113010	Wet Wiper System (windscreen wiper with integrated spray nozzles) 55)	90		0
V20410J	Cupholder instead of storage compartment	60	0	0
V2049011	Electric sliding door incl. remote control, RH side <sup>58)</sup>	1,110	0	10
V2049010	Electric closing aid for sliding door, RH side	390	0	5
V20855J	Seat heating and lumbar support for Original Mercedes-Benz seats <sup>55)</sup>	620		2
V2103210	Warm water auxiliary heating (auxiliary parking heating)	930	0	7
V2103211	Remote control for warm water auxiliary heating	420	0	0
V21055J	Auxiliary heating (supports heating when heating up the vehicle) <sup>59)</sup>	730	0	7
V2037810	High Beam Assist	330	0	0
V2098510	Blind Spot Assist	540		0
Body				
V3016010	Sleeping roof in vehicle colour (Maxi double bed with Sleeping Comfort system) 61)	4,280	0	120
V30522110	Awning with dimmable LED lighting and special adapter, anthracite housing, 300 x 250 cm <sup>62)</sup>		•	-1
V3020014	Electric off-road step (retractable) for more ground clearance	810	0	2
V3011012	Skylight in bedroom, double-glazed, 70 x 50 cm <sup>30) 63)</sup>	420	0	5
V3028011	Opening window incl. blackout blind and mosquito net, LH side, rear <sup>29)</sup>	360	0	4
Outfitting				
V4052010	Lowerable seating group table variant for bed conversion		<b>♦</b>	1.5
V4036611	Omission of rear transverse overhead lockers		•	-8
V3037510	ISOFIX (child seat fixation for seat bench) 31)	220	0	3.5
V30490J	2 folding chairs and table, incl. fixation	270	0	13
Living and bed	room + lighting			
V5013614	Light package (Multifunctional pendant lamp as well as 2 ambient reading lights for multifunctional walls) 33)	220	0	1
V60280J	Bed conversion for seating group incl. additional cushion <sup>32)</sup>	340	0	10
Installation & 1	Technology			
V5028021	1,800 W electric bar heater (for 6 kW Diesel warm air heating)	500	0	1.5
V5028110	Sleeping roof heating - Thermal blanket, 12 V (155 x 60 cm)	90	0	1
V50230J	External gas socket with shut-off valve <sup>58)</sup>	170	0	1
V5012515	HYMER Smart Battery System 2.0 - extension: 2nd habitation battery module 80 Ah LFP incl. additional charger (160 Ah overall capacity)	1,450	0	10.5
V5012515	HYMER Smart Battery System 2.0 - extension: 3rd habitation battery module 80 Ah LFP (overall capacity 240 Ah) <sup>65)</sup>	1,450	0	10.5
V5047010	Pre-wiring for solar modules	170	0	0.5
V5047030	Solar panel with solar charge controller (MPPT) and display, 1 x 95 W <sup>37)</sup>	850		8



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

		Price £	GCS 600 Xperience	Excess weight (kg)*
V5047029	Solar panel with solar charge controller (MPPT) and display for sleeping roof, 2 x 95 W	1,450		16
V5069710	Water filter for fresh water system	210	0	1
Multimedia				
V50403J	TV pre-installation (living area) <sup>15) 33) 16)</sup>	250	0	2
V5054513	22" Smart-LED-TV with built-in speakers, remote control <sup>33)</sup>	830	0	6
Fabrics & Furni	ture finishes			
V100904124	Furniture finish: Pearl Grey		•	0
V100704162	Fabric combination: Bogota		•	0
V100704171	Textile leather-/ fabric combination: Valletta	640	0	4
V100704126	Leather / fabric combination: Moreno	1,710	0	5
V100704090	Leather: Grigio	1,710	0	6.5
V602104011	Carpet: Laguna	340	0	5
Packages				
V8006435	Equipment Line Premium	4,520	0	5
V8007115	Autonomy package LFP (GCS 600) <sup>37)</sup>	6,260	0	48
V8007115	Autonomy package LFP (GCS 600 - sleeping roof)	6,770	0	56
V8031022	Winter package	1,190	0	3

O Optional equipment 

Mandatory  $\boldsymbol{\Delta}$  Not known at the time of publication  $\,$  Further information from p. 42 ◆ On request (no extra cost) — Not possible ☐ Available in package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight applied for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

## HYMER ORIGINAL PARTS FOR YOUR CAMPER VAN

The HYMER Original Parts product range offers you solutions with added value that combine an excellent fit with harmonious design – and, of course, in the renowned HYMER quality. Whether you're looking for a solution to increase storage space in your vehicle or are interested in being more self-sufficient, we offer you tailor-made products for your vehicle.



#### The most versatile rack ever – Discover our Backrack+ components

Whatever you have in mind – bring all your leisure equipment with you and enjoy total flexibility on your travels. Diverse components make the HYMER Backrack+ exactly what it is – a guarantee for undreamt-of freedom on the road.



#### Make the space your own thanks to the range of modular accessories for the hook-on rail

HYMER Original Parts offers you accessories such as tablet holders, a universal shelf and spice racks for the integrated rail in the living area. Adapt the walls to perfectly suit your needs!



# TO PRISU







HYMER insulation and insect screen for the rear doors

Whether it's insulation or an insect screen, HYMER Original Parts offers you tailor-made solutions for the rear doors of your camper van. Thanks to a zip fastening system, you can still enter the vehicle without any restrictions.



A variety of safe solutions make your vehicle more secure

The safes for the passenger door (Fiat) or the seat console (Mercedes) from HYMER Original Parts are a secure place for you to store any valuables in your vehicle, leaving you to enjoy your holiday without a care in the world.

Tailor-made solutions for your sleeping comfort, awnings and bicycle racks, practical interior solutions and much more are also available from HYMER Original Parts. Take a look at the entire product range of HYMER Original Parts.





Original accessories are not available direct from the factory, but are instead ordered and retrofitted exclusively via your HYMER dealer. The items are retrofitted to the vehicle following delivery from the factory and are not the responsibility of the manufacturer. Original HYMER parts and accessories that are retrofitted to a vehicle affect the payload capacity and axle loads.

Please note that the technically permissible maximum laden mass on the axle must not be exceeded even after fitting the original HYMER parts and accessories. For further information and explanations on the topic of weight, please refer to our weight information.

## **IMPORTANT NOTES**

#### **Abbreviations**

ABS - Anti-lock Braking System

ASR - Anti-Slip Control - Traction Control

EDS - Electronic Differential Lock

ESC - Electronic Stability Control - ESP

HBA - Hydraulic Brake Assist

LAC - Load Adaptive Control

MSR - Engine Drag Torque Control

EBV - Electronic Brake-Force Distribution

Any modification in the Original factory condition of your vehicle may result in impaired driving and / or driving safety.

Please note that the standard equipment may be omitted when ordering optional extras. Individual package contents can sometimes be ordered individually. Since not all dependencies of optional extras can be listed here, please check with your HYMER dealer.

Accessories and original spare parts recommended by Hymer GmbH & Co KG are designed, developed and approved specifically for your vehicle. Your HYMER dealer supplies these products; he is informed about all the technical details and can perform the necessary work in the correct manner. Accessories, add-on, conversion or installation parts not approved by Hymer GmbH & Co KG may cause damage to the vehicle and impair road safety. Even if an expert's report, a parts BE or a type approval is available for these parts, there is no presumption of the proper condition of the product. Please understand that for any damage caused by non-approved products or not permitted changes, Hymer GmbH & Co KG CANNOT be made liable.

Weight figures are approximate values. The payload stated in the price list is reduced by the weights stated in the price list if optional extras are fitted.

Please note: The alternative engine options available at extra cost, as well as all other chassis options such as automatic transmission and air conditioning, result in a change in weight. The additional weight of the individual chassis and engine variants as well as chassis options are always indicated in the chassis-related optional extras in the individual optional extras lists.

Please note: A maximum of 2 child seats are permitted on the bench seat in the living area, provided the table is removed and securely stowed. On an L-shaped seating group with fixed table, only one child seat is permitted beside the window. For this purpose, the side cushion must be removed and the table top moved towards the centre of the vehicle and locked in place. Please observe the exact instructions in the corresponding operating instructions. Please ensure that your observe the prescribed axle load when installing special parts attached to the rear of the vehicle, such as a motorcycle rack or trailer hitch.

The prices indicated are only valid for optional extras if fitted with the production of a new vehicle. The retrofitting of certain optional extras is sometimes not possible or associated with considerable additional costs.

This price list includes the series status at the time of printing. Despite checking the contents, errors can not be excluded. In the course of the model year, we reserve the right to change equipment and to make product improvements. The layouts are partially shown with optional extras available at extra cost, these are not part of the standard scope of delivery.

The water installation system is at least state-of-the-art as of 07/2011 (EG directive 2002/72/EG).

Before signing a sales contract, please inform yourself about our current product and series status with one of our approved HYMER dealers.

All prices are non-binding recommended retail prices in GBP including the legally valid value added tax (VAT), freight from Germany, first registration fee and pre-delivery inspection. For deliveries after the 31<sup>st</sup> of December 2020 import duties may apply. These are not included in the price and are charged separately.

Changes in price, design and equipment are possible without prior notice.

a) This is a recommended retail price based on UK retail prices. Prices in other countries may differ due to currency conversion and country-specific VAT, fees and import duties. For the latest information, please ask a local dealer for the prices applicable in your country.

This price list supersedes all previous ones.

#### Collection / Pick-up:

Collection / Pick-up of your HYMER CamperVan at the factory is not possible.

### **FOOTNOTES**

- 1) The length changes if optional extras such as trailer hitch, roof rails with rear ladder, Backrack+, bicycle rack, spare wheel incl. bracket on the outside of the rear wall, etc. are fitted.
- 2) Height changes if optional equipment such as SAT antenna, roof rails etc. is fitted. The standard radio roof aerial is not included in the overall height.
- 3) The specification is the maximum technically possible trailer load, taking into account the total towing weight of the possible chassis variants. The gross train weight and the associated trailer load may vary depending on the equipment/chassis variant and the technically permissible gross vehicle weight of the towing vehicle Up to 12% incline: The engine power is inevitably reduced with increasing altitude. From 1000 m above sea level and every 1000 m thereafter, 10% of the trailer load must be deducted from the trailer weight. Your HYMER dealer will be happy to calculate the towing capacity of your individual vehicle. Please do not hesitate to contact them.
- 4) The number of people specified will be reduced if the mass in running order increases. An increase occurs in particular if the engine version differs from the basic version, if optional extras are fitted and if a corresponding equipment variant is selected. Please check the weight information in the price list or consult your HYMER dealer to make sure that the technically permissible total mass is not exceeded and that there is sufficient loading capacity for persons and commodities. Please note the vehicles' weight balance.
- 5) The Fiat Ducato 3.5 t chassis (Light and Maxi chassis) with a gross vehicle weight of 3.5 t cannot be upgraded. Please note this when ordering.
- 6) Two Isofix places are provided.
- 7) HYMER Connect App also allows remote control via smartphone. Remote access and control via app and associated fees are included for a period of 2 years. After this period, various functions can still be used to a limited extent.
- 8) Only available in combination with Heavy-Duty-Homologation (Euro VI-E).
- 9) With a total mass of 3,500 kg, the trailer load is 2,500 kg for the light chassis and 3,000 kg for the maxi chassis. With a total mass of 4,000 kg (maxi chassis), the trailer load is 2,250 kg (even if the load is reduced to 3.5 tonnes).
- 10) Not available in combination with the optional bed conversion kit for seating group incl. additional upholstery.
- 11) The Backrack+ base carrier is mounted on the left-hand rear door and includes pre-installation of the trailer hitch.
- 12) Sleeping roof and transverse bed conversion kit for seating group incl. additional cushions cannot be used at the same time.
- 13) When ordering the 6 kW diesel warm air heating with 10 litre warm water boiler and 1,800 watt electric bar heater, the compact gas bottle compartment for the 6 kg gas bottle is automatically added.
- 14) A second 80 Ah LFP battery module requires the first 80 Ah LFP battery module.
- 15) TV pre-installation = 1 x power outlet
- 16) The TV preparation shortens the overhead locker above the seating area, creating a gap to the bathroom wall.
- 17) Only available in combination with TV pre-installation / TV-bracket.
- 18) The autonomy package is only available in combination with equipment line Trail or Sport (as already included in the equipment line Explorer).
- 19) A black sleeping roof is the only option for the exterior colour (instead of the vehicle colour).
- 20) Not available in combination with Style package.
- 21) Only available in combination with the exterior color Storm blue metallic.
- 22) Only available in combination with standard or Fiat tyres. Alternative tyres must be retrofitted with Fiat TPMS valves.
- 23) Only available in combination with 16" alloy rims and Heavy Duty homologation (Euro VI-E).
- 24) Only available in combination with Equipment Line Plus, 8-gear automatic transmission and Style package.
- 25) Sleeping roof in vehicle colour is only available in combination with exterior colour Lanzarote Grey, Fer Grey or Campovolo Grey'
- 26) Ayers Rock: The combination of the 5G wifi router with the sleeping roof is not available.
- 27) Sleeping roof in black is only available in combination with exterior colour White, Storm Blue, Artense Grey or Black.
- 28) This option includes the trailer hitch pre-installation.
- 29) The optional opening window in the rear reduces the size of the bed.
- 30) Lifting- and tilting skylight (Heki) not available in combination with sleeping roof, sleeping roof heating or roof AirCon. (Except Grand Canyon S 700 for this vehicle the combination is available).
- 31) ISOFIX child seat fixation only available for the seat in central position of the vehicle.
- 32) Only available in combination with lowerable seating group table variant for bed conversion.
- 33) Light package not available in combination with 22" LED TV or TV pre-installation.
- 34) Light package only available in combination with Ambient-Light-System or Living Comfort pack.
- 35) Not available in combination with Diesel heating.
- 36) Only available in combination with automatic gas bottle change over system with Crash Sensor and Ice Ex.
- 37) Not available in combination with optional sleeping roof.
- 38) When fitting the optional Roof AirCon the overall height of the vehicle increases.
- 39) Not available in combination with sleeping roof or lifting- and tilting skylight (Heki).
- 40) Full smartphone integration in the multimedia system (e.g. Apple Car Play, Google Android Auto) can only be guaranteed if the 9" Multimedia SatNav system is installed ex works. Smartphone integration is not possible in the retrofit version.
- 41) Depending on the type of smartphone and the software version, the level of possible smartphone use may vary.
- 42) The peak power describes the maximum power specified by the manufacturer that an inverter can supply for a short period of time, for example to absorb high starting currents or sudden load peaks.
- 43) Only available in combination with the sleeping roof.
- 44) Mercedes-Benz Sprinter 31x chassis with permissible total weight of 3,500 kg cannot be uprated. Please keep this in mind when ordering.
- 45) All Wheel Drive only available in combination with Mercedes-Benz Sprinter 419 chassis variant.
- 46) All Wheel Drive not available in combination with All Season tyres.
- 47) When ordering the optional All Wheel Drive, the overall height increases by approx.  $9\,\mathrm{cm}$ .
- 48) Only available in combination with Equipment Line Plus or Premium.
- $49) \ Eco\ Start-Stop\ function\ not\ applicable\ with\ All-Wheel\ Drive\ option.$
- 50) Not available in combination with All Wheel Drive.
- $51) When uprating the vehicle to 4,\!100 \, kg \, (total \, permissible \, gross \, weight)\!, the \, trailer \, load \, is \, reduced to 1,\!780 \, kg.$
- 52) When uprating the vehicle to 4,100 kg (total permissible gross weight), the trailer load is reduced to 2,580 kg.

- 53) 41x CDI (total permissible gross weight of 3,880 kg): Trailer load is reduced to 3,120 kg. When uprating the vehicle to 4,100 kg, trailer load is reduced to 2,900 kg.
- 54) Engine compartment noise reduction insulation and engine / underride protection cannot be ordered at the same time. Only one of these options can be ordered.
- 55) The options "Seat heating and lumbar support for Mercedes-Benz Original seats" and the "Wet Wiper System" can only be ordered in combination.
- 56) Only available in combination with All Wheel Drive.
- 57) Remember that the maximum permissible speed with these tyres is 120 km/h.
- 58) Electric sliding door not available in combination with external gas socket.
- 59) Not available in combination with warm water auxiliary heating.
- 60) Blind Spot Assist only available in combination with the active Distance Assist Distronic+.
- 61) When configuring the sleeping roof, the standard skylights can be omitted (depending on the layout).
- 62) Brackets for awnings feet are supplied loose.
- 63) When ordering this optional extra, standard variant is not included.
- 64) Not available in combination with Carbonline design stickers. The standard decals are omitted with this variant.
- 65) Only available in combination with the optional HYMER Smart Battery System 2.0 extension: 2nd habitation battery module 80 Ah (LFP) incl. additional charger.
- 66) Mercedes-Benz Style package only available in combination with the exterior colours Obsidian black, Tenorite grey or Hightech silver.
- 67) Mandatory optional extra in combination with pop-up roof in vehicle colour.
- 68) The specified mass in running order corresponds to the vehicle with standard equipment and optional extras.
- 69) The trailer load depends on the technically permissible maximum laden mass: With a technically permissible maximum laden mass of 3,500 kg, the trailer load is 3,500 kg. With a technically permissible maximum laden mass of 3,880 kg, the trailer load is reduced to 3,120 kg. If the gross vehicle weight is increased to 4,100 kg, the trailer load is reduced to 2,900 kg.

# **FOOD FOR THOUGHT!**

## LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the HYMER configurator on our website offer you additional assistance in configuring your vehicle.

#### 1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

#### 2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is  $\pm$  5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg  $\,$

The specific range of permissible weight deviations can be found for each model in the technical data. HYMER makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by HYMER by weighing each vehicle at the end of the line.

#### 3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore 3\*75 kg = 225 kg.

#### 4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order — as an element of the actual mass — is subject to a legally permissible tolerance of  $\pm$  5 % (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

#### 5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in  $kg \ge 10 * (n + L)$ 

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg \* (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass

- 2,850 kg mass in running order
- 3\*75 kg mass of the passengers
- 100 kg minimum pay-mass
- = 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum paymass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value: 3,500 kg technically permissible maximum laden mass

- 2,907 kg real weighed mass in running order (+ 2% compared to the stated value of 2,850 kg)
- 3\*75 kg mass of the passengers
- 325 kg optional equipment (maximum permissible value)
- = 43 kg actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, HYMER further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, HYMER will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

# 6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order — both upwards and downwards — have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

- 3.500 kg technically permissible maximum laden mass
- -2.907 kg real weighed mass in running order (+ 2% compared to the stated value of 2,850 kg)
- -3\*75 kg mass of the passengers

- -150 kg optional equipment ordered for the specific vehicle
- = 218 kg actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

#### Please note!

This price list describes the series status at the time of publication. Despite careful checking of the content, printing errors can not be ruled out completely. We reserve the right to make equipment changes or product improvements. Before signing a contract, please ask one of our approved HYMER dealers about the current product-, equipment and price.

Some vehicles are partly shown with optional exras that are available in the current applicable price list and are available at extra cost. The decoration shown is not supplied by HYMER.

The data complies with European homologation regulations which may change by the time of the vehicle purchase or delivery. Your HYMER dealer will gladly provide you with information regarding these changes as well as the standard scope of delivery.

Copyright © 2025 Hymer GmbH & Co. KG



Hymer GmbH & Co. KG Postfach 1140 D-88339 Bad Waldsee

www.hymer.com





Follow us on Facebook and Instagram! Facebook: @hymer.official Instagram @hymer